

BOON cheat sheet. It is recommended to read the M-x boon-tutorial to make sense of this. The color of a key indicates the type of argument it expects.
Command mode bindings.

| | | | | | | | | | | |
|--------------------------------|-----------------------------------|--------------------------------|--|-------------------------------------|---------------------------------|---------------------|---------------------------|---------------------|----------------------------|---------------|
| ESC back to normal mode | | | | | | | | | | |
| Q | W qsearch-previous | E qsearch-next | R kmacro-start-macro | T | Y xref-find-references | U | I backward-paragraph | O forward-paragraph | P kmacro-end-or-call-macro | |
| q quote-character | w backward-search where was? | e forward-search elsewhere? | r occur | t replace-by-character transform | y xref-find-definitions fYnd | u beginning-of-line | i previous-line | o next-line | p end-of-line | |
| A | S | D treasure-region | F yank-pop | G | H avy-goto-char | J | K smarter-upward | L smarter-downward | : | " |
| a enclose around | s substitute-region substitute | d take-region delete | f splice fetch | g goto goto | h avy-goto-word-1 hop | j smarter-backward | k backward-char | l forward-char | ; smarter-forward | ' toggle-mark |
| Z | X highlight-regex | C | V open-next-line-and-insert | B copy-to-register | N xref-pop-marker-stack | M | < beginning-of-buffer | > end-of-buffer | ? | |
| z repeat-command repeat | x | c c-god | v set-insert-like-state v looks like an insert mark | b insert-register | n switch-mark noon walk | m | , beginning-of-expression | . end-of-expression | / | |
| space select region | | | | | | | | | | |

Left-hand text region specifiers:

| | | | | |
|-------------------------|------------------------|-----------------------|----------------------|--------------------|
| q select-outside-quotes | w select-word | e | r | t |
| a select-borders | s select-wim | d select-document | f | g select-paragraph |
| z select-content | x select-outside-pairs | c select-inside-pairs | v select-with-spaces | b select-blanks |

Color corresponds to the type of expected argument:

- (Reserved key)
- (Prefix map)
- A region
- A search space
- A character
- No Argument
- First an enclosure, then a region