

# OptimalControl.jl: A Julia package for modeling and solving optimal control problems with ODEs

Jean-Baptiste Caillau<sup>1</sup>, Olivier Cots<sup>2¶</sup>, Joseph Gergaud<sup>2</sup>, Pierre Martinon<sup>3</sup>, and Sophia Sed<sup>4</sup>

<sup>1</sup> Université Côte d'Azur, CNRS, Inria, LJAD, France <sup>2</sup> Université Toulouse, CNRS, ENSEEIHT-IRIT, France <sup>3</sup> CAGE team, Inria Paris, France <sup>4</sup> Inria Sophia Antipolis Méditerranée, France ¶ Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

## Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

## Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

## License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

## Summary

[OptimalControl.jl](#) (Caillau, Cots, Gergaud, Martinon, & Sed, 2024) is a Julia (Bezanson et al., 2017) package for modeling and solving optimal control problems governed by ordinary differential equations (ODEs). As the core of the [control-toolbox ecosystem](#), it provides a unified framework that supports both direct and indirect solution methods with applications spanning aerospace, medical imaging, epidemiology, and quantum control.

The package features an expressive domain-specific language (DSL) built around the `@def` macro, enabling users to define control problems using notation that closely resembles standard mathematical formulations. Problems are solved through direct transcription, converting the continuous problem into a nonlinear program (NLP) using discretization schemes including Euler, trapezoidal, midpoint, and high-order Gauss-Legendre collocation. Alternatively, indirect shooting methods based on Pontryagin's Maximum Principle can be employed. The architecture relies on a modeler-solver separation that provides a modular and extensible foundation, enabling seamless execution on both CPU and GPU with minimal user intervention.

The ecosystem includes extensive [tutorial resources](#), a benchmark problem collection ([OptimalControlProblems.jl](#) (Caillau, Cots, Gergaud, & Martinon, 2024) with formulations in OptimalControl DSL and [JuMP](#) (Lubin et al., 2023)), and performance comparison tools ([CTBenchmarks.jl](#)). Integration with Julia's ecosystem enables access to state-of-the-art tools: NLP solvers [IPOPT](#) (Wächter & Biegler, 2006) and [MadNLP.jl](#) (Shin et al., 2021, 2024), automatic differentiation and NLP modeling through JuliaSmoothOptimizers' [ADNLPModels](#) (Migot et al., 2023), GPU acceleration via [ExaModels.jl](#) (Shin et al., 2023), numerical integration from SciML's [DifferentialEquations.jl](#) (Rackauckas & Nie, 2017), and visualization through [Plots.jl](#) (Christ et al., 2023).

## Statement of Need

[OptimalControl.jl](#) is, to our knowledge, the only Julia package that unifies both direct and indirect methods for optimal control within a single, coherent framework.

This unified approach addresses a gap in the current optimal control software landscape. Existing tools are fragmented across programming languages and paradigms. Legacy packages such as [HamPath](#) (Caillau et al., 2012), [NutoPy](#) (Caillau et al., 2022), and [COTCOT](#) (Bonnard et al., 2007) implement sophisticated indirect methods but rely on Fortran implementations with MATLAB or Python interfaces, leading to complex and less extensible workflows. Proprietary solvers like [GPOPS-II](#) (Patterson & Rao, 2014) limit transparency and reproducibility. Open-source tools such as [BOCOP](#) (Bonnans et al., 2017), [ACADO](#) (Houska et al., 2011), and

41 [acados](#) ([Verschuere et al., 2021](#)) provide valuable direct method implementations but are not  
 42 natively integrated into a modern, high-level scientific computing ecosystem. Python-based  
 43 tools such as [Dymos](#) ([Falck et al., 2021](#)), [Pyomo.DAE](#) ([Nicholson et al., 2018](#)), [do-mpc](#) ([Fiedler](#)  
 44 [et al., 2023](#)), and [GEKKO](#) ([Beal et al., 2018](#)) offer complementary capabilities but are similarly  
 45 limited to direct transcription approaches within the Python ecosystem.

46 Within Julia, most existing packages target specific domains: [RobustAndOptimalControl.jl](#)  
 47 for linear systems, [QuantumControl.jl](#) and [Piccolo.jl](#) for quantum optimal control,  
 48 [DirectTrajectoryOptimization.jl](#) for trajectory problems, [LinearMPC.jl](#) ([Arnström et al.,](#)  
 49 [2022](#)) and [ModelPredictiveControl.jl](#) ([Gagnon et al., 2024](#)) for model predictive control, and  
 50 [InfiniteOpt.jl](#) ([Pulsipher et al., 2022](#)) for infinite-dimensional optimization. In contrast with  
 51 [InfiniteOpt.jl](#) that is designed as an extension of [JuMP.jl](#), our plan is to provide a modeler  
 52 agnostic approach, able to accept general Julia code and leverage various optimization solvers.  
 53 Besides, contributing to general-purpose NLP modeling frameworks like JuMP or [CasADi](#)  
 54 ([Andersson et al., 2019](#)) would not address the specific needs of optimal control: these tools  
 55 lack native support for shooting methods based on Pontryagin's Maximum Principle and that  
 56 heavily rely on differential geometric primitives.

57 [OptimalControl.jl](#) fills this gap by providing a DSL that matches mathematical notation, multiple  
 58 discretization schemes and shooting methods, with planned support for homotopy continuation  
 59 methods. The modeler-solver separation enables complementary use with [InfiniteOpt.jl](#) (JuMP-  
 60 based) through alternative NLP modeling backends (currently [ADNLPModels](#), [ExaModels](#))  
 61 and solvers. GPU acceleration and an ecosystem with domain-specific applications, tutorials,  
 62 and benchmarking tools complete the offering. Target users include researchers and engineers  
 63 working in optimal control, control theorists developing new algorithms, and students learning  
 64 optimal control through interactive tutorials.

## 65 State of the Field

66 [OptimalControl.jl](#) requires Julia version 1.10 or later and is registered in the Julia General  
 67 registry, enabling straightforward installation via `Pkg.add("OptimalControl")`. We compare  
 68 it below with existing software.

- 69 ▪ **Legacy tools (COTCOT, HamPath, NutoPy):** These Fortran packages excel at indirect  
 70 methods and homotopy continuation but require multi-language setup (Fortran plus  
 71 Matlab / Python). [OptimalControl.jl](#) provides both direct and indirect methods in pure  
 72 Julia with straightforward installation via package manager.
- 73 ▪ **Direct method tools (BOCOP, ACADO, GPOPS-II, acados, nosnoc):** Strong direct  
 74 method implementations: [GPOPS-II](#) ([Patterson & Rao, 2014](#)) delivers mature methods  
 75 with MATLAB and C++ implementations but is proprietary; [acados](#) ([Verschuere et](#)  
 76 [al., 2021](#)) targets real-time MPC on embedded systems; [nosnoc](#) ([Nurkanović & Diehl,](#)  
 77 [2022](#)) specializes in nonsmooth optimal control; [CasADi](#) ([Andersson et al., 2019](#)), used  
 78 as symbolic backend by several of these tools, is a general NLP modeler rather than an  
 79 optimal control solver. [OptimalControl.jl](#) offers an open-source alternative with expressive  
 80 DSL, native Julia ecosystem integration, GPU support, and unified direct and indirect  
 81 approaches.
- 82 ▪ **Julia packages:** [RobustAndOptimalControl.jl](#) targets linear systems; [QuantumControl.jl](#),  
 83 [Piccolo.jl](#) and [DirectTrajectoryOptimization.jl](#) serve specific domains; [LinearMPC.jl](#)  
 84 ([Arnström et al., 2022](#)) and [ModelPredictiveControl.jl](#) ([Gagnon et al., 2024](#)) focus on  
 85 model predictive control. [InfiniteOpt.jl](#) addresses a very rich range of problems, including  
 86 optimization on PDE's or with chance constraints, focusing on direct transcription  
 87 methods. [OptimalControl.jl](#) works seamlessly on both CPU and GPU, and adds  
 88 tools to do shooting in a unified framework plus systematic benchmarking through  
 89 [OptimalControlProblems.jl](#) and [CTBenchmarks.jl](#).

## Illustrative Example

A self-contained illustrative example is provided as a companion repository (Caillau et al., 2026), archived on Zenodo. It combines direct and indirect solution approaches for a constrained energy minimization problem: a direct method on a coarse grid identifies the three-arc structure (unconstrained–constrained–unconstrained) and initializes a shooting method based on Pontryagin’s Maximum Principle, which then converges to arbitrary precision.

## Software Design

The package architecture balances expressiveness, performance, and extensibility through modular design. The core is organized across internal packages within the [control-toolbox organization](#), each hosted as an independent Julia package and registered in the General registry: [CTBase.jl](#) defines the core types (optimal control models, solutions, initial guesses) and their accessors; [CTParser.jl](#) implements the `@def` DSL macro; [CTDirect.jl](#) handles direct transcription and NLP interfacing; and [CTFlows.jl](#) provides Hamiltonian flows and shooting for indirect methods. [OptimalControl.jl](#) re-exports these packages as a unified entry point. Contributors interested in a specific functionality can work directly on the relevant sub-package, each of which has its own documentation, tests, and continuous integration. The delegation of specific responsibilities is as follows:

- **DSL parsing:** [MLStyle.jl](#) (Thautwarm & contributors, 2023) enables pattern matching on abstract syntax trees generated from `@def` macro invocations. This design choice separates problem specification from solution methods, and allows a syntax as close as possible to the mathematical description of the problem.
- **Problem models and solutions:** Structured types represent optimal control models, solutions, and initial guesses. Each type provides textual visualization, accessor methods for introspection, and visual plotting capabilities for solutions. Extensible abstractions enable addition of new problem classes without modifying core code.
- **Discretization:** Direct transcription converts continuous problems into NLPs. Supporting multiple discretization schemes (Euler, midpoint, trapezoidal, Gauss-Legendre) required careful abstraction to share transcription logic while allowing scheme-specific implementations.
- **Modelers and solvers:** We chose a clear modeler-solver separation: discretization produces [ADNLPModels](#) (able to deal with arbitrary user defined functions) or [ExaModels](#) (Shin et al., 2023) instances compatible with multiple NLP solvers ([IPOPT](#) via [NLPModelsIpopt.jl](#) (Orban et al., 2023), [Knitro](#) (Byrd et al., 2006), [MadNLP](#), and [Uno](#) (Vanaret & Leyffer, 2026)). These NLP solvers rely on linear solvers such as [MUMPS.jl](#) (Amestoy et al., 2001, 2019; Montoison et al., 2024) for CPU computations or [CUDSS.jl](#) (NVIDIA Corporation, 2025) for GPU acceleration with [MadNLP](#). Automatic differentiation via [ForwardDiff.jl](#) (Revels et al., 2016) and [DifferentiationInterface.jl](#) (Dalle & Hill, 2026) avoids manual derivative coding.
- **Indirect methods:** Hamiltonian flows integrate with [DifferentialEquations.jl](#) to access adaptive stepping, event handling, and multiple ODE solvers without reimplementing. Shooting methods rely on [NonlinearSolve.jl](#) (Pal et al., 2025) or [MINPACK.jl](#) for root-finding. Future extensions will incorporate homotopy continuation methods leveraging bifurcation analysis tools like [BifurcationKit.jl](#) (Veltz, 2020).
- **Testing and quality assurance:** The multi-repository structure is matched by a layered testing strategy. Each sub-package is tested independently, combining unit tests, integration tests, and code-quality checks, while [OptimalControl.jl](#) adds strong end-to-end integration tests that solve complete optimal control problems by both direct and indirect methods. Continuous integration runs across Linux, macOS, and Windows, on

both CPU and GPU (through a self-hosted CUDA runner), using reusable GitHub Actions workflows centralized in [CTActions](#) and shared across the ecosystem. Code coverage is tracked on Codecov, downstream packages and applications are guarded against regressions through dedicated breakage tests triggered on pull requests, and beta versions are distributed during development via a local registry, [ct-registry](#). Non-regression on complex problems is increasingly driven by [OptimalControlProblems.jl](#), used as a curated problem bank.

#### Key design trade-offs:

1. **DSL vs. programmatic API:** We prioritized a mathematical DSL to reduce cognitive load for domain experts, accepting increased parsing complexity handled internally. Currently we do not address optimization of PDE or stochastic systems.
2. **GPU acceleration strategy:** The modeler-solver separation enables seamless CPU-to-GPU transition. Users simply select the appropriate modeler-solver pair: ExaModels with MadNLP and the CUDSS linear solver for GPU execution. This modular approach minimizes maintenance burden while enabling GPU performance without reimplementing transcription logic. As for now, GPU support is limited to the ExaModels + MadNLP modeler-solver combination.
3. **Method coverage:** Supporting both direct and indirect approaches increases code complexity but serves distinct user needs: direct methods for constrained problems with many variables, indirect methods for theoretical analysis and smaller problems requiring high accuracy. Both approaches resort to iterative solvers and may converge or not, *e.g.* depending on the initial guess. In the case of optimization solvers, the full output status of the solver is returned allowing *a posteriori* analysis.

## Research Impact Statement

OptimalControl.jl has been applied in published research across multiple domains. Independent external adoption demonstrates the package's broader impact: Ferde et al. (2025) used it for drone racing trajectory optimization, Caio & Silva (2025) for epidemiological models using indirect methods, Morsky (2025) for vaccination strategies under social norms, Opmeer (2025) for optimal harvesting of age-structured populations, and Evangelakos et al. (2025) for fast charging protocols for quantum batteries.

Research by close collaborators further demonstrates the package's versatility across aerospace (Herasimenka et al. (2026)), epidemiology (Bliman et al. (2026)), quantum control (Beschastnyi et al. (2025)), microbial growth control (Innerarity Imizcoz et al. (2025)), and theoretical optimal control (Bouali et al. (2025); Lutz & Privat (2025); Bayen et al. (2026); Bonnard et al. (2026)).

The [control-toolbox organization](#) hosts domain-specific application packages built on OptimalControl.jl: medical imaging optimization ([MagneticResonanceImaging.jl](#)), gene regulatory networks ([PWLdynamics.jl](#)), spacecraft orbital transfers ([Kepler.jl](#)), epidemiological modeling ([SIRcontrol.jl](#)), and variational calculus ([CalculusOfVariations.jl](#)).

The package serves educational purposes through [Tutorials.jl](#) covering topics from linear-quadratic regulators to Model Predictive Control. These resources are used in academic courses and workshops. [OptimalControlProblems.jl](#) provides standardized test problems formulated in both OptimalControl DSL and JuMP, enabling systematic performance comparisons through [CTBenchmarks.jl](#).

Development involves international collaborations with CNES (French space agency), Thales Alenia Space, Inria, and CNRS. The package development began in September 2022, with the first public release in February 2023. As of March 2026, OptimalControl.jl has published

185 more than 40 releases with contributions from multiple developers across the control-toolbox  
186 ecosystem packages, demonstrating sustained community engagement.

## 187 AI Usage Disclosure

188 The core software implementation, algorithms, and architectural design of OptimalControl.jl  
189 were developed by the authors. Generative AI has been used to assist with code refactoring  
190 and generation of unit and integration tests. This paper was drafted by the authors and  
191 subsequently revised with AI assistance for restructuring according to JOSS format requirements  
192 and language editing. All technical content, examples, and claims reflect the authors' work  
193 and judgment.

## 194 Acknowledgements

195 We thank the [control-toolbox community](#) and the broader Julia ecosystem for contributions  
196 that shaped the package design and educational resources. Development has been supported  
197 by partnerships with CNES, Thales Alenia Space, Inria, and CNRS. The software is distributed  
198 under the MIT license (see [LICENSE](#)). We welcome community contributions following the  
199 guidelines in [CONTRIBUTING.md](#).

## 200 References

- 201 Amestoy, P. R., Buttari, A., L'Excellent, J.-Y., & Mary, T. (2019). Performance and Scalability  
202 of the Block Low-Rank Multifrontal Factorization on Multicore Architectures. *ACM*  
203 *Transactions on Mathematical Software*, 45(1), 2:1–2:26. <https://doi.org/10.1145/3242094>
- 204 Amestoy, P. R., Duff, I. S., Koster, J., & L'Excellent, J.-Y. (2001). A fully asynchronous  
205 multifrontal solver using distributed dynamic scheduling. *SIAM Journal on Matrix Analysis*  
206 *and Applications*, 23(1), 15–41. <https://doi.org/10.1137/s0895479899358194>
- 207 Andersson, J. A., Gillis, J., Horn, G., Rawlings, J. B., & Diehl, M. (2019). CasADi: A software  
208 framework for nonlinear optimization and optimal control. *Mathematical Programming*  
209 *Computation*, 11(1), 1–36. <https://doi.org/10.1007/s12532-018-0139-4>
- 210 Arnrörm, D., Bemporad, A., & Axehill, D. (2022). A dual active-set solver for embedded  
211 quadratic programming using recursive  $LDL^T$  updates. *IEEE Transactions on Automatic*  
212 *Control*, 67(8), 4362–4369. <https://doi.org/10.1109/TAC.2022.3176430>
- 213 Bayen, T., Bouali, A., & Bourdin, L. (2026). Minimum time problem for the double integrator  
214 with a loss-of-control region. *Nonlinear Analysis: Hybrid Systems*, 60, 101681. <https://doi.org/10.1016/j.nahs.2026.101681>
- 215
- 216 Beal, L. D. R., Hill, D. C., Martin, R. A., & Hedengren, J. D. (2018). GEKKO optimization  
217 suite. *Processes*, 6(8), 106. <https://doi.org/10.3390/pr6080106>
- 218 Beschastnyi, I., Dell'Elce, L., Pomet, J.-B., Sacchelli, L., & Tinoco, D. (2025). Pulse control of  
219 affine systems with applications to quantum control. *2025 IEEE 64th Conference on Decision*  
220 *and Control (CDC)*, 3769–3774. <https://doi.org/10.1109/CDC57313.2025.11312971>
- 221 Bezanson, J., Edelman, A., Karpinski, S., & Shah, V. B. (2017). Julia: A fresh approach to  
222 numerical computing. *SIAM Review*, 59(1), 65–98. <https://doi.org/10.1137/141000671>
- 223 Bliman, P.-A., Bouali, A., Loisel, P., Rapaport, A., & Virelizier, A. (2026). On the problem  
224 of minimizing the epidemic final size for SIR model by social distancing. *Mathematical*  
225 *Biosciences and Engineering*, 23(3), 567–593. <https://doi.org/10.3934/mbe.2026022>
- 226 Bonnans, J. F., Martinon, P., Giorgi, D., Grélard, V., Maindrault, S., & Tissot, O. (2017).



- 227 The bocop and BocHop optimization toolboxes. *IFAC-PapersOnLine*, 50(1), 8849–8854.  
228 <https://doi.org/10.1016/j.ifacol.2017.08.1745>
- 229 Bonnard, B., Caillau, J.-B., & Trélat, E. (2007). Second order optimality conditions in the  
230 smooth case and applications in optimal control. *ESAIM: Control, Optimisation and*  
231 *Calculus of Variations*, 13(2), 207–236. <https://doi.org/10.1051/cocv:2007012>
- 232 Bonnard, B., Cots, O., & Privat, Y. (2026). The zermelo navigation problem on the 2-  
233 sphere of revolution: An optimal control perspective with applications to micromagnetism.  
234 *Nonlinearity*, 39(1), 015006. <https://doi.org/10.1088/1361-6544/ae2cd9>
- 235 Bouali, A., Rapaport, A., & Bayen, T. (2025). *Regularization of optimal control problems on*  
236 *stratified domains using additional controls*. <https://hal.inrae.fr/hal-04928858>
- 237 Byrd, R. H., Nocedal, J., & Waltz, R. A. (2006). Knitro: An integrated package for nonlinear  
238 optimization. In G. Di Pillo & M. Roma (Eds.), *Large-scale nonlinear optimization* (pp.  
239 35–59). Springer US. [https://doi.org/10.1007/0-387-30065-1\\_4](https://doi.org/10.1007/0-387-30065-1_4)
- 240 Caillau, J.-B., Cots, O., & Gergaud, J. (2012). Differential continuation for regular optimal  
241 control problems. *Optimization Methods and Software*, 27(2), 177–196. <https://doi.org/10.1080/10556788.2011.593625>
- 243 Caillau, J.-B., Cots, O., Gergaud, J., & Martinon, P. (2024). *OptimalControlProblems.jl:*  
244 *a collection of optimal control problems with ODEs in Julia*. <https://doi.org/10.5281/zenodo.17013180>
- 246 Caillau, J.-B., Cots, O., Gergaud, J., Martinon, P., & Sed, S. (2024). *OptimalControl.jl: a*  
247 *Julia package to model and solve optimal control problems with ODEs*. <https://doi.org/10.5281/zenodo.13336563>
- 249 Caillau, J.-B., Cots, O., Gergaud, J., Martinon, P., & Sed, S. (2026). *Joss-oc-example:*  
250 *Illustrative example companion to the OptimalControl.jl JOSS paper* (Version v1.0.0).  
251 Zenodo. <https://doi.org/10.5281/zenodo.19663650>
- 252 Caillau, J.-B., Cots, O., & Martinon, P. (2022). Ct: Control toolbox – numerical tools and  
253 examples in optimal control. *IFAC-PapersOnLine*, 55(16), 13–18. <https://doi.org/10.1016/j.ifacol.2022.08.074>
- 255 Caio, P., & Silva, C. J. (2025). Application of indirect methods to optimal control problems in  
256 epidemiology. *CONTROLO 2024*, 444–454. [https://doi.org/10.1007/978-3-031-81724-3\\_40](https://doi.org/10.1007/978-3-031-81724-3_40)
- 258 Christ, S., Schwabeneder, D., Rackauckas, C., Borregaard, M. K., & Breloff, T. (2023).  
259 *Plots.jl – a user extendable plotting API for the julia programming language*. <https://doi.org/10.5334/jors.431>
- 261 Dalle, G., & Hill, A. (2026). A common interface for automatic differentiation. *Journal of*  
262 *Machine Learning Research*, 27(25), 1–13. <http://jmlr.org/papers/v27/25-1024.html>
- 263 Evangelakos, V., Paspalakis, E., & Stefanatos, D. (2025). Fast protocols for charging a  
264 three-spin-chain quantum battery. *Scientific Reports*, 15(1), 45626. <https://doi.org/10.1038/s41598-025-30354-1>
- 266 Falck, R. D., Gray, J. S., Ponnappalli, K., & Wright, T. (2021). Dymos: A python package  
267 for optimal control of multidisciplinary systems. *Journal of Open Source Software*, 6(59),  
268 2809. <https://doi.org/10.21105/joss.02809>
- 269 Ferede, R., Blaha, T., Lucassen, E., De Wagter, C., & Croon, G. C. H. E. de. (2025). One net  
270 to rule them all: Domain randomization in quadcopter racing across different platforms.  
271 *2025 IEEE International Conference on Robotics and Automation (ICRA)*, 6357–6363.  
272 <https://doi.org/10.1109/ICRA55743.2025.11128790>
- 273 Fiedler, F., Karg, B., Lüken, L., Brandner, D., Heinlein, M., Brabender, F., & Lucia, S. (2023).

- 274 Do-mpc: Towards FAIR nonlinear and robust model predictive control. *Control Engineering*  
275 *Practice*, 140, 105676. <https://doi.org/10.1016/j.conengprac.2023.105676>
- 276 Gagnon, F., Thivierge, A., Desbiens, A., & Bagge Carlson, F. (2024). *ModelPredictiveControl.jl:*  
277 *advanced process control made easy in Julia*. <https://doi.org/10.48550/arXiv.2411.09764>
- 278 Herasimenka, A., Baresi, N., Green, L., Morgan, H., Underwood, C. I., Bridges, C., Jason,  
279 S., Lucca Fabris, A., & Ryden, K. (2026). Low-thrust trajectory optimization for the  
280 moon-enabled sun occultation mission concept. *AIAA SCITECH 2026 Forum*.
- 281 Houska, B., Ferreau, H. J., & Diehl, M. (2011). ACADO toolkit—an open-source framework for  
282 automatic control and dynamic optimization. *Optimal Control Applications and Methods*,  
283 32(3), 298–312. <https://doi.org/10.1002/oca.939>
- 284 Innerarity Imizcoz, J., Yabo, A. G., Djema, W., Francis, F., & Gouzé, J.-L. (2025). *Optimal*  
285 *allocation control in microbial growth under a heat-shock*. [https://inria.hal.science/hal-](https://inria.hal.science/hal-05369609)  
286 [05369609](https://inria.hal.science/hal-05369609)
- 287 Lubin, M., Dowson, O., Dias Garcia, J., Huchette, J., Legat, B., & Vielma, J. P. (2023).  
288 JuMP 1.0: Recent improvements to a modeling language for mathematical optimization.  
289 *Mathematical Programming Computation*. <https://doi.org/10.1007/s12532-023-00239-3>
- 290 Lutz, K., & Privat, Y. (2025). *Minimal time control of underdamped parametric oscillators*.  
291 <https://hal.science/hal-05047678>
- 292 Migot, T., Montoison, A., Orban, D., Soares Siqueira, A., & contributors. (2023).  
293 *ADNLPModels.jl: Automatic Differentiation models implementing the NLPModels API*.  
294 <https://github.com/JuliaSmoothOptimizers/ADNLPModels.jl>
- 295 Montoison, A., Orban, D., Sweeney, W. R., & contributors. (2024). *MUMPS.jl: A*  
296 *Julia Interface to MUMPS* (Version 1.4.1). [https://github.com/JuliaSmoothOptimizers/](https://github.com/JuliaSmoothOptimizers/MUMPS.jl)  
297 [MUMPS.jl](https://github.com/JuliaSmoothOptimizers/MUMPS.jl)
- 298 Morsky, B. (2025). Vaccination and collective action under social norms. *Bulletin of*  
299 *Mathematical Biology*, 87(5), 55. <https://doi.org/10.1007/s11538-025-01436-y>
- 300 Nicholson, B., Siirola, J. D., Watson, J.-P., Zavala, V. M., & Biegler, L. T. (2018). Pyomo.dae:  
301 A modeling and automatic discretization framework for optimization with differential  
302 and algebraic equations. *Mathematical Programming Computation*, 10(2), 187–223.  
303 <https://doi.org/10.1007/s12532-017-0127-0>
- 304 Nurkanović, A., & Diehl, M. (2022). Nosnoc: A software package for numerical optimal  
305 control of nonsmooth systems. *IEEE Control Systems Letters*, 6, 3110–3115. <https://doi.org/10.1109/lcsys.2022.3181800>
- 307 NVIDIA Corporation. (2025). *NVIDIA cuDSS (Preview): A high-performance CUDA Library*  
308 *for Direct Sparse Solvers*. <https://docs.nvidia.com/cuda/cudss/index.html>.
- 309 Opmeer, M. (2025). Optimal harvesting of a continuously age-structured population with  
310 density dependence. *PLOS ONE*, 20(9), 1–12. [https://doi.org/10.1371/journal.pone.](https://doi.org/10.1371/journal.pone.0333087)  
311 [0333087](https://doi.org/10.1371/journal.pone.0333087)
- 312 Orban, D., Soares Siqueira, A., & contributors. (2023). *NLPModelsIpopt.jl: A thin IPOPT*  
313 *wrapper for NLPModels* (Version 0.10.1). [https://github.com/JuliaSmoothOptimizers/](https://github.com/JuliaSmoothOptimizers/NLPModelsIpopt.jl)  
314 [NLPModelsIpopt.jl](https://github.com/JuliaSmoothOptimizers/NLPModelsIpopt.jl)
- 315 Pal, A., Holtorf, F., Larsson, A., Loman, T., Utkarsh, Schäfer, F., Qu, Q., Edelman, A., &  
316 Rackauckas, C. (2025). NonlinearSolve.jl: High-performance and robust solvers for systems  
317 of nonlinear equations in julia. *ACM Trans. Math. Softw.* [https://doi.org/10.1145/](https://doi.org/10.1145/3779117)  
318 [3779117](https://doi.org/10.1145/3779117)
- 319 Patterson, M. A., & Rao, A. V. (2014). GPOPS-II: A MATLAB software for solving multiple-  
320 phase optimal control problems using hp-adaptive gaussian quadrature collocation methods

- 321 and sparse nonlinear programming. *ACM Transactions on Mathematical Software*, 41(1),  
322 1–37. <https://doi.org/10.1145/2558904>
- 323 Pulsipher, J. L., Zhang, W., Hongisto, T. J., & Zavala, V. M. (2022). A unifying modeling  
324 abstraction for infinite-dimensional optimization. *Computers & Chemical Engineering*, 156.  
325 <https://doi.org/10.1016/j.compchemeng.2021.107567>
- 326 Rackauckas, C., & Nie, Q. (2017). Differentialequations.jl—a performant and feature-rich  
327 ecosystem for solving differential equations in julia. *Journal of Open Research Software*,  
328 5(1), 15.
- 329 Revels, J., Lubin, M., & Papamarkou, T. (2016). *Forward-mode automatic differentiation in*  
330 *Julia*. <https://arxiv.org/abs/1607.07892>
- 331 Shin, S., Anitescu, M., & Pacaud, F. (2024). Accelerating optimal power flow with GPUs: SIMD  
332 abstraction of nonlinear programs and condensed-space interior-point methods. *Electric*  
333 *Power Systems Research*, 236, 110651. <https://doi.org/10.1016/j.eprsr.2024.110651>
- 334 Shin, S., Coffrin, C., Sundar, K., & Zavala, V. M. (2021). Graph-based modeling and  
335 decomposition of energy infrastructures. *IFAC-PapersOnLine*, 54(3), 693–698. <https://doi.org/10.1016/j.ifacol.2021.08.322>
- 336 Shin, S., Pacaud, F., & Anitescu, M. (2023). *Accelerating optimal power flow with GPUs:*  
337 *SIMD abstraction of nonlinear programs and condensed-space interior-point methods.*  
338 <https://doi.org/10.2139/ssrn.4601442>
- 339 Thautwarm, & contributors. (2023). *MLStyle.jl: Functional programming and pattern*  
340 *matching for Julia*. <https://thautwarm.github.io/MLStyle.jl>
- 341 Vanaret, C., & Leyffer, S. (2026). *Implementing a unified solver for nonlinearly constrained*  
342 *optimization*.
- 343 Veltz, R. (2020). *BifurcationKit.jl*. Inria Sophia-Antipolis. <https://hal.archives-ouvertes.fr/hal-02902346>
- 344 Verschueren, R., Frison, G., Kouzoupis, D., Frey, J., Duijkeren, N. van, Zanelli, A., Novoselnik,  
345 B., Albin, T., Quirynen, R., & Diehl, M. (2021). Acados – a modular open-source  
346 framework for fast embedded optimal control. *Mathematical Programming Computation*.  
347 <https://doi.org/10.1007/s12532-021-00208-8>
- 348 Wächter, A., & Biegler, L. T. (2006). On the implementation of an interior-point filter  
349 line-search algorithm for large-scale nonlinear programming. *Mathematical Programming*,  
350 106(1), 25–57. <https://doi.org/10.1007/s10107-004-0559-y>