Cookiy CLI · response audit

Generated `2026-04-16T14:07:05.238090+00:00` · CLI `1.21.0` · server `https://s-api.cookiy.ai`.

Read study (data-rich): `019c51ab-cb2b-7094-a59f-e9d12e18ffc9` · write study (scratch): `019d950f-2493-712e-bf9e-f3526a4effca` · interview `019d0506-2a2a-76aa-bdf2-e0c25e7a51b8` · survey `878381` · dynamic survey `153848`.

Scope: all `cookiy.sh` commands except `recruit`. Every card shows the CLI invocation, the response shape tree, and a collapsible raw sample of the first JSON value.

OK — command returned structured JSON

FAIL — non-zero exit or MCP error envelope

SKIP — gated by env var or unimplemented in CLI

CLI basics

6 commands

usage (no args) OK

exit 0 · non-JSON

SHAPE TREE

```
text (27 lines)
```

RAW RESPONSE

```
Cookiy CLI v1.21.0  (standalone shell client)

Run in a terminal: bash cookiy.sh <command>

Usage:
  cookiy.sh [--token <path>] [--api-url <url>]
<command> ...

Global options:
  --api-url     Full JSON-RPC endpoint URL (overrides
COOKIY_API_URL)
  --token       Path to raw token file (default:
~/.cookiy/token.txt; env COOKIY_CREDENTIALS)

Environment:
  COOKIY_CREDENTIALS       Path to token file (same as
--token)
  COOKIY_API_URL           Full API endpoint URL
(default: <server>/mcp)
  COOKIY_API_RPC_TIMEOUT   Seconds for blocking API
calls (default: 600)
  COOKIY_SERVER_URL        API origin when endpoint
URL not set (default: https://s-api.cookiy.ai)

Commands:
  save-token <token>          Save raw access token
(validates against API first)
  help                        Offline CLI reference
  study list|create|status|upload|..  Includes
guide|interview|run-synthetic-user|report
  recruit start                       Qualitative or
quant recruitment (auto-detects mode)
  quant list|create|get|update|status|report|raw-
response  Quantitative survey management (keyed by
survey-id)
  billing balance|checkout|price-table|transactions

Examples:
  cookiy.sh save-token eyJhbGciOi...
  cookiy.sh help commands
  cookiy.sh study list --limit 10
  cookiy.sh study create --query "..."  --wait
  cookiy.sh study report generate --study-id 123 --
skip-synthetic-interview --wait
  cookiy.sh study report wait --study-id 123 --
timeout-ms 300000
  cookiy.sh billing transactions --limit 50
```

-h / --help OK

exit 0 · non-JSON

```
cookiy.sh -h
```

SHAPE TREE

```
text (27 lines)
```

RAW RESPONSE

```
Cookiy CLI v1.21.0  (standalone shell client)

Run in a terminal: bash cookiy.sh <command>

Usage:
  cookiy.sh [--token <path>] [--api-url <url>]
<command> ...

Global options:
  --api-url     Full JSON-RPC endpoint URL (overrides
COOKIY_API_URL)
  --token       Path to raw token file (default:
~/.cookiy/token.txt; env COOKIY_CREDENTIALS)

Environment:
  COOKIY_CREDENTIALS       Path to token file (same as
--token)
  COOKIY_API_URL           Full API endpoint URL
(default: <server>/mcp)
  COOKIY_API_RPC_TIMEOUT   Seconds for blocking API
calls (default: 600)
  COOKIY_SERVER_URL        API origin when endpoint
URL not set (default: https://s-api.cookiy.ai)

Commands:
  save-token <token>          Save raw access token
(validates against API first)
  help                        Offline CLI reference
  study list|create|status|upload|..  Includes
guide|interview|run-synthetic-user|report
  recruit start                       Qualitative or
quant recruitment (auto-detects mode)
  quant list|create|get|update|status|report|raw-
response  Quantitative survey management (keyed by
survey-id)
  billing balance|checkout|price-table|transactions

Examples:
  cookiy.sh save-token eyJhbGciOi...
  cookiy.sh help commands
  cookiy.sh study list --limit 10
  cookiy.sh study create --query "..."  --wait
  cookiy.sh study report generate --study-id 123 --
skip-synthetic-interview --wait
  cookiy.sh study report wait --study-id 123 --
timeout-ms 300000
  cookiy.sh billing transactions --limit 50
```

--version OK

exit 0 · non-JSON

```
cookiy.sh --version
```

SHAPE TREE

```
text (1 lines)
```

RAW RESPONSE

```
1.21.0
```

help OK

exit 0 · non-JSON

```
cookiy.sh help
```

SHAPE TREE

```
text (135 lines)
```

RAW RESPONSE

```
NAME
    cookiy.sh — standalone Cookiy AI CLI (bash, curl,
jq)

SYNOPSIS
    cookiy.sh [GLOBAL OPTION ...] <command> [ARG ...]

VERSION
    1.21.0

DESCRIPTION
    Standalone shell client for the Cookiy AI
platform.
    Run in a terminal: bash cookiy.sh <command>

    Long options use kebab-case; they are sent as
snake_case JSON fields (e.g. --study-id → study_id).
    --wait passes server-side wait flags (no bash
polling).
    --json merges extra JSON fields into the tool
request, or provides the guide patch payload.
    Numeric sid for quant: --survey-id 12345 becomes
JSON number when value is all digits.

GLOBAL OPTIONS
    --token <path>    Raw token file (default
~/.cookiy/token.txt; same as COOKIY_CREDENTIALS)
    --api-url <url>   Full JSON-RPC endpoint URL
(overrides COOKIY_API_URL)

ENVIRONMENT
    COOKIY_CREDENTIALS       Path to raw token file
    COOKIY_API_URL           Full JSON-RPC endpoint
URL
    COOKIY_API_RPC_TIMEOUT   Max seconds for API calls
(default 600)
    COOKIY_SERVER_URL        API origin if endpoint
URL not set

DOCUMENTATION
    references/cookiy/cli/commands.md  (if present in
repo)

COMMANDS

help — offline CLI reference
    Usage:   cookiy.sh help
    Note:    Prints this reference. No credentials
needed.

study list — list studies
    Usage:   cookiy.sh study list [--limit <n>] [--
cursor <s>]
    Flags:   --limit <integer>   --cursor <string>

study create — create study from natural language
    Usage:   cookiy.sh study create --query <s> [--
thinking <s>] [--attachments <json-array>] [--wait] [-
-timeout-ms <n>]
    Flags:   --query <string> (required)
             --thinking <string>
             --attachments <json-array>   JSON array,
```

```
e.g. '[{"s3_key":"...","description":"..."}]'.
             --wait (server-side wait_for_guide — off
by default; agents should poll study status instead)
             --timeout-ms <n> (only honored when --
wait is set)

study status — study record and activity
    Usage:   cookiy.sh study status --study-id <uuid>
    Flags:   --study-id (required)
    Calls cookiy_activity_get which server-side merges
the study record and activity summary.

study guide get
    Usage:   cookiy.sh study guide get --study-id
<uuid>
    Flags:   --study-id (required)

study guide update — apply patch to discussion guide
    Usage:   cookiy.sh study guide update --study-id
<uuid> --base-revision <s> --idempotency-key <s> [--
change-message <s>] --json '<patch>'
    Flags:   --study-id (required)   --base-revision
(required)   --idempotency-key (required)   --json
(required)
             --change-message

study upload — attach media (image upload)
    Usage:   cookiy.sh study upload --content-type <s>
(--image-data <s> | --image-url <s>)
    Flags:   --content-type (required)   --image-data
| --image-url (one required)

study interview list | playback url|content
    Usage:   cookiy.sh study interview list --study-id
<uuid> [--cursor <s>]
             cookiy.sh study interview playback url --
study-id <uuid> [--interview-id <uuid>] [--cursor <s>]
             cookiy.sh study interview playback
content --study-id <uuid> [--interview-id <uuid>] [--
cursor <s>]
    Note:    list always includes synthetic interviews
in results (not configurable via CLI).
             When --interview-id is omitted, playback
returns a paginated list (default 20).
             Use --cursor to fetch subsequent pages.

study run-synthetic-user start — run synthetic user
interviews
    Usage:   cookiy.sh study run-synthetic-user start
--study-id <uuid> [--persona-count <n>] [--plain-text
<s>] [--wait] [--timeout-ms <n>]
    Flags:   --study-id (required)
             --persona-count <integer>  Number of
synthetic interviews to run
             --plain-text <string>  Participant
persona / profile description (maps to API
interviewee_persona)
             --wait (server-side wait — off by
default; agents should poll status instead)
             --timeout-ms <n> (only honored when --
wait is set)

recruit start — launch participant recruitment
    Usage:   cookiy.sh recruit start [--study-id
<uuid>] [--survey-public-url <url>] [--confirmation-
token <s>] [--plain-text <s>] [--incremental-
participants <n>]
    Flags:   --study-id (qualitative — required for
```

```
interview studies)
             --survey-public-url (quant - auto-sets
recruit_mode=quant_survey; study-id optional)
    Output:  Full API envelope JSON (preview includes
top-level sample_size, target_group, payment_quote,
derived_languages).
    Note:    incremental_participants is auto-capped
to remaining sample size capacity. If below current
channel target, treated as incremental ("recruit N
more").

study report generate | content | link
    Usage:   cookiy.sh study report generate --study-
id <uuid> [--skip-synthetic-interview] [--wait]
             cookiy.sh study report content --study-id
<uuid> [--wait] [--timeout-ms <n>]
             cookiy.sh study report link --study-id
<uuid>
    generate with --wait polls report link every 10s
until status=completed (or failed/timeout).

quant list - list surveys
    Usage:   cookiy.sh quant list
    Note:    Lists all surveys visible to the operator
(sid, title, active, language).

quant create - create survey (multi-language)
    Usage:   cookiy.sh quant create --json '<obj>'
    Flags:   --json (required): JSON with
survey_title, languages[], groups[], quotas[], etc.
    Multi-lang: Set "languages":["en","zh","ja"] and
use per-language maps for text fields.
                Respondents can switch language on the
survey page.
    Schema:  See cookiy-quant-create-schema.md for
full field reference.

quant get - survey detail with structure
    Usage:   cookiy.sh quant get --survey-id <n> [--
include-structure <bool>]
    Flags:   --survey-id (required, numeric)
             --include-structure <bool>
Load group/question structure (default: true)
    Note:    structure_presentation defaults to json
for CLI.

quant update - patch survey
    Usage:   cookiy.sh quant update --survey-id <n> --
json '<obj>'
    Flags:   --survey-id (required, numeric)
             --json (required): JSON with survey,
groups, questions, quotas_create, quotas_update, etc.

quant status - LimeSurvey completion snapshot for a
survey
    Usage:   cookiy.sh quant status --survey-id <n>
    Flags:   --survey-id <integer>   Numeric
LimeSurvey sid from quant list
    Output:  JSON from cookiy_quant_survey_status
(completed / incomplete / full response counts).
             Panel-side quant recruit progress is not
exposed as a separate MCP tool on all
             servers; use cookiy_recruit_status with
study_id when the study is linked.

quant report - survey report (structured JSON)
    Usage:   cookiy.sh quant report --survey-id <n>
    Flags:   --survey-id (required, numeric)
```

```
    Output:  JSON on stdout — aggregates
(distributions/labels/percentages/numeric stats/
             completion funnel) + raw data
(results_json, raw_participants).
             Raw data is auto-included; max_chars cap
of 120K chars prevents context explosion.

quant raw-response — raw survey responses as CSV
    Usage:   cookiy.sh quant raw-response --survey-id
<n> [--include-incomplete]
    Flags:   --survey-id (required, numeric)
             --include-incomplete (bool; default false
— exclude incomplete responses)
    Output:  Raw CSV text on stdout (no JSON
envelope). Output can be large —
             redirect to a file, e.g. `cookiy.sh quant
raw-response --survey-id 12345 > responses.csv`.

billing balance
    Usage:   cookiy.sh billing balance
    Output:  one plain-text line (balance_summary from
API).

billing transactions — wallet ledger
    Usage:   cookiy.sh billing transactions [--limit
<n>] [--cursor <iso8601>] [--study-id <uuid>] [--
survey-id <sid>]
    Output:  pretty-printed JSON array (agent-
friendly; same fields as GET
/v1/billing/transactions).
    Note:    MCP tool cookiy_billing_transactions
(same JSON-RPC session as balance/checkout).

billing checkout
    Usage:
…(truncated)
```

help commands (argv ignored by CLI; same body as help) OK

exit 0 · non-JSON

```
cookiy.sh help commands
```

SHAPE TREE

```
text (135 lines)
```

RAW RESPONSE

```
NAME
    cookiy.sh — standalone Cookiy AI CLI (bash, curl,
jq)

SYNOPSIS
    cookiy.sh [GLOBAL OPTION ...] <command> [ARG ...]

VERSION
    1.21.0

DESCRIPTION
    Standalone shell client for the Cookiy AI
platform.
    Run in a terminal: bash cookiy.sh <command>

    Long options use kebab-case; they are sent as
snake_case JSON fields (e.g. --study-id → study_id).
    --wait passes server-side wait flags (no bash
polling).
    --json merges extra JSON fields into the tool
request, or provides the guide patch payload.
    Numeric sid for quant: --survey-id 12345 becomes
JSON number when value is all digits.

GLOBAL OPTIONS
    --token <path>    Raw token file (default
~/.cookiy/token.txt; same as COOKIY_CREDENTIALS)
    --api-url <url>   Full JSON-RPC endpoint URL
(overrides COOKIY_API_URL)

ENVIRONMENT
    COOKIY_CREDENTIALS       Path to raw token file
    COOKIY_API_URL           Full JSON-RPC endpoint
URL
    COOKIY_API_RPC_TIMEOUT   Max seconds for API calls
(default 600)
    COOKIY_SERVER_URL        API origin if endpoint
URL not set

DOCUMENTATION
    references/cookiy/cli/commands.md  (if present in
repo)

COMMANDS

help — offline CLI reference
    Usage:   cookiy.sh help
    Note:    Prints this reference. No credentials
needed.

study list — list studies
    Usage:   cookiy.sh study list [--limit <n>] [--
cursor <s>]
    Flags:   --limit <integer>   --cursor <string>

study create — create study from natural language
    Usage:   cookiy.sh study create --query <s> [--
thinking <s>] [--attachments <json-array>] [--wait] [-
-timeout-ms <n>]
    Flags:   --query <string> (required)
             --thinking <string>
             --attachments <json-array>   JSON array,
```

```
e.g. '[{"s3_key":"...","description":"..."}]'.
             --wait (server-side wait_for_guide — off
by default; agents should poll study status instead)
             --timeout-ms <n> (only honored when --
wait is set)

study status — study record and activity
    Usage:   cookiy.sh study status --study-id <uuid>
    Flags:   --study-id (required)
    Calls cookiy_activity_get which server-side merges
the study record and activity summary.

study guide get
    Usage:   cookiy.sh study guide get --study-id
<uuid>
    Flags:   --study-id (required)

study guide update — apply patch to discussion guide
    Usage:   cookiy.sh study guide update --study-id
<uuid> --base-revision <s> --idempotency-key <s> [--
change-message <s>] --json '<patch>'
    Flags:   --study-id (required)   --base-revision
(required)   --idempotency-key (required)   --json
(required)
             --change-message

study upload — attach media (image upload)
    Usage:   cookiy.sh study upload --content-type <s>
(--image-data <s> | --image-url <s>)
    Flags:   --content-type (required)   --image-data
| --image-url (one required)

study interview list | playback url|content
    Usage:   cookiy.sh study interview list --study-id
<uuid> [--cursor <s>]
             cookiy.sh study interview playback url --
study-id <uuid> [--interview-id <uuid>] [--cursor <s>]
             cookiy.sh study interview playback
content --study-id <uuid> [--interview-id <uuid>] [--
cursor <s>]
    Note:    list always includes synthetic interviews
in results (not configurable via CLI).
             When --interview-id is omitted, playback
returns a paginated list (default 20).
             Use --cursor to fetch subsequent pages.

study run-synthetic-user start — run synthetic user
interviews
    Usage:   cookiy.sh study run-synthetic-user start
--study-id <uuid> [--persona-count <n>] [--plain-text
<s>] [--wait] [--timeout-ms <n>]
    Flags:   --study-id (required)
             --persona-count <integer>  Number of
synthetic interviews to run
             --plain-text <string>  Participant
persona / profile description (maps to API
interviewee_persona)
             --wait (server-side wait — off by
default; agents should poll status instead)
             --timeout-ms <n> (only honored when --
wait is set)

recruit start — launch participant recruitment
    Usage:   cookiy.sh recruit start [--study-id
<uuid>] [--survey-public-url <url>] [--confirmation-
token <s>] [--plain-text <s>] [--incremental-
participants <n>]
    Flags:   --study-id (qualitative — required for
```

```
interview studies)
             --survey-public-url (quant - auto-sets
recruit_mode=quant_survey; study-id optional)
    Output:  Full API envelope JSON (preview includes
top-level sample_size, target_group, payment_quote,
derived_languages).
    Note:    incremental_participants is auto-capped
to remaining sample size capacity. If below current
channel target, treated as incremental ("recruit N
more").

study report generate | content | link
    Usage:   cookiy.sh study report generate --study-
id <uuid> [--skip-synthetic-interview] [--wait]
             cookiy.sh study report content --study-id
<uuid> [--wait] [--timeout-ms <n>]
             cookiy.sh study report link --study-id
<uuid>
    generate with --wait polls report link every 10s
until status=completed (or failed/timeout).

quant list - list surveys
    Usage:   cookiy.sh quant list
    Note:    Lists all surveys visible to the operator
(sid, title, active, language).

quant create - create survey (multi-language)
    Usage:   cookiy.sh quant create --json '<obj>'
    Flags:   --json (required): JSON with
survey_title, languages[], groups[], quotas[], etc.
    Multi-lang: Set "languages":["en","zh","ja"] and
use per-language maps for text fields.
                Respondents can switch language on the
survey page.
    Schema:  See cookiy-quant-create-schema.md for
full field reference.

quant get - survey detail with structure
    Usage:   cookiy.sh quant get --survey-id <n> [--
include-structure <bool>]
    Flags:   --survey-id (required, numeric)
             --include-structure <bool>
Load group/question structure (default: true)
    Note:    structure_presentation defaults to json
for CLI.

quant update - patch survey
    Usage:   cookiy.sh quant update --survey-id <n> --
json '<obj>'
    Flags:   --survey-id (required, numeric)
             --json (required): JSON with survey,
groups, questions, quotas_create, quotas_update, etc.

quant status - LimeSurvey completion snapshot for a
survey
    Usage:   cookiy.sh quant status --survey-id <n>
    Flags:   --survey-id <integer>   Numeric
LimeSurvey sid from quant list
    Output:  JSON from cookiy_quant_survey_status
(completed / incomplete / full response counts).
             Panel-side quant recruit progress is not
exposed as a separate MCP tool on all
             servers; use cookiy_recruit_status with
study_id when the study is linked.

quant report - survey report (structured JSON)
    Usage:   cookiy.sh quant report --survey-id <n>
    Flags:   --survey-id (required, numeric)
```

```
    Output:  JSON on stdout — aggregates
(distributions/labels/percentages/numeric stats/
             completion funnel) + raw data
(results_json, raw_participants).
             Raw data is auto-included; max_chars cap
of 120K chars prevents context explosion.

quant raw-response — raw survey responses as CSV
    Usage:   cookiy.sh quant raw-response --survey-id
<n> [--include-incomplete]
    Flags:   --survey-id (required, numeric)
             --include-incomplete (bool; default false
— exclude incomplete responses)
    Output:  Raw CSV text on stdout (no JSON
envelope). Output can be large —
             redirect to a file, e.g. `cookiy.sh quant
raw-response --survey-id 12345 > responses.csv`.

billing balance
    Usage:   cookiy.sh billing balance
    Output:  one plain-text line (balance_summary from
API).

billing transactions — wallet ledger
    Usage:   cookiy.sh billing transactions [--limit
<n>] [--cursor <iso8601>] [--study-id <uuid>] [--
survey-id <sid>]
    Output:  pretty-printed JSON array (agent-
friendly; same fields as GET
/v1/billing/transactions).
    Note:    MCP tool cookiy_billing_transactions
(same JSON-RPC session as balance/checkout).

billing checkout
    Usage:
…(truncated)
```

save-token (skipped — CLI_AUDIT_SKIP_SAVE_TOKEN=1) SKIP

exit 0 · non-JSON

SHAPE TREE

```
(not run)
```

Study lifecycle

6 commands

study list --limit 3 → cookiy_study_list OK

exit 0 · 1 JSON value(s)

```
cookiy.sh study list --limit 3
```

SHAPE TREE

```
list:
  array[
    studyId: string
    projectName: string
    state: string
    createdAt: string
  ]
limit: number
cursor: string
next_cursor: string
total: number
```

RAW RESPONSE


```
{
  "list": [
    {
      "studyId": "019d950f-2493-712e-bf9e-
f3526a4effca",
      "projectName": "CLI audit scratch study
1776322287",
      "state": "New",
      "createdAt": "2026-04-16T06:51:30.835Z"
    },
    {
      "studyId": "019d968b-8b39-740c-9533-
d563669186c3",
      "projectName": "CLI audit scratch study
1776347217",
      "state": "New",
      "createdAt": "2026-04-16T13:47:00.793Z"
    },
    {
      "studyId": "019d967b-b623-71f6-8960-
2a6484bf9e4f",
      "projectName": "",
      "state": "New",
      "createdAt": "2026-04-16T13:29:43.203Z"
    }
  ],
  "limit": 3,
  "cursor": "0",
  "next_cursor": "3",
  "total": 245
}
```


study list --limit 1 (seed cursor) → cookiy_study_list OK

exit 0 · 1 JSON value(s)

```
cookiy.sh study list --limit 1
```

SHAPE TREE

```
list:
  array[
    studyId: string
    projectName: string
    state: string
    createdAt: string
  ]
limit: number
cursor: string
next_cursor: string
total: number
```

RAW RESPONSE


```
{
  "list": [
    {
      "studyId": "019d950f-2493-712e-bf9e-
f3526a4effca",
      "projectName": "CLI audit scratch study
1776322287",
      "state": "New",
      "createdAt": "2026-04-16T06:51:30.835Z"
    }
  ],
  "limit": 1,
  "cursor": "0",
  "next_cursor": "1",
  "total": 245
}
```

study list --limit 1 --cursor <from prior> → cookiy_study_list OK

exit 0 · 1 JSON value(s)

```
cookiy.sh study list --limit 1 --cursor 1
```

SHAPE TREE

```
list:
  array[
    studyId: string
    projectName: string
    state: string
    createdAt: string
  ]
limit: number
cursor: string
next_cursor: string
total: number
```

RAW RESPONSE


```
{
  "list": [
    {
      "studyId": "019d968b-8b39-740c-9533-
d563669186c3",
      "projectName": "CLI audit scratch study
1776347217",
      "state": "New",
      "createdAt": "2026-04-16T13:47:00.793Z"
    }
  ],
  "limit": 1,
  "cursor": "1",
  "next_cursor": "2",
  "total": 245
}
```


study create --query (no --wait) → cookiy_study_create OK

exit 0 · 1 JSON value(s)

```
cookiy.sh study create --query CLI audit scratch study 1776348276
```

SHAPE TREE

```
studyId: string
status: string
```

RAW RESPONSE


```
{
  "studyId": "019d969b-b79c-7321-9b14-b7390b46af82",
  "status": "QUEUED"
}
```

study status --study-id → cookiy_activity_get OK

exit 0 · 1 JSON value(s)

```
cookiy.sh study status --study-id 019c51ab-cb2b-7094-a59f-e9d12e18ffc9
```

SHAPE TREE

```
study_id: string
project_name: string
state: string
created_at: string
updated_at: string
completed_interview_count: number
quota:
  target_sample_size: number
  recruit_completed: number
  simulation_started: number
  simulation_completed: number
  total_used: number
  remaining: number
discussion_guide_generation:
  status: string
  message: null
  updated_at: string
  completed_at: string
current_stage: string
waiting_for_user: boolean
blocking_reason: null
sources:
  study:
    available: boolean
    status: string
    status_message: string
    waiting_for_user: boolean
  guide:
    available: boolean
    status: string
    status_message: string
    waiting_for_user: boolean
  recruit:
    available: boolean
    status: string
    status_message: string
    waiting_for_user: boolean
    progress_ratio: number
    progress_text: string
  report:
    available: boolean
    status: null
    status_message: string
  simulated_interview: null
activity_summary_text: string
```

RAW RESPONSE


```
{
  "study_id": "019c51ab-cb2b-7094-a59f-e9d12e18ffc9",
  "project_name": "Smart Home Speaker Purchase
Decision Drivers (U.S.)",
  "state": "UnderReview",
  "created_at": "2026-02-12T11:45:39.115Z",
  "updated_at": "2026-04-12T09:03:10.556Z",
  "completed_interview_count": 1,
  "quota": {
    "target_sample_size": 12,
    "recruit_completed": 1,
    "simulation_started": 1,
    "simulation_completed": 1,
    "total_used": 3,
    "remaining": 9
  },
  "discussion_guide_generation": {
    "status": "ready",
    "message": null,
    "updated_at": "2026-04-12T09:03:10.556Z",
    "completed_at": "2026-04-12T09:03:10.556Z"
  },
  "current_stage": "recruitment_in_progress",
  "waiting_for_user": false,
  "blocking_reason": null,
  "sources": {
    "study": {
      "available": true,
      "status": "interviews_completed",
      "status_message": "Interviews have completed, so
the current focus is report availability and interview
review. Use cookiy_report_status for report readiness
and cookiy_interview_list for actual completed
interview records.",
      "waiting_for_user": false
    },
    "guide": {
      "available": true,
      "status": "guide_ready",
      "status_message": "Discussion guide is ready.
Call cookiy_guide_get to read the full guide before
interviews or recruitment.",
      "waiting_for_user": false
    },
    "recruit": {
      "available": true,
      "status": "recruitment_in_progress",
      "status_message": "Recruitment currently has 1
completed participant out of 100. current_participants
counts completed respondents only; it does not include
every talking or paused interview. Call
cookiy_interview_list to inspect interview activity
and pick a completed interview_id for playback
review.",
      "waiting_for_user": false,
      "progress_ratio": 0.01,
      "progress_text": "1/100 completed"
    },
    "report": {
      "available": true,
      "status": null,
      "status_message": "Report status was not
```

```
available."
    },
    "simulated_interview": null
  },
  "activity_summary_text": "### Cookiy activity — material for **your** reply\n\n- Use the **same language** as the user in this chat.\n- **Paraphrase**; do not read this section verbatim.\n- **Do not** name MCP tools, REST paths, or snake_case stage codes to the user unless they asked for technical detail.\n- Treat the bullets below as **ground truth** only; use the JSON field `agent` for **your** tool planning, not for user chatter.\n- **End-user copy:** cover progress, whether the user must act, conclusion, and (only when payment is needed) necessary amount plus checkout-plus next steps and payment rules. Do not recite HTTP codes, tokens, JWTs, tool names, or recruit supplier jargon; say \"Cookiy recruitment channel\" for the recruitment channel when appropriate.\n- **Simulated interviews:** describe as supplementing an **AI perspective**, not as filling real-respondent quotas; do not add extra runs unless the user clearly asks.\n- **Pricing & checkout:** avoid unsolicited price detail; after the user pays, continue the workflow without a standalone \"payment succeeded\" message.\n\n**Facts:**\n- Recruitment is active for this study.\n- Target interviews fully complete: 1 of 100.\n\n**You may optionally cover:**\n- If they need per-person status, offer a granular summary in a follow-up rather than inventing details.\n"
}
```


study upload --image-url → cookiy_media_upload OK

exit 0 · 1 JSON value(s)

```
cookiy.sh study upload --content-type image/png --image-url https://www.google.com/images/branding/googlelogo/1x/googlelogo_color_272x92dp.png
```

SHAPE TREE

```
s3_key: string
```

RAW RESPONSE


```
{
  "s3_key": "20260416/019b968d-354e-73da-b19d-c420cca65be7/files/019d969b-dc5e-743c-87e2-83de324abf33.png"
}
```


Discussion guide

2 commands

study guide get --study-id (scratch) → cookiy_guide_get OK exit 0 · 1 JSON value(s)

```
cookiy.sh study guide get --study-id 019d950f-2493-712e-bf9e-f3526a4effca
```

SHAPE TREE

```
revision: string
discussion_guide:
  core_research_questions:
    array[
      text: string
    ]
  participant_screening_criteria:
    screening_questions:
      array[
        screener_question: string
        type: string
        options: array[object(description,correct)]
        description: string
        media: array[]
      ]
  interview_flow:
    sections:
      array[
        question_list: array[object(question,type,question_depth,required_screen_share,required_in_home_visit,
        description: string
      ]
  research_overview:
    project_name: string
    research_objective: string
    interview_duration: number
    interview_methodology: string
    sample_size: number
    mode_of_interview: string
    target_group: string
    external_knowledge: string
```

study guide update --json (minimal patch, scratch) → cookiy_guide_patch OK exit 0 · 1 JSON value(s)

```
cookiy.sh study guide update --study-id 019d950f-2493-712e-bf9e-f3526a4effca --base-revision rev_4a58bf7da3009899 --idempotency-key b25fb14f-0654-4575-9843-12270d595f11 --json {"research_overview.research_objective": "CLI audit bump 1776348276"} --change-message cli_audit_shapes
```

SHAPE TREE

```
study_id: string
revision: string
base_revision: string
idempotency_key: string
applied: boolean
```

RAW RESPONSE


```
{
  "study_id": "019d950f-2493-712e-bf9e-f3526a4effca",
  "revision": "rev_b3cf9cc4f1e9a2cd",
  "base_revision": "rev_4a58bf7da3009899",
  "idempotency_key": "b25fb14f-0654-4575-9843-12270d595f11",
  "applied": true
}
```


Interviews

5 commands

study interview list --study-id → cookiy_interview_list OK

exit 0 · 1 JSON value(s)

```
cookiy.sh study interview list --study-id 019c51ab-cb2b-7094-a59f-e9d12e18ffc9
```

SHAPE TREE

```
study_id: string
interviews:
  array[
    interview_id: string
    status: string
    participant_name: string
    duration_seconds: number
    is_simulation: boolean
    created_at: string
  ]
total: number
limit: number
cursor: string
next_cursor: null
avg_duration_minutes: number
```

RAW RESPONSE


```
{
  "study_id": "019c51ab-cb2b-7094-a59f-e9d12e18ffc9",
  "interviews": [
    {
      "interview_id": "019d80ed-9dd2-72fc-807a-
800cfffc3a1b",
      "status": "completed",
      "participant_name": "AI generated",
      "duration_seconds": 0,
      "is_simulation": true,
      "created_at": "2026-04-12T09:03:10.552Z"
    },
    {
      "interview_id": "019d0506-2a2a-76aa-bdf2-
e0c25e7a51b8",
      "status": "completed",
      "participant_name": "019d0506-29db-73aa-ae67-
f87fba551538",
      "duration_seconds": 164,
      "is_simulation": false,
      "created_at": "2026-03-19T07:39:09.171Z"
    },
    {
      "interview_id": "019d008f-7f1f-77e2-9c29-
e81c71ce282e",
      "status": "stop",
      "participant_name": "019d008f-7ed7-72ea-9ce8-
d61e7c2ba344",
      "duration_seconds": 61,
      "is_simulation": false,
      "created_at": "2026-03-18T10:49:19.562Z"
    },
    {
      "interview_id": "019c55a6-901a-77ea-bb36-
5a755776c8bd",
      "status": "stop",
      "participant_name": "Yupeng Lu",
      "duration_seconds": 200,
      "is_simulation": false,
      "created_at": "2026-02-13T06:21:47.119Z"
    },
    {
      "interview_id": "019c54cd-8719-772c-9254-
f8e85b748204",
      "status": "new",
      "participant_name": "Yupeng Lu",
      "duration_seconds": 0,
      "is_simulation": false,
      "created_at": "2026-02-13T02:21:21.560Z"
    },
    {
      "interview_id": "019c54cd-03c4-757f-bce5-
eb1e1649f7da",
      "status": "new",
      "participant_name": "Yupeng Lu",
      "duration_seconds": 0,
      "is_simulation": false,
      "created_at": "2026-02-13T02:20:47.940Z"
    }
  ],
  "total": 6,
  "limit": 20,
```

```
  "cursor": "0",
  "next_cursor": null,
  "avg_duration_minutes": 1
}
```


study interview playback url --study-id (no interview-id)

exit 0 · 1 JSON value(s)

→ cookiy_interview_playback_get · view=url OK

```
cookiy.sh study interview playback url --study-id 019c51ab-cb2b-7094-a59f-e9d12e18ffc9
```

SHAPE TREE

```
study_id: string
interviews:
  array[
    interview_id: string
    playback_page_url: string
    playback_page_expires_at: string
  ]
total: number
```

RAW RESPONSE


```
{
  "study_id": "019c51ab-cb2b-7094-a59f-e9d12e18ffc9",
  "interviews": [
    {
      "interview_id": "019d80ed-9dd2-72fc-807a-
800cfffc3a1b",
      "playback_page_url":
"https://s.cookiy.ai/public/interview-
playback/019d80ed-9dd2-72fc-807a-800cfffc3a1b",
      "playback_page_expires_at": "2026-04-
17T14:05:07.550Z"
    },
    {
      "interview_id": "019d0506-2a2a-76aa-bdf2-
e0c25e7a51b8",
      "playback_page_url":
"https://s.cookiy.ai/public/interview-
playback/019d0506-2a2a-76aa-bdf2-e0c25e7a51b8",
      "playback_page_expires_at": "2026-04-
17T14:05:07.553Z"
    }
  ],
  "total": 2
}
```


study interview playback url --study-id --interview-id

exit 0 · 1 JSON value(s)

→ cookiy_interview_playback_get · view=url OK

```
cookiy.sh study interview playback url --study-id 019c51ab-cb2b-7094-a59f-e9d12e18ffc9 --interview-id 019d05
06-2a2a-76aa-bdf2-e0c25e7a51b8
```

SHAPE TREE

```
interview_id: string
playback_page_url: string
playback_page_expires_at: string
```

RAW RESPONSE


```
{
  "interview_id": "019d0506-2a2a-76aa-bdf2-
e0c25e7a51b8",
  "playback_page_url":
"https://s.cookiy.ai/public/interview-
playback/019d0506-2a2a-76aa-bdf2-e0c25e7a51b8",
  "playback_page_expires_at": "2026-04-
17T14:05:11.494Z"
}
```

study interview playback content --study-id (no interview-id)

exit 0 · 1 JSON value(s)

→ cookiy_interview_playback_get · view=transcript OK

```
cookiy.sh study interview playback content --study-id 019c51ab-cb2b-7094-a59f-e9d12e18ffc9
```

SHAPE TREE

```
study_id: string
interviews:
  array[
    interview_id: string
    transcript:
      array[
        speaker: string
        role: string
        content: string
        message_time: string
      ]
    turn_count: number
    transcript_available: boolean
    playback_type: string
  ]
total: number
```

RAW RESPONSE


```
{
  "study_id": "019c51ab-cb2b-7094-a59f-e9d12e18ffc9",
  "interviews": [
    {
      "interview_id": "019d80ed-9dd2-72fc-807a-800cfffc3a1b",
      "transcript": [
        {
          "speaker": "interviewer",
          "role": "assistant",
          "content": "Hello! Are you ready to start the interview?  To begin, can you tell me about a typical day at home and the devices or services you use most?",
          "message_time": "2026-04-12T09:02:31.532Z"
        },
        {
          "speaker": "interviewee",
          "role": "user",
          "content": "Hi! Yeah, I’m ready. So, mornings are pretty hectic — getting the kids ready, packing lunches, checking calendars. We use our phones a lot for reminders and calendar alerts. I also rely on a microwave for quick meals and our smart TV for background music or shows. In the evening, it’s about homework help, dinner, and winding down, usually with some streaming service. Devices like our phones or the occasional Google Nest are there, but only if they don’t add hassle.",
          "message_time": "2026-04-12T09:02:33.204Z"
        },
        {
          "speaker": "interviewer",
          "role": "assistant",
          "content": "I get the sense that your days are busy and you depend on technology to keep things moving smoothly.  In what situations at home do you find yourself relying on these devices the most?",
          "message_time": "2026-04-12T09:02:35.586Z"
        },
        {
          "speaker": "interviewee",
          "role": "user",
          "content": "Yeah, definitely busy. The times I lean on devices most are during meals—like when I'm cooking and need timers. Also, when I need quick answers, like \"what's the weather\" or \"set a reminder.\" And the kids sometimes ask the speaker to play music or a show, which can help with homework focus or calming down. But it has to be simple—no extra setup or fuss when I’m already juggling a million things.",
          "message_time": "2026-04-12T09:02:37.069Z"
        },
        {
          "speaker": "interviewer",
          "role": "assistant",
          "content": "That really clarifies how simplicity and multitasking are key for you during busy moments.  Can you share what first made you
```

consider getting a smart home speaker?",
          "message_time": "2026-04-12T09:02:37.709Z"
        },
        {
          "speaker": "interviewee",
          "role": "user",
          "content": "Sure. It was actually last November—I was sitting at the kitchen table after the kids were asleep, and I was tired of juggling timers on the microwave and my Apple Watch while cooking. My sister had mentioned how she tells Alexa to set timers, so I thought, maybe that could help me. Then I started looking online, comparing the Echo Dot and Nest Mini because our family uses iPhones but I have a Google calendar for work. It got a little confusing, though, and thinking about the kids accidentally ordering stuff or messing with it made me pause.",
          "message_time": "2026-04-12T09:02:38.912Z"
        },
        {
          "speaker": "interviewer",
          "role": "assistant",
          "content": "I can see how convenience sparked your interest but also some concerns slowed you down. What were the main steps you took after that initial thought about a smart speaker?",
          "message_time": "2026-04-12T09:02:39.994Z"
        },
        {
          "speaker": "interviewee",
          "role": "user",
          "content": "Right, so after that night, a couple weeks later my spouse and I were at Target, just out running errands. We stopped by the smart home aisle and tested a display unit—woke it up, tried the music demo. It felt weird talking to it in the store, and the sound wasn't great on that little model. Then my spouse brought up a news story about devices listening in and recording stuff, and we had a quiet argument about privacy right there. We left without buying anything and later watched a couple YouTube videos about muting mics and managing voice history to figure out if it was safe enough.",
          "message_time": "2026-04-12T09:02:41.245Z"
        },
        {
          "speaker": "interviewer",
          "role": "assistant",
          "content": "It's interesting that testing the device triggered both curiosity and privacy worries for you. How did you decide when you felt ready or confident enough to buy a smart speaker, if at all?",
          "message_time": "2026-04-12T09:02:42.412Z"
        },
        {
          "speaker": "interviewee",
          "role": "user",
          "content": "Yeah, that day really made me rethink it. I decided I needed to be sure it wouldn't cause more hassle or privacy risks. I'd only buy if setup was quick—like under 30 minutes—and if parental controls were solid. Also, it had to work well with our phones and calendars. I'm still on the fence, honestly. If it's just going to be a timer or play music easy, maybe. But if it's complicated or my kid can mess with it, I'm not sure it's worth it yet.",
          "message_time": "2026-04-12T09:02:43.708Z"

```
        },
        {
          "speaker": "interviewer",
          "role": "assistant",
          "content": "You're saying that ease of setup
and control features are critical for your confidence
in buying.   Who else was involved in this decision
about the smart speaker in your household?",
          "message_time": "2026-04-12T09:02:44.792Z"
        },
        {
          "speaker": "interviewee",
          "role": "user",
          "content": "Mostly me and my spouse. I'm the
one researching and figuring out tech stuff, but my
spouse is more cautious—especially about privacy. We
talk through concerns like what we read or hear in the
news. The kids get involved by asking questions or
wanting to try it out, which honestly adds pressure
because I worry about what they might accidentally do
or access. So yeah, it's kind of a group decision, but
I drive the research.",
          "message_time": "2026-04-12T09:02:45.893Z"
        },
        {
          "speaker": "interviewer",
          "role": "assistant",
          "content": "That makes total sense how your
spouse's caution and your kids' curiosity shape the
choice together.   What specific speaker brands or
models did you consider or test besides Amazon
Alexa/Echo and Google Nest Mini?",
          "message_time": "2026-04-12T09:02:46.697Z"
        },
        {
          "speaker": "interviewee",
          "role": "user",
          "content": "Honestly, those were the main
two I looked at—the Echo Dot and the Nest Mini. I know
Apple has the HomePod, but it seemed more for people
really into high-quality sound, and honestly, that
felt like overkill for us. Plus, I wasn't sure how
well it'd play with Google calendar or non-Apple stuff
I use for work. So, I stuck mostly with the budget-
friendly, popular options that I'd see in stores or
online.",
          "message_time": "2026-04-12T09:02:47.959Z"
        },
        {
          "speaker": "interviewer",
          "role": "assistant",
          "content": "That makes total sense to focus
on the popular, practical options.   What were the
most important factors when choosing between those
smart speaker options?",
          "message_time": "2026-04-12T09:02:48.598Z"
        },
        {
          "speaker": "interviewee",
          "role": "user",
          "content": "Three things stood out: first,
how easily it fits with our phones and calendars—since
I'm on Google but the family's on iPhones,
compatibility matters. Second, privacy controls—like
being able to mute microphones and limit accidental
orders, especially with the kids around. Third, sound
quality, but more for clarity in mix with background
noise than audiophile-level. Oh, and of course, it had
```

```
to be simple to set up and use without adding more
stress.",
          "message_time": "2026-04-12T09:02:49.568Z"
        },
        {
          "speaker": "interviewer",
          "role": "assistant",
…(truncated)
```

study interview playback content --study-id --interview-id

exit 0 · 1 JSON value(s)

→ cookiy_interview_playback_get · view=transcript OK

```
cookiy.sh study interview playback content --study-id 019c51ab-cb2b-7094-a59f-e9d12e18ffc9 --interview-id 019d0506-2a2a-76aa-bdf2-e0c25e7a51b8
```

SHAPE TREE

```
interview_id: string
transcript:
  array[
    speaker: string
    role: string
    content: string
    message_time: string
  ]
turn_count: number
transcript_available: boolean
playback_type: string
```

RAW RESPONSE


```
{
  "interview_id": "019d0506-2a2a-76aa-bdf2-e0c25e7a51b8",
  "transcript": [
    {
      "speaker": "interviewer",
      "role": "assistant",
      "content": "Hi, thanks for participating. Before we begin, to ensure the survey runs smoothly, please make sure that you: have a stable internet connection, stay away from TVs, loud background noise, and places where multiple conversations are happening, allow microphone and camera access if prompted, keep your device steady in bright place and your face clearly visible if video is required, avoid one-word answers so we can better understand your feedback. Ready to start?",
      "message_time": "2026-03-19T07:36:55.000Z"
    },
    {
      "speaker": "interviewee",
      "role": "user",
      "content": "Yes.",
      "message_time": "2026-03-19T07:37:00.000Z"
    },
    {
      "speaker": "interviewer",
      "role": "assistant",
      "content": "To get us started, could you describe a bit about what a typical day at home looks like for you and the devices you use most often?",
      "message_time": "2026-03-19T07:37:00.000Z"
    },
    {
      "speaker": "interviewee",
      "role": "user",
      "content": "Hi.",
      "message_time": "2026-03-19T07:37:19.000Z"
    },
    {
      "speaker": "interviewee",
      "role": "user",
      "content": "work every day for... and then I I use AI tools to look for... and to to do coding. And then when I come back home, I started.",
      "message_time": "2026-03-19T07:37:34.000Z"
    },
    {
      "speaker": "interviewee",
      "role": "user",
      "content": "A holiday summer holiday",
      "message_time": "2026-03-19T07:37:37.000Z"
    },
    {
      "speaker": "interviewer",
      "role": "assistant",
      "content": "It sounds like AI tools and coding are a big part of your professional routine. Who else lives in your household, and who usually takes the
```

lead on setting up new technology?",
      "message_time": "2026-03-19T07:37:40.000Z"
    },
    {
      "speaker": "interviewee",
      "role": "user",
      "content": "Well,",
      "message_time": "2026-03-19T07:37:55.000Z"
    },
    {
      "speaker": "interviewee",
      "role": "user",
      "content": "Welcome to... Yes. My partner",
      "message_time": "2026-03-19T07:38:00.000Z"
    },
    {
      "speaker": "interviewee",
      "role": "user",
      "content": "I mean, like, it's not about who takes charge. It's just we see fancy things. And if we think it's reasonable, we get it.",
      "message_time": "2026-03-19T07:38:11.000Z"
    },
    {
      "speaker": "interviewer",
      "role": "assistant",
      "content": "It seems like you and your partner both jump in when something interesting and practical catches your eye. What specifically prompted both of you to start thinking about adding a smart speaker to your home?",
      "message_time": "2026-03-19T07:38:11.000Z"
    },
    {
      "speaker": "interviewee",
      "role": "user",
      "content": "Just, uh, I see the demo at the shopping store. Like, you know, and all that.",
      "message_time": "2026-03-19T07:38:32.000Z"
    },
    {
      "speaker": "interviewer",
      "role": "assistant",
      "content": "Thinking about the most recent time you bought or seriously considered buying a smart home speaker, can you walk me through how that decision unfolded from the moment the idea",
      "message_time": "2026-03-19T07:38:44.000Z"
    },
    {
      "speaker": "interviewer",
      "role": "assistant",
      "content": "Thinking about the most recent time you bought or seriously considered buying a smart home speaker, can you walk me through how that decision unfolded from the moment the idea",
      "message_time": "2026-03-19T07:38:44.000Z"
    },
    {
      "speaker": "interviewer",
      "role": "assistant",
      "content": "Thinking about the most recent time you bought or seriously considered buying a smart home speaker, can you walk me through how that decision unfolded from the moment the idea",
      "message_time": "2026-03-19T07:38:44.000Z"
    },
    {

```
      "speaker": "interviewee",
      "role": "user",
      "content": "Okay. Let's end the interview.",
      "message_time": "2026-03-19T07:38:44.000Z"
    },
    {
      "speaker": "interviewee",
      "role": "user",
      "content": "That's end of the interview.",
      "message_time": "2026-03-19T07:38:46.000Z"
    },
    {
      "speaker": "interviewer",
      "role": "assistant",
      "content": "I understand you'd like to stop
here. I appreciate your time today—are we fine to wrap
up now?",
      "message_time": "2026-03-19T07:38:46.000Z"
    },
    {
      "speaker": "interviewee",
      "role": "user",
      "content": "Yes.",
      "message_time": "2026-03-19T07:38:54.000Z"
    },
    {
      "speaker": "interviewer",
      "role": "assistant",
      "content": "Thank you so much for sharing your
valuable insights with us today. Your participation
really means a lot to our research. If you have any
questions later, please don't hesitate to reach out.
Take care!",
      "message_time": "2026-03-19T07:39:06.000Z"
    }
  ],
  "turn_count": 20,
  "transcript_available": true,
  "playback_type": "recording"
}
```


Synthetic users

1 command

study run-synthetic-user start (no --wait, scratch)

→ cookiy_simulated_interview_generate OK

exit 0 · 1 JSON value(s)

```
cookiy.sh study run-synthetic-user start --study-id 019d950f-2493-712e-bf9e-f3526a4effca --persona-count 1
```

SHAPE TREE

```
study_id: string
job_id: string
status: string
ready: boolean
failed: boolean
message: string
total_count: number
completed_count: number
failed_count: number
progress: number
updated_at: string
queued_at: string
interviews:
  array[]
debit_transaction_id: string
current_stage: string
stage_label: string
```

RAW RESPONSE


```
{
  "study_id": "019d950f-2493-712e-bf9e-f3526a4effca",
  "job_id": "019d969c-65cf-729c-a518-3450e9018142",
  "status": "queued",
  "ready": false,
  "failed": false,
  "message": "Synthetic interview generation queued",
  "total_count": 1,
  "completed_count": 0,
  "failed_count": 0,
  "progress": 0,
  "updated_at": "2026-04-16T14:05:25.332Z",
  "queued_at": "2026-04-16T14:05:25.332Z",
  "interviews": [],
  "debit_transaction_id": "019d969c-65c5-720c-92fa-
2fb998a6cf99",
  "current_stage": "simulated_interviews_queued",
  "stage_label": "Synthetic user interviews queued"
}
```


Report

5 commands

study report generate --skip-synthetic-interview (no --wait, scratch)

→ cookiy_report_generate OK

exit 0 · 1 JSON value(s)

```
cookiy.sh study report generate --study-id 019d950f-2493-712e-bf9e-f3526a4effca --skip-synthetic-interview
```

SHAPE TREE

```
study_id: string
report_status: string
generation_request_id: string
```

RAW RESPONSE


```
{
  "study_id": "019d950f-2493-712e-bf9e-f3526a4effca",
  "report_status": "generating",
  "generation_request_id": "019d969c-74e5-7179-9606-
5e8e667f92e2"
}
```


study report content --study-id → cookiy_report_content_get OK

exit 0 · 1 JSON value(s)

```
cookiy.sh study report content --study-id 019c51ab-cb2b-7094-a59f-e9d12e18ffc9
```

SHAPE TREE

```
study_id: string
report_status: string
report_id: null
generated_at: null
title: null
markdown: null
```

RAW RESPONSE


```
{
  "study_id": "019c51ab-cb2b-7094-a59f-e9d12e18ffc9",
  "report_status": "pending",
  "report_id": null,
  "generated_at": null,
  "title": null,
  "markdown": null
}
```

study report content --study-id --wait true --timeout-ms

→ cookiy_report_content_get OK

exit 0 · 1 JSON value(s)

```
cookiy.sh study report content --study-id 019c51ab-cb2b-7094-a59f-e9d12e18ffc9 --wait true --timeout-ms 8000
```

SHAPE TREE

```
study_id: string
report_status: string
report_id: null
generated_at: null
title: null
markdown: null
```

RAW RESPONSE


```
{
  "study_id": "019c51ab-cb2b-7094-a59f-e9d12e18ffc9",
  "report_status": "pending",
  "report_id": null,
  "generated_at": null,
  "title": null,
  "markdown": null
}
```


study report link --study-id

→ cookiy_report_share_link_get OK

exit 0 · 1 JSON value(s)

```
cookiy.sh study report link --study-id 019c51ab-cb2b-7094-a59f-e9d12e18ffc9
```

SHAPE TREE

```
study_id: string
report_status: string
share_url: null
share_password: null
```

RAW RESPONSE


```
{
  "study_id": "019c51ab-cb2b-7094-a59f-e9d12e18ffc9",
  "report_status": "pending",
  "share_url": null,
  "share_password": null
}
```


study report wait --study-id

→ cookiy_report_status + cookiy_report_share_link_get OK

exit 0 · 1 JSON value(s)

```
cookiy.sh study report wait --study-id 019c51ab-cb2b-7094-a59f-e9d12e18ffc9 --timeout-ms 8000
```

SHAPE TREE

```
study_id: string
report_status: string
share_url: null
share_password: null
```

RAW RESPONSE


```
{
  "study_id": "019c51ab-cb2b-7094-a59f-e9d12e18ffc9",
  "report_status": "pending",
  "share_url": null,
  "share_password": null
}
```


Quantitative survey

8 commands

quant list → `cookiy_quant_survey_list` OK

exit 0 · 1 JSON value(s)

```
cookiy.sh quant list
```

SHAPE TREE

```
surveys:
  array[
    survey_id: number
    title: string
    active: string
    language: null
  ]
count: number
```

RAW RESPONSE


```
{
  "surveys": [
    {
      "survey_id": 539425,
      "title": "Americans' Visions of the AI Future",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 825972,
      "title": "Creative Flow Lab: How You Collaborate
With AI (2026)",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 732677,
      "title": "AI Tools User Experience Survey",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 543375,
      "title": "AI Tools User Experience",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 327369,
      "title": "产品体验快速调研（模板）",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 611795,
      "title": "Quick Product Experience Survey
(template)",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 394797,
      "title": "Love, Relationship Needs, and Real-
Life Examples Survey",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 416944,
      "title": "Love, Relationship Needs, and Real-
Life Examples Survey v2",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 273997,
      "title": "What draws you to someone — as a
friend or partner?",
      "active": "Y",
      "language": null
    },
    {
```

```
      "survey_id": 674188,
      "title": "CLI audit survey 1776347217
(patched)",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 732711,
      "title": "Route A smoke v2",
      "active": "N",
      "language": null
    },
    {
      "survey_id": 782754,
      "title": "template debug",
      "active": "N",
      "language": null
    },
    {
      "survey_id": 988284,
      "title": "Cookiy Quant Showcase — B2B Research
Stack Evaluation (2026)",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 878381,
      "title": "New title",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 841933,
      "title": "Mac mini, Clawbot trend, setup (US)",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 159368,
      "title": "CLI quant test (updated)",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 143942,
      "title": "AI Budgeting Assistant Landing Page
Clarity Survey",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 383912,
      "title": "AI Tool Usage Test Survey",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 331167,
      "title": "Patch Regression — Title Updated",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 348814,
      "title": "CLI quant flow - display title",
      "active": "Y",
      "language": null
    },
```

```
    {
      "survey_id": 772735,
      "title": "Tacit Knowledge & Expertise — Global
Survey",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 346464,
      "title": "CLI audit survey 1776345316",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 739374,
      "title": "CLI audit survey 1776345616",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 838148,
      "title": "CLI audit survey 1776345805
(patched)",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 726338,
      "title": "CLI audit survey 1776346179
(patched)",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 896911,
      "title": "AI Tools & Productivity —
Comprehensive Research Survey (2026)",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 219585,
      "title": "AI Tools & Productivity —
Comprehensive Research Survey (2026)",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 169228,
      "title": "cpu的发展历史",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 319239,
      "title": "US Workplace Community App - Needs &
Behavior Survey",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 281874,
      "title": "PWNED-BY-B",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 657814,
```

```
      "title": "Professional Networking App — User
Pain Points Survey",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 595624,
      "title": "US Bluetooth Headphones Market
Survey",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 846249,
      "title": "UK AI Code Agent Usage Survey",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 939797,
      "title": "AI assistants for professional
knowledge work",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 335265,
      "title": "AI at work — quant-only wave (2026)",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 158534,
      "title": "The Inner Life — Work, Love, Stress &
Meaning (2026)",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 113711,
      "title": "Gen Z Date Activities: What Actually
Works?",
      "active": "Y",
      "language": null
    },
    {
      "survey_id": 748491,
      "title": "Quick test — visibility check",
      "active": "Y",
      "language": null
    }
  ],
  "count": 38
}
```

quant create --json → cookiy_quant_survey_create OK

exit 0 · 1 JSON value(s)

```
cookiy.sh quant create --json (payload)
```

SHAPE TREE

```
survey_id: number
title: string
language: string
active: string
survey_public_url: string
respondent_urls_base: string
survey_format: string
creation_summary_markdown: string
activation_note: string
```

RAW RESPONSE


```
{
  "survey_id": 153848,
  "title": "CLI audit survey 1776348276",
  "language": "en",
  "active": "Y",
  "survey_public_url": "https://ls-dev.cookiy.ai/index.php/survey/index/sid/153848/lang/en",
  "respondent_urls_base": "https://ls-dev.cookiy.ai",
  "survey_format": "G",
  "creation_summary_markdown": "## CLI audit survey 1776348276\n\n**Language:** en\n\n### G1\n\n**1. `Q1`** (List (radio)): Pick one\n  - `A1` A\n  - `A2` B\n",
  "activation_note": "activate_survey was called and the survey is expected to be publicly answerable."
}
```


quant get --survey-id (full structure) → cookiy_quant_survey_detail OK

exit 0 · 1 JSON value(s)

```
cookiy.sh quant get --survey-id 153848
```

SHAPE TREE

```
survey_id: number
title: string
survey_format: string
language: string
active: string
survey_public_url: string
creation_summary_markdown: string
```

RAW RESPONSE


```
{
  "survey_id": 153848,
  "title": "CLI audit survey 1776348276",
  "survey_format": "G",
  "language": "en",
  "active": "Y",
  "survey_public_url": "https://ls-dev.cookiy.ai/index.php/survey/index/sid/153848/lang/en",
  "creation_summary_markdown": "## CLI audit survey 1776348276\n\n**Language:** en\n\n### G1\n\n**1. `Q1`** (List (radio)): Pick one\n  - `A1` A\n  - `A2` B\n"
}
```

quant get --survey-id --include-structure false → cookiy_quant_survey_detail

OK

exit 0 · 1 JSON value(s)

```
cookiy.sh quant get --survey-id 153848 --include-structure false
```

SHAPE TREE

```
survey_id: number
title: string
survey_format: string
language: string
active: string
survey_public_url: string
creation_summary_markdown: string
```

RAW RESPONSE


```
{
  "survey_id": 153848,
  "title": "CLI audit survey 1776348276",
  "survey_format": "G",
  "language": "en",
  "active": "Y",
  "survey_public_url": "https://ls-dev.cookiy.ai/index.php/survey/index/sid/153848/lang/en",
  "creation_summary_markdown": "## CLI audit survey 1776348276\n\n**Language:** en\n\n### G1\n\n**1. `Q1`** (List (radio)): Pick one\n  - `A1` A\n  - `A2` B\n"
}
```


quant update --json → cookiy_quant_survey_patch

OK

exit 0 · 1 JSON value(s)

```
cookiy.sh quant update --survey-id 153848 --json {"survey": {"title": "CLI audit survey 1776348276 (patched)"}}
```

SHAPE TREE

```
survey_id: number
survey_updated: boolean
```

RAW RESPONSE


```
{
  "survey_id": 153848,
  "survey_updated": true
}
```


quant status --survey-id → cookiy_quant_survey_status

OK

exit 0 · 1 JSON value(s)

```
cookiy.sh quant status --survey-id 153848
```

SHAPE TREE

```
survey_id: number
completed_responses: number
incomplete_responses: number
full_responses: number
```

RAW RESPONSE


```
{
  "survey_id": 153848,
  "completed_responses": 0,
  "incomplete_responses": 0,
  "full_responses": 0
}
```


quant report --survey-id → cookiy_quant_survey_report

OK

exit 0 · 1 JSON value(s)

```
cookiy.sh quant report --survey-id 153848
```

SHAPE TREE

```
survey_id: number
completion_status: string
response_row_count: number
completion_funnel: null
question_summaries:
  array[]
```

RAW RESPONSE


```
{
  "survey_id": 153848,
  "completion_status": "complete",
  "response_row_count": 0,
  "completion_funnel": null,
  "question_summaries": []
}
```

quant admin-link (skipped — not wired in cookiy.sh v1.21.0) SKIP

exit 0 · non-JSON

SHAPE TREE

```
(not run — CLI missing dispatch case; MCP tool exists as cookiy_quant_survey_admin_link)
```

Billing

6 commands

billing balance → cookiy_balance_get OK

exit 0 · 1 JSON value(s)

```
cookiy.sh billing balance
```

SHAPE TREE

```
balance_summary: string
```

RAW RESPONSE


```
{
  "balance_summary": "Wallet balance: $195.00 (19500 cents)"
}
```


billing checkout (skipped — CLI_AUDIT_SKIP_CHECKOUT=1) SKIP

exit 0 · non-JSON

SHAPE TREE

```
(not run — set CLI_AUDIT_SKIP_CHECKOUT=0 to exercise)
```

billing price-table → cookiy_billing_price_table OK

exit 0 · 1 JSON value(s)

```
cookiy.sh billing price-table
```

SHAPE TREE

```
items:
  array[
    action: string
    price: string
  ]
```

RAW RESPONSE


```
{
  "items": [
    {
      "action": "Recruit one qualitative participant",
      "price": "$9.99"
    },
    {
      "action": "Recruit one survey (quantitative) participant",
      "price": "$0.50"
    },
    {
      "action": "Generate a report",
      "price": "$0.30"
    },
    {
      "action": "Generate a discussion guide",
      "price": "$0.20"
    },
    {
      "action": "conduct a synthetic user interview",
      "price": "$0.20"
    }
  ]
}
```

billing transactions --limit 5 → cookiy_billing_transactions OK

exit 0 · 1 JSON value(s)

```
cookiy.sh billing transactions --limit 5
```

SHAPE TREE

```
array[
  amount_cents: number
  type: string
  quantity: number
  created_at: string
  study:
    study_id: string
    project_name: string
  survey: null
  receipt_url: null
  description: string
  product_id: string
]
```

RAW RESPONSE


```
[
  {
    "amount_cents": -30,
    "type": "report",
    "quantity": 1,
    "created_at": "2026-04-16T14:05:29.178Z",
    "study": {
      "study_id": "019d950f-2493-712e-bf9e-
f3526a4effca",
      "project_name": "CLI audit scratch study
1776322287"
    },
    "survey": null,
    "receipt_url": null,
    "description": "report debit: studyId=019d950f-
2493-712e-bf9e-f3526a4effca, qty=1, amount=30c",
    "product_id": "Report · CLI audit scratch study
1776322287 · Delivery pending · report debit:
studyId=019d950f-2493-712e-bf9e-f3526a4effca, qty=1,
amount=30c"
  },
  {
    "amount_cents": -20,
    "type": "synthetic",
    "quantity": 1,
    "created_at": "2026-04-16T14:05:25.317Z",
    "study": {
      "study_id": "019d950f-2493-712e-bf9e-
f3526a4effca",
      "project_name": "CLI audit scratch study
1776322287"
    },
    "survey": null,
    "receipt_url": null,
    "description": "synthetic debit: studyId=019d950f-
2493-712e-bf9e-f3526a4effca, qty=1, amount=20c",
    "product_id": "Synthetic interviews · CLI audit
scratch study 1776322287 · 1 interview delivered ·
synthetic debit: studyId=019d950f-2493-712e-bf9e-
f3526a4effca, qty=1, amount=20c"
  },
  {
    "amount_cents": -20,
    "type": "discussion_guide",
    "quantity": 1,
    "created_at": "2026-04-16T14:04:40.744Z",
    "study": {
      "study_id": "019d969b-b79c-7321-9b14-
b7390b46af82",
      "project_name": "CLI audit scratch study
1776348276"
    },
    "survey": null,
    "receipt_url": null,
    "description": "discussion_guide debit:
studyId=019d969b-b79c-7321-9b14-b7390b46af82, qty=1,
amount=20c",
    "product_id": "Discussion guide · CLI audit
scratch study 1776348276 · Delivered (019d969b-b79c-
7321-9b14-b7390b46af82)"
  },
  {
```

```
    "amount_cents": -30,
    "type": "report",
    "quantity": 1,
    "created_at": "2026-04-16T13:47:46.875Z",
    "study": {
      "study_id": "019d950f-2493-712e-bf9e-
f3526a4effca",
      "project_name": "CLI audit scratch study
1776322287"
    },
    "survey": null,
    "receipt_url": null,
    "description": "report debit: studyId=019d950f-
2493-712e-bf9e-f3526a4effca, qty=1, amount=30c",
    "product_id": "Report · CLI audit scratch study
1776322287 · Delivered (019d968d-7aae-756c-b376-
a984244865ae) · report debit: studyId=019d950f-2493-
712e-bf9e-f3526a4effca, qty=1, amount=30c"
  },
  {
    "amount_cents": -20,
    "type": "synthetic",
    "quantity": 1,
    "created_at": "2026-04-16T13:47:42.827Z",
    "study": {
      "study_id": "019d950f-2493-712e-bf9e-
f3526a4effca",
      "project_name": "CLI audit scratch study
1776322287"
    },
    "survey": null,
    "receipt_url": null,
    "description": "synthetic debit: studyId=019d950f-
2493-712e-bf9e-f3526a4effca, qty=1, amount=20c",
    "product_id": "Synthetic interviews · CLI audit
scratch study 1776322287 · 1 interview delivered ·
synthetic debit: studyId=019d950f-2493-712e-bf9e-
f3526a4effca, qty=1, amount=20c"
  }
]
```

billing transactions --study-id → cookiy_billing_transactions OK

exit 0 · 1 JSON value(s)

```
cookiy.sh billing transactions --limit 5 --study-id 019c51ab-cb2b-7094-a59f-e9d12e18ffc9
```

SHAPE TREE

```
array[
  amount_cents: number
  type: string
  quantity: number
  created_at: string
  study:
    study_id: string
    project_name: string
  survey: null
  receipt_url: null
  description: null
  product_id: string
]
```

RAW RESPONSE


```
[
  {
    "amount_cents": -20,
    "type": "synthetic",
    "quantity": 1,
    "created_at": "2026-04-12T09:02:12.594Z",
    "study": {
      "study_id": "019c51ab-cb2b-7094-a59f-
e9d12e18ffc9",
      "project_name": "Smart Home Speaker Purchase
Decision Drivers (U.S.)"
    },
    "survey": null,
    "receipt_url": null,
    "description": null,
    "product_id": "Synthetic interviews · Smart Home
Speaker Purchase Decision Drivers (U.S.) · 1 interview
delivered"
  }
]
```


billing transactions --survey-id → cookiy_billing_transactions FAIL

exit 1 · non-JSON

```
cookiy.sh billing transactions --limit 5 --survey-id 878381
```

SHAPE TREE

```
text (11 lines)
invalid_parameters:
  array[
    code: string
    expected: string
    received: string
    path:
      array[
        string
      ]
    message: string
  ]
```

RAW RESPONSE


```
MCP error -32602: Invalid parameters: [
  {
    "code": "invalid_type",
    "expected": "string",
    "received": "number",
    "path": [
      "survey_id"
    ],
    "message": "Expected string, received number"
  }
]
```


---

35 OK · 1 FAIL · 3 SKIP · source: cli_audit_shapes.py