Accident, definition, 75, 181–183, 184–185	Black Hawk shootdown. See Friendly fire
Accident models, xix, 15–33, 58	accident
chain of events, 17–33, 56, 58, 67, 353	Blame, 53–57, 59, 274, 390, 401, 426–433
domino, 16–17, 19	getting beyond, 56, 101, 349, 383–384, 410,
Rasmussen and Svedung, 31, 32	431–433
Swiss cheese, 17, 19, 34, 389–390	
Accident process, 52, 59, 100, 211, 350, 383–384, 390	Cali American Airlines B-757 accident, 23–24, 39–40, 88, 97, 101, 174–175
Active control, 77	Causal factors, organizational and contextual,
Adaptation, 51–52, 81, 101, 166, 396, 398–400.	361–362
See also Migration to high-risk states	symptoms vs. causes, 377
Air traffic control, 12, 70, 184, 186, 192–193,	Causal filtering, 53–54
321–322	Certification, SUBSAFE, 452–455
conflicting goals, 12, 70, 199, 203	Challenger Space Shuttle accident, 319, 411
coordination of multiple controllers, 294–295	inadequate control, 67, 68
hazards, 184, 186	migration to high-risk state, 231–232, 399
safety constraints, 192–193	silent safety program, 391
Alarms, 299–302	systemic factors in, 55, 58, 197, 399, 428
Assumptions	Change, 175–176, 180, 186, 213, 226–227, 393–394,
environmental and use, 328–329, 333–334, 393	396–400, 514–516
monitoring, 328, 334, 401	monitoring for change, 95
Asynchronous evolution, 85, 95, 514–516	planned, 213, 227, 386, 397–398
Audits, performance assessments	supporting with specifications, 308, 313, 347
based on incidents and anomalies, 387, 396, 404	unplanned, 213, 227, 398–400
limitations, 401	Chemical plants, 184, 185–186, 355, 356, 359
participatory, 401–403	Cognitive fixation, 279, 280
SUBSAFE, 455–458	Columbia Space Shuttle accident, 319
using assumptions underlying hazard analysis,	ITA recommendation, 196
213, 227, 387, 393	metrics, 400
Aviation, commercial, reporting systems, 407–409	migration to high-risk state, 51, 231–232,
Aviation, Commercial, reporting systems, 407–409 Aviation Safety Action Program (ASAP), 408	417–419
Aviation Safety Reporting System (ASRS),	systemic factors, 55, 197, 227, 398–399, 426,
407–409, 431	427–428, 434
,,	Comair. See Lexington Comair accident
Ballistic missile defense systems (BMDS,	Commitment. See Leadership
ICBM)	Communication, 378–381. See also Risk
history, xviii, 37, 69, 433	awareness; Multiple controllers; Working
STPA of, 214–217, 219–220, 225–226, 248–249	groups
Batch chemical reactor accident, 9, 10, 49,	between controllers, 378, 400
220–221	communication channels, 386, 387
Bhopal, 24–28, 34–35, 90, 410	of safety information, 307, 435
Diiopai, 24-20, 34-33, 30, 410	of safety illiotiliation, 30%, 433

role in updating process models, 42, 43, 229 Comparisons, evaluation of STAMP in STPA, 214, 221, 262 STPA, 239, 248-249 in systems theory, 65-66, 83, 96 CAST, 388-390 Flexibility (resilience), 70, 398 Complacency, 383, 424, 458 Complexity, 4 Flixborough, 397 FOQA (flight operational quality assurance), and component interaction accidents, 173, 248 dealing with, 307 and redundancy, 264 Friendly fire accident, 20–21, 85, 94, 99, 103–169, 225, 378-379, 396-397 types, 4 Component interaction accidents, 8–10 Fukuchiyama train derailment, 432 preventing, 173, 264 Hazard, 184-191, 317-318 and probabilistic risk assessment, 35 Hazard analysis, 179, 211 and process models, 88, 95 and software 50 and human error, 230 Constraints. See also Safety constraints revisiting after accidents and incidents, 227 Hazard assessment, 319-320, 322 requirements vs. constraints, 11–12 Hazard log, 171, 217, 308, 317, 324–326, 332, 393 in systems theory, 63, 65 HAZOP, 211, 212, 221, 347 Control loops. See Safety control structure Herald of Free Enterprise, 12-14, 29-30, 67, 88 Control structure design. See Safety control structure HFACS (human factors analysis and classification system), 389-390 Coordination. See Multiple controllers Hierarchy, hierarchy theory, 63-65 Cost, cost-effectiveness of safety activities, 171–176, 177–179, 251, 390, 415–420, 420–421 HRO (high reliability organization) theory, 7, 12, Culture, 52, 426–433 44–45, 410 compliance culture, 172 Hindsight bias, 38–39, 43, 349, 361, 372–378 Human error, 36-47, 59, 361 culture of denial, 428-429 in accident reports, 174-175 learning culture, 395 in continuous control tasks, 45-46 paperwork culture, 172, 429 in control loops, 227-230 role of leadership and commitment in, 177, 403 sharing information, shared responsibility, 401, design for error tolerance, 46-47, 282-283, 296 design to reduce human error, 264, 273-305 402 in SUBSAFE, 450 impact of system design on, 39–41, 46–47, 59, 314 DC-10 accidents, 21-22, 303 new types, 5, 175 Decentralized decision making, 43–45 in planning, 278-280 Deepwater Horizon oil platform accident, 417, Human role in systems backup, 276 424-425 Design rationale, documenting, 179, 224, 309, 310, monitor, 275–276 Human task analysis, 175, 179, 256, 330 331, 338, 340, 341, 393, 411 Documentation, 179. See also Specification Incident (definition), 185 Incremental control, 282 Early design decisions, 172–174, 178–179, 318–319 Independent Technical Authority (ITA), 195-202, Emergence, emergent properties, 63, 64, 67, 75 Event trees, 211, 212 231–239, 451–452 ICBM. See Ballistic missile defense systems INPO (Institute for Nuclear Power Operations), Failure modes and effects analysis (FMEA), xvii, Intent specifications, 309–313, 393, 397 Fault tree analysis (FTA), xvii, 14, 58, 211, 212, Interfaces, 314 221, 249, 268 Feedback Just culture, 401, 430-433 about accident report recommendations, 388, 396, 404 Leadership, role of in safety, 177, 398, 401, 402, designing and processing, 265–268, 295–305, 403, 421-422, 427 376-377 during operations, 393, 395, 396, 400–410, 425 Leading indicators. See Metrics in management of change, 394, 398 Lexington Comair accident, 270, 361, 389, 424

Limitations, 255, 345-347

role in accidents, 35-36, 68, 79, 96-97, 380, 424

Reliability

definition, 20–11

Safety constraints, 76-80

Mars Polar Lander, 8, 10, 49, 66-67, 88 Management by exception, 284, 302 Management of change. See Change Mental models, 41-44, 46, 54, 96, 226 Metrics, 59-60, 102, 400 Migration to high-risk states, 28, 51–52, 231, 382. See also Adaptation controlling, preventing 213, 383, 398–400, 419-420, 425-425 examples, 28, 51, 166, 231-232, 417-419 modeling and prediction, 243-248, 400, 417-419 Millstone nuclear power plant, 407, 428. See also Nuclear power Mode confusion, 226, 277, 289-294 MORT (management oversight risk tree), 30-31 Multiple controllers, coordination, 98-100, 192-195, 277, 378-381 ensuring consistent process models, 294–295 examples, 99, 100, 192, 226, 235, 237–238, 294-295, 378 identifying coordination risks, 237-238

Nagoya A300 accident, 21 Nimrod accident, 172, 429 Nuclear power, 406–407 Nuclear weapons, hazards, 191

Objective quality evidence, 450, 452 Occupational safety, 414 Operator error. *See* Human error

Paperwork culture. See Culture Passive control, 76 Performance assessments. See Audits Pharmaceutical safety, 70, 176, 198-209, 239-248 Plan continuation, 280 Preliminary hazard analysis (PHA), 254–255, Problem reporting, 380-381, 386, 431, 458. See also Reporting systems Process. See Accident process Process improvement, 394-396, 403 Process models in analyzing accident causality, 374 in human controllers, 228, 229–230 initializing and updating, 266, 267–270, 286, 296–299, 383 model condition in systems theory, 65, 66-67

Railroad car coupling accidents, 37 Rationale. See Design rationale Recommendations (generating), 383–384 assigning responsibility and followup, 388, 404

in STAMP (role in safety), 87–89, 95–97

in STPA, 221, 243, 261

and training, 411

vs. safety, 7-14, 47-50, 64, 184 Reporting systems, 404-409, 424-425. See also Problem reporting commercial aviation, 407-409 (see also ASAP; ASRS; FOQA) nuclear power, 405–407 problems with, 407-408, 424-425 Resilience. See Flexibility Responsibilities, assigning, 177, 334–336, 385–388, 433-440 Risk assessment, 102, 226, 319-327, 383, 423-425 probabilistic risk assessment, 33–36, 59, 268, 395, risk analysis (programmatic or organizational), 231-239, 249 risk matrix, 320 risk metrics, 326 Risk awareness, 423–425 Root cause, 20–22, 28, 33, 56, 100, 349, 403 Safety case, 172

enforcing, 261 identifying, 191–195 identifying and analyzing using STPA, 212-213, 218–219, 220–221, 261–263 specifying, 329-338 waiving, 398-399 Safety control structure constructing, 185–187, 195–209, 329, 334–336 definition, 80-87 assigning responsibilities, 433-440 Safety culture. See Culture Safety-guided design, 171, 172-174, 251-263, 314 Safety information system, 440–442 Safety management plan (safety program plan), 177, 412–414, 442 Safety management system. See Safety control structure Safety policy, 177, 183, 384, 422–423 Safety requirements. See Safety constraints Safety working groups, 435 Sanity checks, 267

Social systems (engineering safety in), 176, 195,

requirements errors, 48–50 role in accidents, 47–50 Spacecraft defining accidents, 181–182 defining hazards, 188, 218 early trade decisions, 318–319, 322–327

Separation of powers, 451–452

198-209, 239-248

curse of flexibility, 50

Software

design, 173

Spacecraft (cont.) risk management of Space Shuttle management structure, 195-202 STPA of JAXA HTV, 249 system boundaries, 187 Specifications, 179, 224, 307-309. See also Traceability; Design rationale intent specifications, 309-313 SUBSAFE, 399, 411, 419-420, 445-461 System engineering, 176-180, 307-347 Systemic factors in accidents, 24–33, 55, 416–417, 420 examples of, 18 and probabilistic risk assessment, 33–34, 35 USS Thresher loss, 448 Systems nature of safety, 14 Systems theory, hierarchy, 63-65, 310, 463 TCAS (traffic alert and collision avoidance system), 97, 189, 191–192, 194–195, 312, 315–318, 328-347, 393 Thermal tile processing system (TTPS), 182–183, 188, 252–263 Three Mile Island (TMI), 10, 36, 39, 286, 300, 374, 406, 407 Time lags (delays), 66, 84–85, 94–95, 144, 154 Titanic, 34–35 Titanic coincidence, 34 Titanic effect, 34n Traceability, 179, 309, 331, 338, 340, 341, 347, 393 Trade studies, 71, 318–327 Training and education, 402, 403, 410–412,

Uberlingen accident, 100, 192-195, 378, 379-380

Working groups, 435

442-443, 459