

What we'll be discussing today

 Simple way to deploy (fake) multi node OVN using docker in docker (or container in container)

How it is useful

Container in container setup

- A simple bash script - https://github.com/numansiddique/ovn-fake-multinode

- The idea and the base code is taken from the openshift origin's dind scripts - https://github.com/openshift/origin/tree/release-3.11/images/dind

- Each container represents a chassis running
 - ovs-vswitchd
 - ovn-controller
 - OVN ovsdb-servers (in the db container)

Building the image

Steps

- 1. Clone the repo
- 2. Build the container images

```
#export OVN_SRC_PATH=<path_to_ovn_src>
# export OVS_SRC_PATH=<path_to_ovs_src>
# ./ovn_cluster.sh build
```

```
# docker images
REPOSITORY TAG IMAGE ID CREATED SIZE

ovn/ovn-multi-node latest f81125184378 4 days ago 1.37GB

ovn/cinc latest 91b8b8252940 3 weeks ago 856MB
```

Running the OVN fake multinode setup

Steps

1. Start openvswitch in your host.

2. Run the script as

./ovn_cluster.sh start

```
# [root@nummac ovn-fake-multinode]# docker ps
CONTAINER ID
                                 COMMAND
                   IMAGE
                                                   CREATED
                                                                   STATUS
                                                                                 PORTS
                                                                                              NAMES
               ovn/ovn-multi-node "/usr/sbin/dind_init" 14 seconds ago
669e0410cbd6
                                                                      Up 13 seconds
                                                                                              ovn-chassis-3
               ovn/ovn-multi-node "/usr/sbin/dind_init" 15 seconds ago
                                                                                             ovn-chassis-2
68e1cc93a73b
                                                                      Up 14 seconds
9432f0f0a0f1
               ovn/ovn-multi-node "/usr/sbin/dind_init" 16 seconds ago
                                                                      Up 15 seconds
                                                                                             ovn-chassis-1
f3da59a82937
               ovn/ovn-multi-node "/usr/sbin/dind_init" 16 seconds ago
                                                                      Up 15 seconds
                                                                                              ovn-central
```

Running the OVN fake multinode setup

```
[root@nummac ovn-fake-multinode]# docker exec -it ovn-central ovn-sbctl show
Chassis ovn-chassis-2
  hostname: ovn-chassis-2
 Encap geneve
   ip: "172.17.0.4"
   options: {csum="true"}
Chassis ovn-chassis-1
  hostname: ovn-chassis-1
 Encap geneve
   ip: "172.17.0.3"
   options: {csum="true"}
Chassis ovn-central
  hostname: ovn-central
  Encap geneve
   ip: "172.17.0.2"
   options: {csum="true"}
Chassis ovn-chassis-3
  hostname: ovn-chassis-3
  Encap geneve
   ip: "172.17.0.5"
   options: {csum="true"}
```

Demo

Thanks!