		FABRICATION MATERIALS					N	流水號:313
	PT NO	COMPONENT DESCRIPTION	N.S. (INS)	ITEM CODE	QTY			
	1	PIPE PIPE A312-TP304 EFW SCH40S BE CNS 6331	2	S1P1F/P-2"-40S	0.4M			
	2	PIPE A312-TP304 EFW SCH40S PE CNS 6331 FITTINGS	1	S1P1F/P-1"-40S	5.4M			
	3 4	TEE BW A403-WP304 SMLS SCH40S ASME B16.9 SWAGE ECC BLE/TSE(NPT) A403-WP304 SMLS SCH40S/SCH80S MSS-SP-95	2 x 2 2 x 1	S1P1F/TB-2" S1P1F/SE-2"BX1"T	1 2		5 1"x1/2"NS	
	5 6	REDUCING TEE 3000# SCRD (FNPT) A182-F304 ASME B16.11 FULL COUPLING 3000# SCRD (FNPT) A182-F304	1 x 1/2 1	S1P1F/TT-1"X1/2" S1P1F/CFT-1"	3		<27>2	
		ASME B16.11 ERECTION MATERIALS					30 (100)	
	PT	COMPONENT DESCRIPTION	N.S.	ITEM CODE	QTY		70 ₀	
	NO	FITTINGS	(INS)				EL.+4373	
[/ 1 ×]	7 8	CAP 3000# SCRD (FNPT) A182-F304 ASME B16.11 SPRAY NOZZLE MNPT K=5.6	1 1/2	S1P1F/CT-1" S1P1F/SPRAY-1/2"	2		165 (128) We 165 EL.+4430	
		CUT PIPE LENGTH FOR REFERENCE ONLY					19 ₇₈ 6 5	
	PIECE NO <25>	E CUT N.S. REMARKS PIECE LENGTH (INS) NO <26>	CUT LENGTH 1918	N.S. REMARKS (INS)			134 130 130 1"x1/2"NS EL.+4417	
	<27> <29>	100 1 <28>	418 100	1			26/ 64 104	
							4 2"x1"NS 478 EL.+4373	
							14MM OFFSET FLAT FACE DOWN 26 102 30 EL.+438	7
							4 2"x1"NS	
							2"x1"NS 14MM OFFSET FLAT FACE DOWN	106 5 1"x1/2"NS
								28 ₄₆ EL.+4387
								(307)
								30 <30>2
								27 100 108
								EL.+4373/
<u></u> 會 簽								
	7							FOR CONSTRUCTION
								JUN. 09, 2025
								管線編號
								FW-909A04-8"-S1P1F 蒸汽追蹤管 鴻勝化學到按股份有限公司
				I				E-shine Advanced Chemicals Ltd.
							操作壓力: 10 KCM² G 操作溫度: 25 C 管線等級: S1P1F 製 圖 林宜靜 2025.04.30 會 設計壓力: 12.3 KCM² G 設計溫度: 60 C 保溫(冷)等級: 設 計 江珍芳 2025.04.30	■ 富台工程股份有限公司 FU-TAI ENGINEERING CO., LTD.
	Ô	2025.06.09 FOR CONSTRUCTION		江珍		逢明	試驗基準:water 18.45 ^{KC} CM² G X ≼0 分 │熱追縱等級: │審 核 │ 江珍芳 │2025.04.30 │ _쎻 │	崙尾一期 管線工程 4
	序次	2025.04.30 FOR APPROVAL		江珍 明			管路塗装:	建廠工程 立體配管圖 16/ 檔號: FW-909A04-S1P1F- 4
	1,1 1/		U/U U	/ v I//		1		ты жүй