


本圖完工後請速歸還

流水號:97

FABRICATION MATERIALS				
PT NO	COMPONENT DESCRIPTION	N.S. (INS)	ITEM CODE	QTY
PIPE				
1	PIPE A312-TP304 EFW SCH10S BE CNS 6331	2.1/2	S1P1F/P-2.1/2"-10S	9.6M
FITTINGS				
2	90 ELBOW LR BW A403-WP304 WELD SCH10S ASME B16.9	2.1/2	S1P1F/EB-2.1/2"X90	5
FLANGES				
3	FLANGE WN 150# RF A182-F304 SCH10S BORE ASME B16.5	2.1/2	S1P1F/FRWN-2.1/2"	2
ERECTION MATERIALS				
PT NO	COMPONENT DESCRIPTION	N.S. (INS)	ITEM CODE	QTY
GASKETS				
4	GASKET 150# RF 4.5 MM THICK 304SS SPIRAL WOUND W/GRAPHITE FILLER W/SS304 OUTER RING ASME B16.20/B16.5	2.1/2	S1P1F/GR-2.1/2"	2
BOLTS				
5	STUD BOLT A193 GR.B8 W/ TWO HEX. HEAD HEAVY NUT A194 GR.8 ASME B1.1 B18.2.2	5/8	S1P1F/BS4-5/8"X90L	8
VALVES / IN-LINE ITEMS				
6	GATE 150# RF A351-CF8 BB OS &Y RS TRIM 304SS STELLITED FLEXIBLE WEDGE API-600	2.1/2	S1P1F/VA-2.1/2"-1144	1
SUPPORTS				
7	PIPE SHOE (S1)	2.1/2	SUP/S1-2.1/2"	2
8	SUPPORT REINFORCING PAD (SRP-2.1/2)	2.1/2	SUP/SRP-2.1/2"	2
9	PIPE GUIDE (G5-1)	2.1/2	SUP/G5-1-2.1/2"	1

CUT PIPE LENGTH FOR REFERENCE ONLY							
PIECE NO	CUT LENGTH	N.S. (INS)	REMARKS	PIECE NO	CUT LENGTH	N.S. (INS)	REMARKS
<1>	2694	2.1/2		<2>	2260	2.1/2	
<3>	560	2.1/2		<4>	2260	2.1/2	
<5>	1760	2.1/2					



							管線編號 FO-90511-2.1/2"-S1P1F	
							Eshine 鴻勝化學科技股份有限公司 E-shine Advanced Chemicals Ltd.	
							富台工程股份有限公司 FU-TAI ENGINEERING CO., LTD.	
							管線工程 立體配管圖	
							1 3	
							檔號: FO-90511-S1P1F- 1	

△						管件序號 <1>直管編號 [1]管段編號 & 須設計會驗管線	資料庫名稱:	工廠焊接 套焊 螺紋銜接 配合現場焊接 配合現場接合點 管支撐 蒸汽追蹤管	製圖 陳郁惟 2025.04.21	會 策		
△						操作壓力: 10 $\frac{KG}{CM^2}$ G 操作溫度: 25 °C	管線等級: S1P1F		陳郁惟			
△						設計壓力: 12.3 $\frac{KG}{CM^2}$ G 設計溫度: 60 °C	保溫(冷)等級:		陳至鉉			
△						試驗基準: Water 18.45 $\frac{KG}{CM^2}$ G X 60 分	熱追縱等級:		陳安誠			
△						管路塗裝:	管支撐	焊道: 塗裝:	認可 陳達明 2024.04.21	圖號:		
△						碳鋼及不銹鋼保溫(冷): 不銹鋼						
序次	日期					修改說明	修改	認可	NDE 抽驗: 10 %	依據圖號: C2418-4-569 C2418-4-513		