

本圖完工後請速歸還

FABRICATION MATERIALS

PT NO	COMPONENT DESCRIPTION	N.S. (INS)	ITEM CODE	QTY
PIPE				
1	PIPE A312-TP304 EFW SCH10S BE ASME B36.19M	6	S1P1/P-6"-10S	1.6M
2	PIPE A312-TP304 EFW SCH10S BE ASME B36.19M	4	S1P1/P-4"-10S	0.3M
FITTINGS				
3	REDUCER CONC BW A403-WP304 WELD SCH10S ASME B16.9	6 x 4	S1P1/RC-6"x4"	1
4	90 ELBOW LR BW A403-WP304 WELD SCH10S ASME B16.9	6	S1P1/EB-6"x90	1
5	90 ELBOW LR BW A403-WP304 WELD SCH10S ASME B16.9	4	S1P1/EB-4"x90	1
FLANGES				
6	FLANGE WN 150# RF A182-F304 SCH10S BORE ASME B16.5	4	S1P1/FRWN-4"	1
ERECTION MATERIALS				
PT NO	COMPONENT DESCRIPTION	N.S. (INS)	ITEM CODE	QTY
GASKETS				
7	GASKET 150# RF 4.5 MM THICK 304SS SPIRAL WOUND W/GRAPHITE FILLER W/SS304 OUTER RING ASME B16.20/B16.5	4	S1P1/GR-4"	1
BOLTS				
8	STUD BOLT A193 GR.B8 W/ TWO HEX. HEAD HEAVY NUT A194 GR.8 ASME B1.1 B18.2.2	5/8	S1P1/BS4-5/8"x95L	8
SUPPORTS				
9	PIPE GUIDE (G5-2)	6	SUP/G5-2-6"	1
10	PIPE SHOE (S1)	6	SUP/S1-6"	1
11	SUPPORT REINFORCING PAD (SRP-6)	6	SUP/SRP-6"	1
12	FIELD SUPPORT (FS17-2-0418)	6	SUP/FS17-2-6"	1
13	BASE ANCHOR (BA1W-2-09)	4	SUP/BA1W-2-4"	1
14	PIPE A312-TP304 EFW SCH40S BE ASME B36.19M (P-2"-109)	4	S1P1/P-2"-4"	1


CUT PIPE LENGTH FOR REFERENCE ONLY

PIECE NO	CUT LENGTH	N.S. (INS)	REMARKS	PIECE NO	CUT LENGTH	N.S. (INS)	REMARKS
<1>	206	4		<2>	529	6	
<3>	1021	6					



N

TO ATM CUT 45 DEGREE  
E 77850  
N 41100  
EL.+10884



FOR CONSTRUCTION

JUL. 04, 2025

管線編號  
TRIM-TK601-N34-6"-S1P1

Eshine 鴻勝化學科技股份有限公司  
E-shine Advanced Chemicals Ltd.

富台工程股份有限公司  
FU-TAI ENGINEERING CO., LTD.

管線工程  
立體配管圖

檔號: TRIM-TK601-N34-S1P1- 1

① 管件序號 <1> 直管編號 [1] 管段編號 & 須設計會驗管線			資料庫 名稱：	工廠焊接 套焊 螺紋銜接 配合現場焊接 配合現場接合點 管支撐 蒸汽追蹤管			Eshine 鴻勝化學科技股份有限公司 E-shine Advanced Chemicals Ltd.		
操作壓力: 3 $\frac{KG}{CM^2} G$	操作溫度: 38 °C	管線等級: S1P1	製 圖	陳怡如	2025.04.21	會  簽			 富台工程股份有限公司 FU-TAI ENGINEERING CO., LTD.
設計壓力: 6 $\frac{KG}{CM^2} G$	設計溫度: 80 °C	保溫(冷)等級:	設 計	黃炳富	2025.04.21				
試驗基準: Air	6.6 $\frac{KG}{CM^2} G \times 60$ 分	熱追蹤等級:	審 核	陳安誠	2025.04.21				
管路塗裝:	管支撐	焊接基準:	認 可	陳逢明	2025.04.21				
焊道塗裝:	管材料塗裝 碳鋼及不銹鋼保溫(冷): 不銹鋼	NDE 抽驗: 10 %	依據圖號: C2418-4-509			圖號:	檔號: TRIM-TK601-N34-S1P1- 1		
						崙尾一期 管線工程 1 建廠工程 立體配管圖 1			