

COSCO Syncon Hub API Specification for Booking V2 - Collect

COSCO Syncon Hub API Specification for Booking V2 - Collect

Update Logs

Http Header

Booking Interface v2

1. Informations
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

Order Query Interface

1. Informations
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

Order Details Query Interface

1. Informations
2. Path parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

Update Logs

v2.0.0 (2021-08-07)

1.  Added the API Booking v2 collect interface.

Http Header

HTTP header information description

HTTP Header	Type	Required	Description	Remarks
X-Consumer-Forwarder-ID	String	no	Forwarder company sapId	

- X-Consumer-Forwarder-ID

If you want to submit an order/booking for your subsidiary, add this header to the request. The value is sapid of the subsidiary

X-Consumer-Forwarder-ID: 1234567890

Booking Interface v2

Customer can place booking through this interface. The interface will generate the order with the charge details of the product and related discounts. While customer can apply the coupons to deduct the ocean freight of the Product as well. The available coupons information can be obtained through the Sport Rate Detail interface. Please note that the minimum amount of the ocean freight for one single container after deduction shall be 1 US dollar. No change in coupon amount. For the details of the Booking Rules, please refer to the Syncon Hub online.

1. Informations

- **Path:** /service/synconhub/shipment/general/booking
- **Method:** POST

2. Request parameters

Name	Type	Required	Description	Remarks
productId	string	yes	product id	
preferPaymentTerms	String	yes	prefer payment terms type	optional value: P,C
paymentTermsOptions	Object[]	no	charge payment terms option,	
--- chargeType	String	yes	chargeType from surcharge query interface. For ocean charges, chargeType is 'OCEAN_FEE', loadingService is 'LOADING_TRANSFER', and dischargeservice is 'DISCHARGE_TRANSFER'	
--- chargeName	String	no	chargeName from surcharge query interface.Chargename is not required for ocean fee and intermodal services	
--- paymentTerms	String	yes		optional value: P,C
loadingServiceNo	String	no	intermodalServiceNo from intermodal service query results	
dischargeServiceNo	String	no	intermodalServiceNo from intermodal service query results	
containerInfos	object []	yes	container info	
---containerType	string	yes		optional value: 20GP,40GP,40HQ
---quantity	integer	yes		min: 1
---estimateWeight	decimal	no	estimate cargo weight per case	unit: TON
blQuantity	integer	no	bl quantity	default: 1, min: 1
couponsInfo	object	no	coupon use info	
---amount	integer	yes		min: 1
---couponId	string	yes		
includeInsurance	boolean	no	whether include insurance	default: false
shipperInfo	object	no	shipper info	
---name	string	yes		length: [1, 70], English characters
---addressLine1	string	yes	country / region / province / city	length: [1, 35], English characters
---addressLine2	string	yes	street name	length: [1, 35], English characters

Name	Type	Required	Description	Remarks
---addressText	string	no	additional address	length: [1, 1200], English characters
---phone	string	yes		length: [1, 22]
---email	string	no		length: [1, 400]
---carrierCustomerCode	string	no	carrier customer code	
consigneeInfo	object	no	consignee info	
---name	string	yes		length: [1, 70], English characters
---addressLine1	string	yes	country / region / province / city	length: [1, 35], English characters
---addressLine2	string	yes	street name	length: [1, 35], English characters
---addressText	string	no	additional address	length: [1, 1200], English characters
---phone	string	yes		length: [1, 22]
---email	string	no		length: [1, 400]
---carrierCustomerCode	string	no	carrier customer code	
notifyPartyInfo	object	no	notify party info	
---name	string	yes		length: [1, 70], English characters
---addressLine1	string	yes	country /region / province / city	length: [1, 35], English characters
---addressLine2	string	yes	street name	length: [1, 35], English characters
---addressText	string	no	additional address	length: [1, 1200], English characters
---phone	string	yes		length: [1, 22]
---email	string	no		length: [1, 400]
emergencyContactInfo	object	yes		
---name	string	no		length: [1, 70], English characters
---email	string	yes		length: [1, 400]
---mobile	string	no		length: [1, 15]

Name	Type	Required	Description	Remarks
---phone	string	no		length: [1, 22]
---address	string	no		length: [1, 245], English characters
cargoInfo	object	yes	cargo info	
---desc	string	yes	cargo name	length: [1, 60], English characters
---packageType	string	yes		
---quantity	int	yes		
---weight	decimal	yes		unit: KG
---volume	decimal	yes		unit: m ³
---remarks	string	no		English characters
remarks	string	no		length: [0, 240], English characters

3. Request sample

```
{
  "productId": "8a5e11157351b2df01735562622a0000",
  "loadingServiceNo": "8a5e112478e8ac470178e90d79cc0025",
  "dischargeServiceNo": "8a5e112478e8ac470178e8bbe0d90001",
  "preferPaymentTerms": "P",
  "paymentTermsOptions": [
    {
      "chargeType": "OCEAN_FEE",
      "chargeName": null,
      "paymentTerms": "C"
    },
    {
      "chargeType": "LOADING_TRANSFER",
      "chargeName": null,
      "paymentTerms": "C"
    },
    {
      "chargeType": "DISCHARGE_TRANSFER",
      "chargeName": null,
      "paymentTerms": "C"
    },
    {
      "chargeType": "THC",
      "chargeName": "THC",
      "paymentTerms": "C"
    }
  ],
  "containerInfos": [
    {
      "containerType": "20GP",

```

```

        "quantity": 1,
        "estimateweight": 22
    }
],
"blQuantity": 1,
"couponsInfo": {
    "amount": 1,
    "couponId": "8a5e11227152917a017152b6049f0002"
},
"includeInsurance": true,
"shipperInfo": {
    "name": "shipper name",
    "addressLine1": "CN",
    "addressLine2": "ren min lu",
    "phone": "12345678910",
    "email": "test@test.com",
    //if we are going to book cosplus product,we must pass sapid of bond
here
    //For NVO customer the carrierCustomerCode is FMC sapId,For other
customer the carrierCustomerCode is company sapId
    "carrierCustomerCode": "1234567890"
},
"consigneeInfo": {
    "name": "consignee name",
    "addressLine1": "CN",
    "addressLine2": "jian she lu",
    "phone": "12345678910",
    "email": "test@test.com",
    //if we are going to book cosplus product,we must pass sapid of bond
here
    //For NVO customer the carrierCustomerCode is FMC sapId,For other
customer the carrierCustomerCode is company sapId
    "carrierCustomerCode": "1234567890"
},
"notifyPartyInfo": {
    "name": "notify party name",
    "addressLine1": "CN",
    "addressLine2": "jian she lu",
    "phone": "12345678910",
    "email": "test@test.com"
},
"emergencyContactInfo": {
    "name": "contacter name",
    "email": "test@test.com",
    "mobile": "123456",
    "phone": "12345678910",
    "address": "ren min lu"
},
"cargoInfo": {
    "desc": "desk",
    "packageType": "IV",
    "quantity": 1000,
    "weight": 1000.50,
    "volume": 1000.50,
    "remarks": "remarks..."
},
"remarks": "remarks..."
}

```

4. Response parameters

Name	Description
code	status code
message	detail message
data	response data

5. Response sample

```
{ "code": 0,
  "message": "",
  "data": {
    "orderNo": "A00008370",
    "brNo": "6889904090"
  }
}
```

6. Error sample

```
{
  "code": 20003,
  "message": "the inventory is not enough"
}

{
  "code": 20073,
  "message": "Charge Type:XXX,ChargeName:XXX cannot be set to Collect"
}
```

7. Error Code Specification

Please refer to the [General Error Codes](#) .

Order Query Interface

Query brief information of eligible orders based on conditions

1. Informations

- **Path:** /service/synconhub/order/search
- **Method:** POST

2. Request parameters

Name	Type	Required	Description	Remarks
brNo	string	no	booking request number	
orderNo	string	no	order no	
orderStatus	string	no	order status	optional value: CONFIRMED,CANCELED
page	integer	yes	page size	default:1, minimum:1
size	integer	yes	record size	default:20, range:[1, 50]
updateDateFrom	ISODate	no	Order update time from	
updateDateTo	ISODate	no	Order update time to	

3. Request sample

```
{
  "brNo": "6889903730",
  "orderNo": "E00007231",
  "orderStatus": "CONFIRMED",
  "page": 1,
  "size": 20,
  "updateDateFrom": "2020-07-20T03:14:55.200Z",
  "updateDateTo": "2020-07-25T03:14:55.200Z"
}
```

4. Response parameters

Name	Description
code	status code
message	detail message
data	paging query results

5. Response sample

```
{
  "code": 0,
  "message": "",
  "data": {
    "content": [
      {
        "orderNo": "E00007231", // order number
        "vesselName": "COSCO YANTIAN",

```



```

        "voyageNo": "020", // voyage number
        "porCityName": "Shekou",
        "fndCityName": "Durban",
        "etd": "2020-08-04 00:00",
        "carrier": "集运",
        "orderStatus": "CONFIRMED",
        "offlineCharges": {
            "ORIGINAL": {
                "onlineTotalAmount": 7443.37,
                "onlinePaidAmount": 0,
                "onlineUnpaidAmount": 7443.37,
                "minimumUnpaidAmount": 7443.37, // unpaid amount of down
payment in installments
                "balanceUnpaidAmount": 0.00,
                "currencyType": "CNY",
                "deadFreightAmount": 0,
                "remissionAmount": 0
            }
        },
        "effectiveStartDate": "2020-07-05T00:00:00.000Z",
        "effectiveEndDate": "2020-12-23T23:59:59.000Z",
        "orderUser": "testuser",
        "direction": "W",
        "brNoInfos": [ // booking number info
            {
                "isBrNoInternal": true, // is our platform booking
request
                "brNo": "6889903730" // booking request number
            }
        ],
        "orderTime": "2020-07-06T08:57:05.460Z",
        "orderContainersSummaryDTOList": [ // container info
            {
                "cntrType": "20GP" , // container type
                "avaCount": 1, // returnable container count
                "validTotalCount": 1,
                "bookedCount": 0
            }
        ]
    }
},
    "number": 1,
    "size": 20,
    "totalPages": 1,
    "totalElements": 1,
    "first": true, // is first page
    "last": true, // is last page
    "empty": false
}
}

```

6. Error sample

```
{
  "code": 20000,
  "message": "cannot identify the user, please contact support for help"
}
```

7. Error Code Specification

Please refer to the [General Error Codes](#).

Order Details Query Interface

Query order details by order number

1. Informations

- **Path:** /service/synconhub/order/detail/{orderNo}
- **Method:** GET

2. Path parameters

Name	Type	Required	Description
orderNo	String	yes	order number

3. Request sample

```
GET /service/synconhub/order/detail/E00144631
```

4. Response parameters

Name	Description
code	status code
message	detail message
data	order detail info

5. Response sample

```
{
  "code": 0,
  "message": "",
  "data": {
    "orderNo": "E00007231", // order number
    "orderStatus": "CONFIRMED",
    "orderTime": "2020-07-06T08:57:05.460Z",
    "offlineCharges": {
```

```

        "ORIGINAL": [ // charge type:[ORIGINAL, EXTRA_CHARGE, REFUND,
WITHDRAW_COMMISSION]
            {
                "currencyType": "CNY",
                "charge": 1622.17,
                "deadFreightAmount": 0,
                "remissionAmount": 0
            }
        ],
    },
    "sailingProduct": {...}, // product info, for the specific structure,
please refer to "Spot Rate Query"
    "orderContainersSummaries": [ // container info
        {
            "cntrType": "20GP",
            "avaCount": 1, // returnable container
            "validTotalCount": 2,
            "bookedCount": 1
        }
    ],
    "bookingContainers": [
        {
            "bookingNo": "6889903730", // booking number
            "status": "Confirmed", // status values :
['New','Confirmed','Cancelled']
            "cntrType": "20GP", // container type
            "count": 1
        }
    ],
    "transferServices": [
        {
            "cityId": "738872886233881",
            "cityName": "Singapore",
            "ctryCode": "SG",
            "cityFullNameEn": "Singapore",
            "cityFullNameCn": "新加坡",
            "transferType": "DISCHARGE",
            "transportMode": "RAIL",
            "transportTerms": "CY",
            "transitTime": 2,
            "facilityCode": null,
            "facilityName": null
        },
        {
            "cityId": "738872886232879",
            "cityName": "Ningbo",
            "ctryCode": "CN",
            "cityFullNameEn": "Ningbo",
            "cityFullNameCn": "宁波",
            "transferType": "LOADING",
            "transportMode": "RAIL",
            "transportTerms": "CY",
            "transitTime": 2,
            "facilityCode": null,
            "facilityName": null
        }
    ]
}

```

```
}
```

6. Error sample

```
{  
  "code": 20006,  
  "message": "The order does not exist"  
}
```

7. Error Code Specification

Please refer to the [General Error Codes](#) .