

# COSCO Syncon Hub API Specification for Cross Booking

---

## COSCO Syncon Hub API Specification for Cross Booking

Update Logs

Http Header

Port Information Query Interface

1. Information
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

Cross Booking Inventory Query Interface

1. Information
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

Cross Booking Schedule Query Interface

1. Information
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

Cross Booking Booking Interface

1. Information
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

Cross Booking History Query Interface

1. Information
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample
7. Error Code Specification

Cross Booking History Detail Query Interface

1. Information
2. Request parameters
3. Request sample
4. Response parameters
5. Response sample
6. Error sample

## Update Logs

v1.2.1 (2021-06-10)

1. **A** Added fields for the Cross booking Inventory interface response(vesselName,voyageNo,direction) . [Details](#).

v1.3.0 (2021-08-14)

1. **A** Added general error codes description. [Details](#).

## Http Header

HTTP header information description

| HTTP Header             | Type   | Required | Description             | Remarks |
|-------------------------|--------|----------|-------------------------|---------|
| X-Consumer-Forwarder-ID | String | no       | Forwarder company sapId |         |

- X-Consumer-Forwarder-ID

# If you want to submit an order/booking for your subsidiary,add this header to the request.The value is sapId of the subsidiary

X-Consumer-Forwarder-ID: 1234567890

## Port Information Query Interface

Fuzzy query of the port information maintained by the platform based on the keywords of the port name

### 1. Information

- **Path:** /service/synconhub/common/port/search
- **Method:** POST

### 2. Request parameters

| Name     | Type    | Required | Description        | Remarks                                |
|----------|---------|----------|--------------------|--|
| keywords | String  | yes      | port name keywords |  |
| page     | Integer | no       | page size          | <b>default:1, minimum:1</b>            |
| size     | Integer | no       | record size        | <b>default:30, minimum:1, maximum:</b> |

### 3. Request sample

```
{
  "keywords": "yantian",
  "page": 1,
  "size": 30
}
```

### 4. Response parameters

| Name    | Description                                |
|---------|--|
| code    | status code                                |
| message | detail message                             |
| data    | Paging query results (sorted by port name) |

### 5. Response sample

```
{
  "code": 0,
  "message": "",
  "data": {
    "content": [
      {
        "id": "349645770723388",
        "portName": "Yantian",
        "portCode": "YTN",
        "portFullNameEn": "Yantian",
        "portFullNameCn": "盐田",
        "city": {
          "id": "738872886233057", // city id
          "unlocode": "CNSZN", // port code
          "cityName": "Shenzhen",
          "cntyName": "Shenzhen", // county name
          "stateName": "Guangdong",
          "stateCode": "GD",
          "ctryRegionName": "China", // country / region name
          "ctryRegionCode": "CN", // country / region code
          "cityFullNameEn": "Shenzhen",
          "cityFullNameCn": "深圳"
        }
      }
    ],
    "number": 1,
    "size": 30,
    "totalPages": 1,
    "totalElements": 1,
    "first": true, // is first page
    "last": true, // is last page
    "empty": false
  }
}
```

## 6. Error sample

```
{
  "code": 20041,
  "message": "the page size should be between 0 and 30."
}
```

## 7. Error Code Specification

Please refer to the [General Error Codes](#).

# Cross Booking Inventory Query Interface

## 1. Information

- **Path:** `/service/synconhub/crossBooking/inventory/search`
- **Method:** POST

## 2. Request parameters

| Name           | Type    | Required | Description                          | Remarks  |
|----------------|---------|----------|--------------------------------------|--|
| contractNumber | String  | yes      | contract number                      |  |
| fromDate       | ISODate | yes      | effective date range of the contract | ISO format in GMT by default, like: '2020-07-20T08:00:00.000Z' |
| toDate         | ISODate | no       | effective date range of the contract | ISO format in GMT by default, like: '2020-07-31T12:00:00.000Z' |
| service        | String  | no       | service code                         |  |
| polId          | String  | no       | pol port id                          |  |
| page           | Integer | no       | page number                          | <b>default: 1,min: 1</b>                                       |
| size           | Integer | no       | page size                            | <b>default: 20, range: [1, 50]</b>                             |

## 3. Request sample

```
{
  "contractNumber": "ATE20001",
  "fromDate": "2020-07-20T00:00:00.000z",
  "toDate": "2020-08-20T00:00:00.000z",
  "service": "SEA",
  "polId": "349645770723388",
  "page": 1,
  "size": 20
}
```

## 4. Response parameters

| Name    | Description   |
|---------|---|
| code    | status code   |
| message | detail message  |
| data    | pagination to return inventory information that meets the query condition.<br>(sorted by week number) |

## 5. Response sample

```
{
  "code": 0,
  "message": "",
  "data": {
    "content": [
      {
        "weekNo": "202033", // week number
        "inventoryId": "8a5e110e7494c338017494d22fc00009", // inventory
ID of the contract
        "contractNumber": "ATE20001",
        "services": ["SEA", "AEU1"],
        "pols": [ // pol port infos, for the specific structure, please
refer to "Port Information Query Interface"
          {
            "id": "349645770723388",
            "portName": "Yantian",
            "portCode": "YTN",
            "portFullNameEn": "Yantian",
            "portFullNameCn": "盐田",
            "city": {
              "id": "738872886233057",
              "unlocode": "CNSZN",
              "cityName": "Shenzhen",
              "cntyName": "Shenzhen",
              "stateName": "Guangdong",
              "stateCode": "GD",
              "ctryRegionName": "China",
              "ctryRegionCode": "CN",
              "cityFullNameEn": "Shenzhen",
              "cityFullNameCn": "深圳"
            }
          }
        ]
      }
    ]
  }
}
```

```

    ],
    "vesselName": null,
    "voyageNo": null,
    "direction": null,
    "used": 10,
    "available": 20,
    "total": 30
  },
  {
    "weekNo": "202033",
    "contactNumber": "ATE20001",
    "inventoryId": "8a5e112479ea76590179ea83c6e00000",
    "services": [
      "SEA"
    ],
    "pols": [
      {
        "id": "349645770723389",
        "portName": "Shekou",
        "portCode": "SHK",
        "portFullNameEn": "Shekou",
        "portFullNameCn": "蛇口",
        "city": {
          "id": "738872886233044",
          "unlocode": "CNSHE",
          "cityName": "Shekou",
          "cntyName": "Shenzhen",
          "stateName": "Guangdong",
          "stateCode": "GD",
          "cityFullNameEn": "Shekou",
          "cityFullNameCn": "蛇口",
          "ctryRegionName": "China",
          "ctryRegionCode": "CN"
        }
      }
    ],
    "vesselName": VANTAGE,
    "voyageNo": 033,
    "direction": W,
    "used": 0,
    "available": 100,
    "total": 100
  }
],
"number": 1,
"size": 20,
"totalPages": 1,
"totalElements": 1,
"first": true, // is first page
"last": true, // is last page
"empty": false
}
}

```

## 6. Error sample

```
{
  "code": 20000,
  "message": "cannot identify the user, please contact support for help"
}
```

## 7. Error Code Specification

Please refer to the [General Error Codes](#).

# Cross Booking Schedule Query Interface

## 1. Information

- **Path:** `/service/synconhub/crossBooking/schedule`
- **Method:** POST

## 2. Request parameters

| Name              | Type    | Required | Description                        | Remarks                                      |
|-------------------|---------|----------|------------------------------------|--|
| inventoryId       | String  | yes      | inventory Id of the contract No.   |  |
| originCityId      | String  | yes      | por city id                        |  |
| destinationCityId | String  | yes      | fnd city id                        |  |
| cargoNature       | String  | no       | cargo nature, e.g.: GC, RF, DG, AW | <b>default:</b> GC                           |
| page              | Integer | no       | page number                        | <b>default:</b> 1, <b>min:</b> 1             |
| size              | Integer | no       | page size                          | <b>default:</b> 20,<br><b>range:</b> [1, 50] |

## 3. Request sample

```
{
  "inventoryId": "8a5e110e7494c338017494d22fc00009", // the inventory id of the
contract no.
  "cargoNature": "GC",
  "page": 1,
  "size": 20,
  "destinationCityId": "738872886233842",
  "originCityId": "738872886232873"
}
```

## 4. Response parameters

| Name    | Description   |
|---------|---|
| code    | status code   |
| message | detail message  |
| data    | pagination to return schedule information that meets the query condition. |

## 5. Response sample

```
{
  "code": 0,
  "message": "",
  "data": {
    "content": [
      {
        "origin": {
          "id": "738872886232873",
          "unlocode": "CNSHA",
          "cityName": "Shanghai",
          "cntyName": "Shanghai",
          "stateName": "Shanghai",
          "stateCode": "SH",
          "cityFullNameEn": "Shanghai",
          "cityFullNameCn": "上海",
          "ctryRegionName": "China",
          "ctryRegionCode": "CN"
        },
        "destination": {
          "id": "738872886233842",
          "unlocode": "PKKAR",
          "cityName": "Karachi",
          "cntyName": null,
          "stateName": "Sindh",
          "stateCode": null,
          "cityFullNameEn": "Karachi",
          "cityFullNameCn": "卡拉奇",
          "ctryRegionName": "Pakistan",
          "ctryRegionCode": "PK"
        },
        "porFacilityCode": "SHA04",
        "fndFacilityCode": "KHI02",
        "legs": [
          {
            "carrier": null,
            "service": {
              "serviceCode": "PMX",
              "serviceId": null
            },
            "vessel": {
              "vesselName": "GREENWICH BRIDGE",
              "vesselId": null,
              "vesselCode": "SRL"
            }
          }
        ]
      }
    ]
  }
}
```



```

        "voyageCode": "126",
        "internalVoyageNumber": "126",
        "externalVoyageNumber": "126W",
        "pol": {
            "port": {
                "id": "349657045012458",
                "portName": "Shanghai",
                "portCode": "SHA",
                "portFullNameEn": "Shanghai",
                "portFullNameCn": "上海",
                "city": null
            },
            "etd": "2020-09-16 11:00",
            "atd": null,
            "eta": "2020-09-15 13:00",
            "ata": null,
            "facilityCode": "SHA04"
        },
        "pod": {
            "port": {
                "id": "349645770723431",
                "portName": "Karachi",
                "portCode": "KHI",
                "portFullNameEn": "Karachi",
                "portFullNameCn": "Karachi",
                "city": null
            },
            "etd": "2020-10-07 20:00",
            "atd": null,
            "eta": "2020-10-05 22:00",
            "ata": null,
            "facilityCode": "KHI02"
        },
        "legSequence": 1,
        "direction": "W",
        "transportMode": "Feeder"
    },
    ],
    "cutOffLocalDate": "2020-09-16 00:00",
    "estimatedTransitTimeInDays": 19,
    "etaAtFnd": "2020-10-05 22:00",
    "etdAtPor": "2020-09-16 11:00",
    "serviceCode": "PMX",
    "vesselName": "GREENWICH BRIDGE",
    "direction": "W",
    "voyageNo": "126",
    "signature": "2c9fbad696f7a0c4ffcaef2325621c75"
},
{
    "origin": {
        "id": "738872886232873",
        "unlocode": "CNSHA",
        "cityName": "Shanghai",
        "cntyName": "Shanghai",
        "stateName": "Shanghai",
        "stateCode": "SH",
        "cityFullNameEn": "Shanghai",
        "cityFullNameCn": "上海",
    }
}

```

```
    "ctryRegionName": "China",
    "ctryRegionCode": "CN"
  },
  "destination": {
    "id": "738872886233842",
    "unlocode": "PKKAR",
    "cityName": "Karachi",
    "cntyName": null,
    "stateName": "Sindh",
    "stateCode": null,
    "cityFullNameEn": "Karachi",
    "cityFullNameCn": "卡拉奇",
    "ctryRegionName": "Pakistan",
    "ctryRegionCode": "PK"
  },
  "porFacilityCode": "SHA04",
  "fndFacilityCode": "KHI03",
  "legs": [
    {
      "carrier": null,
      "service": {
        "serviceCode": "PMX",
        "serviceId": null
      },
      "vessel": {
        "vesselName": "GREENWICH BRIDGE",
        "vesselId": null,
        "vesselCode": "SRL"
      },
      "voyageCode": "126",
      "internalVoyageNumber": "126",
      "externalVoyageNumber": "126W",
      "pol": {
        "port": {
          "id": "349657045012458",
          "portName": "Shanghai",
          "portCode": "SHA",
          "portFullNameEn": "Shanghai",
          "portFullNameCn": "上海",
          "city": null
        },
        "etd": "2020-09-16 11:00",
        "atd": null,
        "eta": "2020-09-15 13:00",
        "ata": null,
        "facilityCode": "SHA04"
      },
      "pod": {
        "port": {
          "id": "349645770723431",
          "portName": "Karachi",
          "portCode": "KHI",
          "portFullNameEn": "Karachi",
          "portFullNameCn": "Karachi",
          "city": null
        },
        "etd": "2020-10-08 22:00",
        "atd": null,
```

```

        "eta": "2020-10-07 22:00",
        "ata": null,
        "facilityCode": "KHI03"
    },
    "legSequence": 1,
    "direction": "W",
    "transportMode": "Feeder"
}
],
"cutOffLocalDate": "2020-09-16 00:00",
"estimatedTransitTimeInDays": 21,
"etaAtFnd": "2020-10-07 22:00",
"etdAtPor": "2020-09-16 11:00",
"serviceCode": "PMX",
"vesselName": "GREENWICH BRIDGE",
"direction": "W",
"voyageNo": "126",
"signature": "d8682e7a4f71380c45016c48a1d8a997"
}
],
"number": 1,
"size": 20,
"totalElements": 2,
"totalPage": 1,
"totalPages": 1,
"first": true,
"last": true,
"empty": false
}
}

```

## 6. Error sample

```

{
  "code": 20000,
  "message": "cannot identify the user, please contact support for help"
}

{
  "code": 20043,
  "message": "Cross Booking inventory invalid"
}

```

## 7. Error Code Specification

Please refer to the [General Error Codes](#) .

# Cross Booking Booking Interface

---

## 1. Information

- **Path:** `/service/synconhub/crossBooking/shipment/new`
- **Method:** POST

## 2. Request parameters

| Name              | Type    | Required | Description  | Remarks   |
|-------------------|---------|----------|--|---|
| contractNumber    | String  | yes      | contract number  |   |
| inventoryId       | String  | yes      | the inventory Id of the contract No.                               |   |
| cargoNature       | String  | no       | cargo nature, e.g.: GC, RF, DG, AW. Currently only GC is supported | <b>default:</b> GC  |
| channelCode       | String  | no       |  | <b>default:</b> GENERAL   |
| bookingContainers | Object  | yes      | booking container type and quantity                                |   |
| ---cntrType       | string  | yes      |  | <b>optional value:</b><br>20GP,40GP,40HQ,45HQ   |
| ---quantity       | Integer | yes      |  | <b>min:</b> 1   |
| bookingParties    | Object  | yes      | booking parties info   |   |
| ---name           | string  | yes      |  | <b>length:</b> [1, 70], <b>English characters</b>   |
| ---addressLine1   | string  | no       | country / region / province / city                                 | <b>addressline1 / addressline2 and addressText must be filled in one,length:</b> [1, 35], <b>English characters</b>   |
| ---addressLine2   | string  | no       | street name  | <b>addressline1 / addressline2 and addressText must be filled in one,length:</b> [1, 35], <b>English characters</b>   |
| ---addressText    | string  | no       | additional address   | <b>addressline1 / addressline2 and addressText must be filled in one,length:</b> [1, 1200], <b>English characters</b> |
| ---phone          | string  | yes      |  | <b>length:</b> [1, 22]  |
| ---email          | string  | no       |  | <b>length:</b> [1, 400]   |
| shipperInfo       | Object  | no       | shipper info   |   |
| ---name           | string  | yes      |  | <b>length:</b> [1, 70], <b>English characters</b>   |

| Name            | Type   | Required | Description                              | Remarks  |
|-----------------|--------|----------|--|--|
| ---addressLine1 | string | no       | country /<br>region /<br>province / city | <b>addressline1 /<br/>addressline2 and<br/>addressText must be<br/>filled in one,length: [1, 35],<br/>English characters</b>   |
| ---addressLine2 | string | no       | street name                              | <b>addressline1 /<br/>addressline2 and<br/>addressText must be<br/>filled in one,length: [1, 35],<br/>English characters</b>   |
| ---addressText  | string | no       | additional<br>address                    | <b>addressline1 /<br/>addressline2 and<br/>addressText must be<br/>filled in one,length: [1,<br/>1200], English characters</b> |
| ---phone        | string | yes      |  | <b>length: [1, 22]</b>   |
| ---email        | string | no       |  | <b>length: [1, 400]</b>  |
| consigneeInfo   | Object | no       | consignee info                           |  |
| ---name         | string | yes      |  | <b>length: [1, 70], English<br/>characters</b>   |
| ---addressLine1 | string | no       | country /<br>region /<br>province / city | <b>addressline1 /<br/>addressline2 and<br/>addressText must be<br/>filled in one,length: [1, 35],<br/>English characters</b>   |
| ---addressLine2 | string | no       | street name                              | <b>addressline1 /<br/>addressline2 and<br/>addressText must be<br/>filled in one,length: [1, 35],<br/>English characters</b>   |
| ---addressText  | string | no       | additional<br>address                    | <b>addressline1 /<br/>addressline2 and<br/>addressText must be<br/>filled in one,length: [1,<br/>1200], English characters</b> |
| ---phone        | string | yes      |  | <b>length: [1, 22]</b>   |
| ---email        | string | no       |  | <b>length: [1, 400]</b>  |
| notifyPartyInfo | Object | no       | notify party<br>info                     |  |
| ---name         | string | yes      |  | <b>length: [1, 70], English<br/>characters</b>   |

| Name                 | Type    | Required | Description                              | Remarks  |
|----------------------|---------|----------|--|--|
| ---addressLine1      | string  | no       | country /<br>region /<br>province / city | <b>addressline1 /<br/>addressline2 and<br/>addressText must be<br/>filled in one,length: [1, 35],<br/>English characters</b>   |
| ---addressLine2      | string  | no       | street name                              | <b>addressline1 /<br/>addressline2 and<br/>addressText must be<br/>filled in one,length: [1, 35],<br/>English characters</b>   |
| ---addressText       | string  | no       | additional<br>address                    | <b>addressline1 /<br/>addressline2 and<br/>addressText must be<br/>filled in one,length: [1,<br/>1200], English characters</b> |
| ---phone             | string  | yes      |  | <b>length: [1, 22]</b>   |
| ---email             | string  | no       |  | <b>length: [1, 400]</b>  |
| emergencyContactInfo | Object  | yes      | emergency<br>contact info                |  |
| ---name              | string  | no       |  | <b>length: [0, 60], English<br/>characters</b>   |
| ---address           | string  | no       |  | <b>length: [0, 245], English<br/>characters</b>  |
| ---mobile            | string  | no       |  | <b>length: [0, 15]</b>   |
| ---phone             | string  | no       |  | <b>length: [0, 22]</b>   |
| ---email             | string  | yes      |  | <b>length: [1, 35]</b>   |
| scheduleData         | Object  | yes      | schedule info                            | Please copy the scheduled<br>date information from the<br>Cross Booking Schedule<br>Query Interface return<br>result           |
| cargoInfo            | Object  | yes      | cargo info                               |  |
| ---desc              | string  | yes      | cargo name                               | <b>length: [1, 60], English<br/>characters</b>   |
| ---packageType       | string  | yes      |  |  |
| ---quantity          | int     | yes      |  |  |
| ---weight            | decimal | yes      |  | <b>unit: KG</b>  |
| ---volume            | decimal | yes      |  | <b>unit: m<sup>3</sup></b>   |
| ---remarks           | string  | no       |  | <b>length: [0,1000],English<br/>characters</b>   |

| Name        | Type   | Required | Description                 | Remarks |
|-------------|--------|----------|-----------------------------|---------|
| referenceNo | String | no       | additional reference number |         |
| remarks     | String | no       |                             |         |

### 3. Request sample

```
{
  "inventoryId": "8a5e110e7494c338017494d22fc00009", // the inventory Id of the
contract No.
  "contractNumber": "ATE20001",
  "cargoNature": "GC",
  "channelCode": "GENERAL",
  "bookingContainers": [
    {
      "cntrType": "40GP",
      "quantity": 1
    }
  ],
  // The scheduleData field information is for reference only, please select and
copy it from the Cross Booking Schedule Query Interface result as the value
  "scheduleData": {
    "origin": {
      "id": "738872886232873",
      "unlocode": "CNSHA",
      "cityName": "Shanghai",
      "cntyName": "Shanghai",
      "stateName": "Shanghai",
      "stateCode": "SH",
      "cityFullNameEn": "Shanghai",
      "cityFullNameCn": "上海",
      "ctryRegionName": "China",
      "ctryRegionCode": "CN"
    },
    "destination": {
      "id": "738872886233842",
      "unlocode": "PKKAR",
      "cityName": "Karachi",
      "cntyName": null,
      "stateName": "Sindh",
      "stateCode": null,
      "cityFullNameEn": "Karachi",
      "cityFullNameCn": "卡拉奇",
      "ctryRegionName": "Pakistan",
      "ctryRegionCode": "PK"
    },
    "porFacilityCode": "SHA04",
    "fndFacilityCode": "KHI02",
    "legs": [
      {
        "carrier": null,
        "service": {
          "serviceCode": "PMX",
          "serviceId": null
        }
      }
    ]
  }
}
```



```

    },
    "vessel": {
      "vesselName": "OOCL AMERICA",
      "vesselId": null,
      "vesselCode": "RMJ"
    },
    "voyageCode": "035",
    "internalVoyageNumber": "035",
    "externalVoyageNumber": "035N",
    "pol": {
      "port": {
        "id": "349657045012458",
        "portName": "Shanghai",
        "portCode": "SHA",
        "portFullNameEn": "Shanghai",
        "portFullNameCn": "上海",
        "city": null
      },
      "etd": "2020-09-16 11:00",
      "atd": null,
      "eta": "2020-09-15 13:00",
      "ata": null,
      "facilityCode": "SHA04"
    },
    "pod": {
      "port": {
        "id": "349645770723431",
        "portName": "Karachi",
        "portCode": "KHI",
        "portFullNameEn": "Karachi",
        "portFullNameCn": "Karachi",
        "city": null
      },
      "etd": "2020-10-07 20:00",
      "atd": null,
      "eta": "2020-10-05 22:00",
      "ata": null,
      "facilityCode": "KHI02"
    },
    "legSequence": 1,
    "direction": "W",
    "transportMode": "Feeder"
  }
],
"cutOffLocalDate": "2020-09-16 00:00",
"estimatedTransitTimeInDays": 21,
"etaAtFnd": "2020-10-07 22:00",
"etdAtPor": "2020-09-16 11:00",
"serviceCode": "PMX",
"vesselName": "OOCL AMERICA",
"direction": "N",
"voyageNo": "035",
"signature": "2c9fbad696f7a0c4ffcaef2325621c75" // the signature
of the scheduled data, which is to identify the schedule data is from the
official provider.
},
"bookingParties": {
  "name": "TEST",

```

```

        "addressLine1": "CN",
        "addressLine2": "Room 507, Huale building, Shennan E",
        "phone": "4564654234",
        "email": ""
    },
    "shipperInfo": {
        "name": "shipper",
        "addressLine1": "Shenzhen",
        "addressLine2": "ZHUHAIXIANGZHOU",
        "phone": "+86112223311",
        "email": ""
    },
    "consigneeInfo": {
        "name": "consignee",
        "addressLine1": "SHANGHAI",
        "addressLine2": "SHANGHAIPUDONG",
        "phone": "+86112223311",
        "email": ""
    },
    "notifyPartyInfo": {
        "name": "notifyParty",
        "addressLine1": "SHANGHAI",
        "addressLine2": "SHANGHAIPUDONG",
        "phone": "+86112223311",
        "email": ""
    },
    "emergencyContactInfo": {
        "name": "",
        "email": "test@test.COM",
        "mobile": "",
        "phone": "",
        "address": ""
    },
    "cargoInfo": {
        "desc": "ASD",
        "packageType": "JL",
        "packageTypeName": "JUMBO ROLL",
        "quantity": 1,
        "weight": 324,
        "volume": 43,
        "remarks": ""
    },
    "remarks": "ASD"
}

```

## 4. Response parameters

| Name    | Description                   |
|---------|-------------------------------|
| code    | status code                   |
| message | detail message                |
| data    | return booking request number |

## 5. Response sample

```
{
  "code": 0,
  "message": "",
  "data": {
    "brNo": "4880701060"
  }
}
```

## 6. Error sample

```
{
  "code": 20000,
  "message": "cannot identify the user, please contact support for help"
}

{
  "code": 20044,
  "message": "Cross Booking wrong shipping date information"
}

{
  "code": 20045,
  "message": "Cross Booking insufficient stock"
}

{
  "code": 20046,
  "message": "Cross Booking cargo container not found"
}
```

## 7. Error Code Specification

Please refer to the [General Error Codes](#) .

# Cross Booking History Query Interface

---

## 1. Information

- **Path:** /service/synconhub/crossBooking/shipment/search
- **Method:** POST

## 2. Request parameters

| Name            | Type    | Required | Description            | Remarks  |
|-----------------|---------|----------|------------------------|--|
| bookingStatus   | String  | no       | status                 | booking status, e.g.: NEW, CONFIRMED, CANCELLED                |
| brNo            | String  | no       | booking request number |  |
| bookingTimeFrom | ISODate | no       | booking date range     | ISO format in GMT by default, like: '2020-07-20T08:00:00.000Z' |
| bookingTimeTo   | ISODate | no       | booking date range     | ISO format in GMT by default, like: '2020-07-20T08:00:00.000Z' |
| contractNo      | String  | no       | contract number        |  |
| pol             | String  | no       | pol port id            |  |
| por             | String  | no       | por city id            |  |
| fnd             | String  | no       | fnd city id            |  |
| page            | Integer | no       | page number            | <b>default: 1,min: 1</b>                                       |
| size            | Integer | no       | page size              | <b>default: 20, range: [1, 50]</b>                             |

### 3. Request sample

```
{
  "bookingStatus": "",
  "brNo": "4880701100",
  "bookingTimeFrom": "2020-08-15T00:00:00.000Z",
  "bookingTimeTo": "2020-08-31T23:23:59.999Z",
  "contractNo": "",
  "pol": "",
  "por": "",
  "fnd": "",
  "page": "1",
  "size": "30"
}
```

### 4. Response parameters

| Name    | Description  |
|---------|--|
| code    | status code  |
| message | detail message   |
| data    | pagination to return crossBooking history information that meets the query condition.(sorted by week number) |

## 5. Response sample

```
{
  "code": 0,
  "message": "",
  "data": {
    "content": [
      {
        "brNo": "4880701100",
        "bookingStatus": "NEW",
        "contractNo": "ATE20001",
        "scheduleData": "{\\"cutOffLocalDate\\":\\"2020-09-16
00:00\\",\\"destination\\":{\\"cityFullNameCn\\":\\"卡拉奇
\\",\\"cityFullNameEn\\":\\"Karachi\\",\\"cityName\\":\\"Karachi\\",\\"id\\":\\"738872886233
842\\",\\"stateName\\":\\"Sindh\\",\\"unlocode\\":\\"PKKAR\\"},\\"direction\\":\\"W\\",\\"esti
matedTransitTimeInDays\\":21,\\"etaAtFnd\\":\\"2020-10-07
22:00\\",\\"etdAtPor\\":\\"2020-09-16 11:00\\",\\"fndFacilityCode\\":\\"KHI03\\",\\"legs\\":
[{\\"direction\\":\\"W\\",\\"externalVoyageNumber\\":\\"126W\\",\\"internalVoyageNumber\\":
\\"126\\",\\"legSequence\\":1,\\"pod\\":{\\"eta\\":\\"2020-10-07 22:00\\",\\"etd\\":\\"2020-
10-08 22:00\\",\\"facilityCode\\":\\"KHI03\\",\\"port\\":
{\\"id\\":\\"349645770723431\\",\\"portCode\\":\\"KHI\\",\\"portFullNameCn\\":\\"Karachi\\",
\\"portFullNameEn\\":\\"Karachi\\",\\"portName\\":\\"Karachi\\"},\\"portId\\":\\"3496457707
23431\\"},\\"pol\\":{\\"eta\\":\\"2020-09-15 13:00\\",\\"etd\\":\\"2020-09-16
11:00\\",\\"facilityCode\\":\\"SHA04\\",\\"port\\":
{\\"id\\":\\"349657045012458\\",\\"portCode\\":\\"SHA\\",\\"portFullNameCn\\":\\"上海
\\",\\"portFullNameEn\\":\\"Shanghai\\",\\"portName\\":\\"Shanghai\\"},\\"portId\\":\\"34965
7045012458\\"},\\"service\\":
{\\"serviceCode\\":\\"PMX\\"},\\"transportMode\\":\\"Feeder\\",\\"vessel\\":
{\\"vesselCode\\":\\"SRL\\",\\"vesselName\\":\\"GREENWICH
BRIDGE\\"},\\"voyageCode\\":\\"126\\"}],\\"origin\\":{\\"cityFullNameCn\\":\\"上海
\\",\\"cityFullNameEn\\":\\"Shanghai\\",\\"cityName\\":\\"Shanghai\\",\\"cntyName\\":\\"Shan
ghai\\",\\"id\\":\\"738872886232873\\",\\"stateCode\\":\\"SH\\",\\"stateName\\":\\"Shanghai\\",
\\"unlocode\\":\\"CNSHA\\"},\\"porFacilityCode\\":\\"SHA04\\",\\"serviceCode\\":\\"PMX\\",
\\"vesselName\\":\\"GREENWICH BRIDGE\\",\\"voyageNo\\":\\"126\\"}",
        "weekNo": "202037",
        "createTime": "2020-09-29T08:12:06.759Z"
      }
    ],
    "number": 1,
    "size": 20,
    "totalElements": 1,
    "totalPage": 1,
    "totalPages": 1,
    "first": true,
    "last": true,
    "empty": false
  }
}
```

## 6. Error sample

```
{
  "code": 20000,
  "message": "cannot identify the user, please contact support for help"
}
```

```

{
  "code": 20040,
  "message": "The page size must be greater than 0"
}

{
  "code": 20041,
  "message": "The page size should be between 0 and 30."
}

{
  "code": 20042,
  "message": "Parameter verification error"
}

```

## 7. Error Code Specification

Please refer to the [General Error Codes](#) .

# Cross Booking History Detail Query Interface

## 1. Information

- **Path:** `/service/synconhub/crossBooking/shipment/{brNo}`
- **Method:** GET

## 2. Request parameters

| Name | Type   | Required | Description            | Remarks |
|------|--------|----------|------------------------|---------|
| brNo | String | yes      | booking request number |         |

## 3. Request sample

```
GET `/service/synconhub/order/detail/E00144631`
```

## 4. Response parameters

| Name    | Description   |
|---------|---|
| code    | status code   |
| message | detail message  |
| data    | return crossBooking history detail information that meets the query condition.<br>(sorted by week number) |

## 5. Response sample

```
{
  "code": 0,
  "message": "",
  "data": {
    "contractNo": "ATE20001",
    "brNo": "4880701060",
    "remarks": "ASD",
    "cargoNature": "GC",
    "routesSchedule": {
      "origin": {
        "id": "738872886232873",
        "unlocode": "CNSHA",
        "cityName": "Shanghai",
        "cntyName": "Shanghai",
        "stateName": "Shanghai",
        "stateCode": "SH",
        "cityFullNameEn": "Shanghai",
        "cityFullNameCn": "上海",
        "ctryRegionName": null,
        "ctryRegionCode": null
      },
      "destination": {
        "id": "738872886233842",
        "unlocode": "PKKAR",
        "cityName": "Karachi",
        "cntyName": null,
        "stateName": "Sindh",
        "stateCode": null,
        "cityFullNameEn": "Karachi",
        "cityFullNameCn": "卡拉奇",
        "ctryRegionName": null,
        "ctryRegionCode": null
      },
      "porFacilityCode": "SHA04",
      "fndFacilityCode": "KHI02",
      "legs": [
        {
          "carrier": null,
          "service": {
            "serviceCode": "PMX",
            "serviceId": null
          },
          "vessel": {
            "vesselName": "OOCL AMERICA",
            "vesselId": null,
            "vesselCode": "RMJ"
          },
          "voyageCode": "035",
          "internalVoyageNumber": "035",
          "externalVoyageNumber": "035N",
          "pol": {
            "port": {
              "id": "349657045012458",
              "portName": "Shanghai",
              "portCode": "SHA",

```

```

        "portFullNameEn": "Shanghai",
        "portFullNameCn": "上海",
        "city": null
    },
    "etd": "2020-09-16 11:00",
    "atd": null,
    "eta": "2020-09-15 13:00",
    "ata": null,
    "facilityCode": "SHA04"
},
"pod": {
    "port": {
        "id": "349645770723431",
        "portName": "Karachi",
        "portCode": "KHI",
        "portFullNameEn": "Karachi",
        "portFullNameCn": "Karachi",
        "city": null
    },
    "etd": "2020-10-07 20:00",
    "atd": null,
    "eta": "2020-10-05 22:00",
    "ata": null,
    "facilityCode": "KHI02"
},
"legSequence": 1,
"direction": "W",
"transportMode": "Feeder"
}
],
"cutoffLocalDate": null,
"estimatedTransitTimeInDays": 0,
"etaAtFnd": null,
"etdAtPor": null,
"serviceCode": "PMX",
"vesselName": "OOCL AMERICA",
"direction": "N",
"voyageNo": "035",
"signature": null
},
"bookingContainerList": [
    {
        "bookingNo": null,
        "status": null,
        "cntrType": "40GP",
        "count": 0
    }
],
"bookingParties": [
    {
        "name": "CHENGYUNREN",
        "addressLine1": "Shenzhen",
        "addressLine2": "ZHUHAIXIANGZHOU",
        "phone": "+86112223311",
        "email": null
    },
    {
        "name": "TONGZHIREN",

```



```

        "addressLine1": "SHANGHAI",
        "addressLine2": "SHANGHAIPUDONG",
        "phone": "+86112223311",
        "email": null
    },
    {
        "name": "alibaba",
        "addressLine1": "CN",
        "addressLine2": "Room 507, Huale building, Shennan E",
        "phone": "4564654234",
        "email": null
    },
    {
        "name": "SHOUHUOREN",
        "addressLine1": "SHANGHAI",
        "addressLine2": "SHANGHAIPUDONG",
        "phone": "+86112223311",
        "email": null
    }
],
"cargoInfoDTO": {
    "desc": "ASD",
    "packageType": "JL",
    "quantity": 1,
    "weight": 324,
    "volume": 43,
    "remarks": null
},
"emergencyContactInfo": {
    "name": null,
    "email": "TEST@TEST.COM",
    "mobile": null,
    "phone": null,
    "address": null
}
}
}

```

## 6. Error sample

```

{
    "code": 20000,
    "message": "cannot identify the user, please contact support for help"
}

```

## 7. Error Code Specification

Please refer to the [General Error Codes](#).

### General Error Codes

- 20000: "cannot identify the user, please contact support for help"
- 20001: "The system cannot process the request, please try again or contact support for help"
- 20002: "The product cannot be found"
- 20003: "Inventory not enough"

- 20004: "Out of time"
- 20005: "Invalid box type"
- 20006: "Order does not exist"
- 20007: "Inventory of this product could not be found"
- 20008: "Promotion inventory in short supply"
- 20009: "Coupon for this order could not be found"
- 20010: "The number of coupons available is smaller than the number of coupons available for the order"
- 20011: "Discount plan inventory shortage or price change, please place a new order"
- 20012: "Invalid parameter, promotion plan verification failed"
- 20013: "Insured service does not exist or has expired, please re-order"
- 20014: "Some charges not allowed to change currency"
- 20015: "Down payment is not allowed"
- 20016: "All charges of Instance Booking have to be paid online"
- 20017: "No currency conversion is allowed for the order fee"
- 20018: "Only customers in Mainland China are allowed to purchase Instance Booking"
- 20019: "Wrong order product type"
- 20020: "Some fees only support CNY or USD"
- 20021: "Company country/region is different from country/region of POR or FND, purchase is not allowed"
- 20022: "The down payment ratio must be greater than 0"
- 20023: "Does not meet the minimum down payment percentage range"
- 20024: "Does not meet the maximum down payment percentage range"
- 20025: "The order is missing some necessary cost items"
- 20026: "The product type of the order can only be I or P"
- 20027: "The payment method for part of the order is wrong"
- 20028: "Some cost items are missing to prepaid attributes"
- 20029: "Online collect payment not support partial payment for now"
- 20030: "There are invalid charges, please place a new order"
- 20031: "Coupon overuse"
- 20032: "System charge item pre-paid configuration error, please contact customer service for processing"
- 20033: "Due to the system configuration, some fees are not allowed to be paid in USD or to switch to pre-paid, please contact the customer service for processing"
- 20034: "Dear user, this product is no longer available, please contact customer service"
- 20035: "Online payment cannot include both prepaid and collect-paid, please contact customer service for processing"
- 20036: "The quantity of BL should be greater than 1"
- 20037: "Unable to purchase this product for now, please contact customer service for processing"
- 20038: "Incorrect product information, please contact customer service for processing"
- 20039: "This payment method is not currently supported, please contact customer service for processing"
- 20040: "The page size must be greater than 0"
- 20041: "The page size should be between 0 and 30."
- 20042: "Parameter verification error"
- 20043: "Cross Booking invalid inventory"
- 20044: "Cross Booking wrong shipping date information"
- 20045: "Cross Booking insufficient stock"
- 20046: "Cross Booking cargo container not found"
- 20047: "This cargo nature type is not supported at the moment, please contact customer service"

- 20048: "Failed to get enterprise information"
- 20049: "Order query only supports data query within two months"
- 20051: "Sorry for system busy, please try again later"
- 20053: "CrossBooking schedule information LTD is wrong"
- 20054: "Address cannot be empty"
- 20055: "Sub-company carrier customer code out of scope."
- 20056: "The TEU purchase limit for the week in which the product is sold is insufficient"
- 20057: "CrossBooking contract number does not exist"
- 20058: "CrossBooking start week cannot be earlier than the current four weeks"
- 20059: "API booking cannot purchase FMC products"
- 20060: "Permission denied"
- 20061: "CosPlus | product booking must fill in all shipping related party information"
- 20062: "Wrong import and export type of intermodal service"
- 20063: "The intermodal service does not exist"
- 20064: "Can't find the city"
- 20066: "Some container types do not support intermodal service"
- 20067: "The intermodal service fee is charged by weight, and the estimated cargo weight of the box type is required"
- 20068: "The estimated weight of the container is not in the optional range, please re-order"
- 20070: "CosPlus | Shipper or consignee of shipping related party filled in the product booking is illegal."
- 20072: "API cannot purchase this type of product"
- 20073: "Charge Type:xxx,ChargeName:xxx cannot be set to Collect"
- 20074: "The long-term product does not exist"
- 20075: "The long-term product is off-shelf"
- 20076: "Insufficient amount of available containers"
- 20077: "It is not the time allowed for booking"
- 20078: "Ocean charge cannot do prepaid-collect switch"
- 20079: "The reefer value-added service does not exist or has expired"
- 20080: "The reefer value-added service type is incorrect"
- 20081: "The value of a single box of goods is more than US \$500,000, please buy offline, the online process is not supported"
- 20082: "When MED are selected for reefer value-added services, the cargoValue is required"
- 20083: "You cannot choose more than one cold box value-added service other than IOT"
- 20084: "cargoInfo.reeferGenSetType cannot be empty"
- 20085: "cargoInfo.reeferTemperatureType and cargoInfo.reeferTemperatureValue cannot be empty"
- 20086: "Ventilation Settings cannot be added when the reefer temperature is less than 0 C or 32 F"
- 20087: "Ventilation setting must be added when the reefer temperature is  $\geq 0^{\circ}\text{C}$  or  $\geq 32^{\circ}\text{F}$ "