Front End Engineering-II

Project Report

Semester-IV (Batch-2022)

Title of the Project: Veterinarian Clinic Website



Supervised:

Raveesh Samkaria

Submitted By:

Rydhampreet Singh Gindra Roll Number: -2210990751

Group - 12

Department of Computer Science and Engineering
Chitkara University Institute of Engineering & Technology,
Chitkara University, Punjab

Abstract

This project report outlines the creation of a front-end website for a Veterinarian Clinic, utilizing HTML, CSS, and JavaScript. The website encompasses essential clinic information, team profiles, service packages, and contact details. With a focus on user engagement and seamless navigation, the website aims to effectively communicate the clinic's offerings and expertise to potential clients. Through responsive design and accessibility considerations, the project underscores the clinic's commitment to delivering exceptional digital experiences.

Table of Contents

Sr.no	Section	Page No
1.	Introduction	4
2.	Problem Statement	5
3.	Technical Details	7
4.	File Structure	8
5.	Result	9
6.	References	41

Introduction

In today's digital era, establishing a robust online presence is vital for veterinary clinics to effectively showcase their services and connect with their target audience. Thus, the creation of an engaging and user-friendly website holds paramount importance, especially for veterinary clinics aiming to highlight their expertise and compassion in the competitive industry landscape. This report outlines the development and implementation of a front-end website for a veterinary clinic, employing a blend of HTML, CSS, and JavaScript.

The website serves as a virtual doorway for the clinic, providing visitors with an insightful glimpse into its services, veterinary team, patient care philosophy, and contact details. Through strategic design elements and intuitive navigation, the website endeavors to captivate visitors and communicate the clinic's unique brand identity and commitment to animal welfare effectively.

This introduction offers an overview of the project's objectives, stressing the significance of a well-crafted website in today's digital veterinary domain. Following sections will delve into the technical intricacies of website development, spotlighting key features, design nuances, and implementation tactics. Moreover, the report will address encountered challenges during the project and the innovative solutions devised to surmount them, presenting valuable insights for future veterinary clinic website endeavors. Ultimately, this project underscores the fusion of design and technology, showcasing the clinic's dedication to delivering exceptional digital experiences to its clients and animal companions.

Problem Statement


In the realm of veterinary clinics, establishing a compelling online presence is vital for attracting prospective clients and showcasing the clinic's unique services and compassionate care. However, creating a front-end website that effectively communicates the clinic's brand identity, range of services, and commitment to animal well-being while ensuring a seamless user experience presents several challenges.

Firstly, veterinary clinics often encounter difficulty in finding the right balance between showcasing their expertise and ensuring the website's functionality. While it's crucial to highlight the clinic's compassionate approach and veterinary expertise through engaging content, it's equally essential to ensure that the website is easy to navigate and provides clear, informative details to visitors.

Secondly, designing a responsive website that adjusts seamlessly to various devices and screen sizes is a significant challenge. With the increasing use of smartphones and tablets, users expect a consistent and optimized browsing experience across all platforms. Failure to deliver this may result in potential clients seeking services elsewhere and may undermine the clinic's credibility.

Additionally, ensuring accessibility for all users, including those with disabilities, is another pressing concern for veterinary clinics. Adhering to accessibility standards is essential to ensure that the website is usable by individuals with diverse needs, such as providing options for larger text sizes or compatibility with screen readers for visually impaired users.

In summary, the problem statement revolves around the need to create a front-end website for a veterinary clinic that effectively balances showcasing expertise with functionality, offers seamless responsiveness across devices, adheres to accessibility standards, and optimizes performance to provide an exceptional user experience. Addressing these challenges will be crucial in achieving the project's objectives and ensuring the success of the clinic's online presence.
















The vetcare team

torem (psum available, but the majority h suffered alteration in same form.









Recent Posts

Lorem Ipsum available, but the majority has suffered alteration in some form.










Technical Details

The front-end website for the veterinary clinic was meticulously developed with a minimalist approach, utilizing only essential technologies to guarantee a seamless user experience. Here are the key technical details of the project:

- HTML Structure: The website's structure was meticulously crafted using semantic HTML
 markup to enhance accessibility and clarity. Each page was organized with appropriate tags,
 facilitating intuitive navigation and readability for visitors.
- **CSS Styling:** Cascading Style Sheets (CSS) were employed to style the layout, typography, and color schemes of the website. Custom CSS rules were implemented to maintain a cohesive visual design throughout the site while prioritizing fast loading times and code simplicity.
- Responsive Design: Responsive design principles were integrated to ensure the website's
 adaptability to various devices and screen sizes. Media queries and flexible layouts were
 employed to responsively adjust content and design elements without relying on external
 frameworks.
- JavaScript Functionality: JavaScript was selectively used for essential functionality, primarily for enabling smooth scrolling to different sections of the website via the navigation bar. This lightweight implementation ensured optimal performance without compromising the overall user experience.


File Structure: -

- ➤ index.html: This file serves as the main entry point for the website. It contains the HTML markup defining the structure and content of the web pages. Within this file, sections such as the header, navigation bar, main content area, footer, and any additional elements are defined.
- ➤ index.css: The CSS file contains the styling rules that dictate the visual presentation of the website. This includes defining colors, fonts, layout properties, and any other stylistic elements. Selectors within this file target specific HTML elements or classes to apply the desired styles.
- ➤ index.js: This JavaScript file contains the client-side scripting logic for the website. In this minimal setup, the primary functionality includes hamburger menu and certain other minor things.
- ➤ assets folder: This folder contains all the assets used throughout the website. Assets may include logos, background images, or any other visual assets required to enhance the design and content presentation. Proper organization within this folder helps maintain the clarity and accessibility of image resources.
- ➤ **PSD file**: This PSD (Photoshop Document) file contains the original design mockup created using Adobe Photoshop. While not directly utilized in the website's development, it serves as a reference for design elements, layout, and visual styling.



Result

Webpage Screenshots: -



As a veterinarian and lover of animals.

Lorem Ipsum available but the majoty suffered alteration in some form, by humour randomised words.

Our Service



Our Services

Lorem Ipsum available, but the majority have suffered alteration in some form.



Veteringrian

Lorem Ipsum available, but the majority have suffered alteration in some.




Vaccination Care

Lorem Ipsum available, but the majority have suffered alteration in some.



Dental Care

Lorem Ipsum available, but the majority have suffered alteration in some.



As a veterinarian and lover of animals.

Lorem Ipsum available but the majority suffered alteration in some form, by humour randomised words.

Our Service









The Vetcare Team

Lorem Ipsum available, but the majority have suffered alteration in some form.



Jennifer Mullen VETERINARY






Shreen Collins ADMINISTRATOR @ **()** () ()



Jennifer Mullen VETERINARY @ **() () ()**



Recent Post

Lorem Ipsum available, but the majority have suffered alteration in some form.



As a veterinarian and lover of animals

Lorem Ipsum available, but the majority have



As a veterinarian and lover of animals

Lorem Ipsum available, but the majority have suffered atteration in some words which look



As a veterinarian and lover of animals

About

History Out Team Brand Guidelines Terms & Conditions Privacy Policy

Services

How to Order Out Product Order Status Payment Method

Contact Us

Lorem Ipsum available, but the majorit







Code:-

```
<!DOCTYPE html>
   <html <pre>lang="en">
       <meta charset="UTF-8" />
       <meta name="viewport" content="width=device-width, initial-scale=1.0" />
       <title>Veterinarian Clinic Website</title>
       <link rel="shortcut icon" href="./assets/phdog.svg">
       <script src="https://kit.fontawesome.com/c403aeab91.js" crossorigin="anonymous"></script>
       <link rel="stylesheet" crossorigin href="./style.css">
     </head>
```

Figure 1 Head Tag

```
<header id="header" class="header">
    <div class="innerContainer ContainIn">
      <a href="#"><img src="./assets/Logo.svg" alt="" /></a>
     <div class="nav" id="nav">
      <a href="#hero">Home</a>
       <div class="searchBar" id="searchBar">
      <input type="text" name="search" id="search" placeholder="Search..." class="search"/>
      <div class="imagediv">
        <a href="#"><img src="./assets/magglass.svg" class="image" /></a>
     <div class="ham" id="ham">
      <i class="fas fa-bars hamburger"></i></i>
```

Figure 2 HTML- Header Section

```
<section id="hero" class="hero">
        <div class="hidden again" id="navagain">
          <div class="cross" id="cross">&#10006;</div>
          <a href="#hero">Home</a>
            <a href="#part2">About</a>
           <a href="#part3">Service</a>
            <a href="#contact">Contact</a>
          <div class="searchBar2" id="searchBar2">
             type="text"
             name="search"
             id="search2"
             placeholder="Search..."
             class="search2"
            <div class="imagediv2">
             <a href="#"><img src="./assets/LogoLala.svg" class="image" /></a>
            </div>
          </div>
        </div>
        <div class="innerContainerHero ContainIn">
          <div class="content">
            <h1 class="vete">First I wanted to be a veterinarian</h1>
            Lorem Ipsum available but the majority have <br />
             suffered alteration in some form, by injected <br />
             humour randomized words.
            <div class="buttonsHero">
             <button class="ContactButton1 bttn">Contact Us</button>
             <button class="ServiceButton1 bttn">Our Service</button>
           </div>
          </div>
          <div class="dogImage">
           <img src="./assets/Dog.svg" alt="" />
          </div>
        </div>
      </section>
```

Figure 3 HTML - Hero Section

```
• • •
1 <section id="part2" class="part2">
         <div class="innerContainerPart2">
          <div class="content2">
            <h1 class="vete2">As a veterinarian and lover of animals.</h1>
            Lorem Ipsum available but the majoty suffered alteration in some
              form, by humour randomised words.
            <button class="ServiceButton2">Our Service</button>
           <div <pre>class="image2">
            <img src="./assets/Dog_With_Coverer.png" class="coverer" alt="" />
```

Figure 4 HTML - Part 2

```
<section id="part3" class="part3">
     <div class="contentP3Title">
        <h1 class="vete3">Our Services</h1>
         Lorem Ipsum available, but the majority have <br /> suffered alteration in some form.
          <div class="imageCard imageCard1">
           <img src="./assets/service1.svg" alt="" />
         <div class="contentCard contentCard1">
           <h3>Veterinarian</h3>
Lorem Ipsum available, but <br />the majority have suffered <br />alteration in some.
       <img src="./assets/Service2.svg" alt="" />
          <h3>Vaccination Care</h3>
            Lorem Ipsum available, but <br />the majority have suffered <br />alteration in some.
       </div>
        <div class="card card3">
  <div class="imageCard imageCard3">
           <img src="./assets/Service3.svg" alt="" />
         <div class="contentCard contentCard2">
           <h3>Dental Care</h3>
            Lorem Ipsum available, but <br />the majority have suffered <br />alteration in some.
    </section>
```

Figure 5 HTML - Part 3

```
1 <section id="part4" class="part4">
         <div class="innerContainerPart2 p4">
           <div class="image4">
            <img src="./assets/Dog_With_Coverer.png" class="coverer2" alt="" />
          </div>
          <div class="content4">
            <h1 class="vete2">As a veterinarian and lover of animals.</h1>
            Lorem Ipsum available but the majority <br />
             suffered alteration in some form, by <br />
             humour randomised words.
            <button class="ServiceButton4">Our Service</button>
          </div>
        </div>
       </section>
```

Figure 6 HTML - Part 4

```
<section id="part5" class="part5">
     <div class="innerContainerPart5">
      <div class="contentP3Title">
                                              <h1 class="vete3">Pricing</h1>

                                                       Lorem Ipsum available, but the majority have <br /> suffered alteration in some form.
                                     </div>

//div
/div
/div class="card card2">
/div class="inageCard imageCard2">
/div class="inageCard imageCard2">
/div src="./assets/dog52.svg" alt="" />
//div src="./assets/dog52.svg" alt="" //div src="./assets/dog52.svg" alt="./assets/dog52.svg" 

<
                                                                 <butt
                                            </div>
```

Figure 7 HTML - Part 5

Figure 8 HTML - Part 6

```
• • •
1 <section id="part7" class="part7">
          <div class="Sasuke">
    <div class="innerContainerPart7">
               <div class="card1P7 CardFlex">
                  cimg
src="./assets/Icon.svg"
alt=""
                />
/>
<h4 class="Numbers">+34793</h4>
<h2 class="NumbersText">Happy Clients</h2>
             <div class="card2P7 CardFlex">
               <img
src="./assets/Icon (1).svg"
alt=""</pre>
               />
<h4 class="Numbers">+34793</h4>
<h2 class="NumbersText">Happy Clients</h2>
             <div class="card3P7 CardFlex">
                <img
src="./assets/Icon (2).svg"
alt=""</pre>
                />
<h4 class="Numbers">+34793</h4>
                 <h2 class="NumbersText">Happy Clients</h2>
         </section>
```

Figure 9 HTML - Part 7

```
• • •
</div>

</div>
</div>
</div
</di>

                <h3>As a veterinarian and <br />lover of animals</h3>FEBRUARY 09, 2020
```

Figure 10 HTML - Part 8

```
<footer id="footer" class="footer">
                                                    <div class="innerContainerFooter">
  <div class="YeGridBanega">

<

<
                                                                 </div>
</div class="socialsAgain">
<div class="nstagram">
<div class="nstagram">
<div class="nstagram">
<div class="nstagram">
<div class="scimulation of the class of th

<pre
                                                                                   </div>
                                        </div>
</footer>
52 <script src="./index.js"></script>
53 </body>
54 </html>
55
```

Figure 11 HTML – Footer and Script Link

```
1 let ham = document.getElementById("ham")
2 let nav2 = document.getElementById("navagain")
3 let cross = document.getElementById("cross")
4 ham.addEventListener('click',()=>{
     nav2.classList.toggle("hidden")
8 cross.addEventListener('click',()=>{
      nav2.classList.toggle("hidden")
12 let hero = document.getElementById("heroTo")
13 let part2 = document.getElementById("part2to")
14 let part3 = document.getElementById("part3to")
15 let contact = document.getElementById("contactTo")
17 hero.addEventListener('click',()=>{
      nav2.classList.toggle("hidden")
20 part2.addEventListener('click',()=>{
21     nav2.classList.toggle("hidden")
23 part3.addEventListener('click',()=>{
24     nav2.classList.toggle("hidden")
25 })
26 contact.addEventListener('click',()=>{
27 nav2.classList.toggle("hidden")
```

Figure 12 Javascript

```
.ContainIn {
width: 100%;
max-width: 80%;
 max-width: 80%;
}
.again {
    right: 0;
    top: 0;
    position: fixed;
    width: 24rem;
    height: 1000h;
    right: 1000h
    background-color: rgba(0, 0, 0, 0.205);
    backdrop-filter: blur(10px);
    /* displayinone; */
    /* displayinone; */
.searchBar2 {
    display: flex;
    overflow: hidden;
    padding-hilnie: 10%;
    padding-hilnie: 10%;
}
.(magediv2 {
    height: 3rem;
    width: 3rem;
    display: flex;
    justify-content: center;
    justify-content: center;
    background-color: rgb(@ 187 198 / 1);
}
background-color: rgb(0 187 198 / 1);
}.search2 {
height: 3res;
width: 18res;
border-style: none;
background-color: rgb(255 196 0 / 1);
padding: 0.75res 1.25res 0.25res;
color: rgb(245 245 / 1);
outline: 2px solid transparent;
outline-offset: 2px;
}
```

Figure 13 CSS

```
. . .
 2 .cross {
     width: 100%;
padding-inline: 10%;
    padding-block: 6%;
display: flex;
    justify-content: end;
align-items: center;
     color: white;
font-size: 2rem;
cursor: pointer;
14 .navbar2 > 11 > a {
15 color: white;
16 font-family: "Poppins", sans-serif;
17 font-size: 1.5rem;
20 text-decoration: underline;
23 .navbar2 {
24 display: flex;
25 flex-direction: column;
26 gap: 1rem;
27 padding-inline: 10%;
29 .header {
30 position: fixed;
31 z-index: 50;
32 display: flex;
33 height: 10vh;
34 width: 100vw;
35 align-items: center;
     justify-content: center;
background-color: rgb(234 179 8 / 1);
40 display: flex;
41 align-items: center;
42 justify-content: space-between;
44 .navbar {
45 display: flex;
46 list-style-type: none;
     gap: 4rem;
50 .navbar > 11 > a {
51 font-size: 2rem;
52 color: rgb(255 255 255 / 1);
53 transition-property: all;
54 transition-timing-function: cubic-bezier(0.4, 0, 0.2, 1);
       transition-duration: 0.3s;
58 .searchBar {
59 display: flex;
60 overflow: hidden;
```

Figure 14 CSS

```
.image {
     height: 2.5rem;
     width: 2.5rem;
5 .imagediv {
    display: flex;
    height: 3rem;
    width: 3rem;
   align-items: center;
justify-content: center;
    background-color: rgb(0 187 198 / 1);
13 .search {
14 height: 3rem;
15 width: 20rem;
16 border-style: none;
17 background-color: rgb(255 196 0 / 1);
18 padding: 0.75rem 1.25rem 0.25rem;
19 color: rgb(245 245 245 / 1);
21 outline-offset: 2px;
23 .search::-moz-placeholder {
24 font-size: 1.125rem;
25 line-height: 1.75rem;
26 font-weight: 700;
    color: rgb(245 245 245 / 1);
28 }
30 font-size: 1.125rem;
31 line-height: 1.75rem;
32 font-weight: 700;
33 color: rgb(245 245 245 /1);
35 .ham {
36 font-size: 1.875rem;
37 line-height: 2.25rem;
38 color: rgb(255 255 255 / 1);
41 .hamburger {
42    font-size: 1.875rem;
43 line-height: 2.25rem;
44 color: rgb(255 255 255 / 1);
46 .hero {
47 display: flex;
48 height: 100vh;
49 width: 100vw;
50 align-items: center;
51 justify-content: center;
52 background-color: rgb(255 196 0 / 1);
     padding-top: 15vh;
56 .innerContainerHero {
57 display: flex;
```

Figure 15 CSS

```
height: 100%;
    width: 60%;
      font-weight: 700;
 8 .dogImage {
9 display: flex;
10 width: 40%;
11 align-items: center;
12 justify-content: center;
15 .vete {
16 font-size: 70px;
17 font-weight: 700;
18 color: rgb(245 245 245 / 1);
21 .Lorem1 {
padding-top: 10px;
padding-bottom: 30px;
font-size: 1.875rem;
25 line-height: 2.25rem;
26 font-weight: 400;
27 color: rgb(245 245 245 / 1);
30 .buttonsHero {
31 display: flex;
32 align-items: center;
     gap: 1rem;
36 .bttn {
37 display: flex;
38 cursor: pointer;
39 align-items: center;
Justify-content: center;
border-radius: 10%;
padding: 0.75rem 1.25rem;
font-size: 25px;
44 color: rgb(245 245 245 / 1);
47 .navbar > 1i > a:hover {
48 text-decoration: underline;
49 transition: all 0.3s;
52 .ServiceButton1 {
53 border-width: 4px;
54 border-style: solid;

55 border-color: rgb(245 245 245 / 1);

56 background-color: rgb(255 196 0 / 1);

57 opacity: 1;
58 transition-duration: 0.3s;
```

Figure 16 CSS

```
1 .ServiceButton1:hover {
      background-color: rgb(223 171 2 / 1);
     transition-duration: 0.3s;
5 .ContactButton1 {
     border-width: 4px;
     border-color: transparent;
   background-color: rgb(0 187 198 / 1);
     opacity: 1;
    transition-duration: 0.3s;
background-color: rgb(0 163 176 / 1);
transition-duration: 0.3s;
16 .dogImage > img {
17  transition-duration: 0.3s;
19 .part2 {
20 display: flex;
21 height: 80vh;
23 width: 100vw;
24 align-items: center;
     justify-content: center;
     overflow: hidden;
     background-color: rgb(245 245 245 / 1);
     padding-top: 7%;
     padding-bottom: 7%;
31 }
33 .innerContainerPart2 {
34 display: flex;
35 height: 100%;
36 width: 100%;
37 max-width: 80%;
    overflow: hidden;
41 .content2 {
42 display: flex;
43 height: 100%;
44 width: 50%;
45 flex-direction: column;
46  justify-content: center;
    overflow: hidden;
50 .vete2 {
51 overflow: hidden;
52 font-size: 66px;
    font-weight: 800;
56 .Lorem2 {
58 padding-top: 1.25rem;
59 padding-bottom: 1.25rem;
     font-size: 33px;
```

Figure 17 CSS

```
1 .ServiceButton2 {
     margin-top: 1rem;
     width: 10rem;
   cursor: pointer;
   overflow: hidden;
     border-radius: 10px;
     border-style: none;
     background-color: rgb(255 196 0 / 1);
10 padding: 10px 20px;
     font-size: 20px;
13 color: rgb(245 245 245 / 1);
15 outline-offset: 2px;
    transition-duration: 0.3s;
18 .ServiceButton2:hover {
19 background-color: rgb(192 147 0 / 1);
20 transition-duration: 0.3s;
22 .image2 {
28 z-index: 20;
    display: flex;
30 height: 100%;
31 width: 50%;
32 align-items: center;
33 justify-content: center;
    overflow: hidden;
37 .part3 {
38 display: flex;
40 padding-top: 10%;
padding-bottom: 10%;
width: 100%;
align-items: center;
justify-content: center;
45 overflow: hidden;
47 background-color: rgb(255 196 0 / 1);
48 padding-top: 5rem;
49 padding-bottom: 5rem;
50 }
53 height: 100%;
54 width: 100%;
55 max-width: 80%;
56 overflow: hidden;
57 text-align: center;
```

Figure 18 CSS

```
. . .
     font-weight: 800;
      color: rgb(245 245 245 / 1);
8 .Lorem3 {
9 padding-top: 10px;
10 padding-bottom: 30px;
11 font-size: 35px;
12 font-weight: 600;
     color: rgb(245 245 245 / 1);
17 .imageCard {
18 z-index: 50;
display: grid;
grid-template-columns: repeat(3, minmax(0, 1fr));
place-items: center;
24 gap: 1.25rem;
25 }
     color: rgb(245 245 245 / 1);
31 .contentCard {
     margin: 1rem;
as margin: 0.5rem;
font-size: 20px;
font-weight: 600;
letter-spacing: 0.025em;
41 .contentCard > h3 {
42 font-size: 35px;
43 font-weight: 600;
44 letter-spacing: 0.025em;
48 display: flex;
50 padding-block: 7%;
51 width: 100vw;
52 align-items: center;
53 justify-content: center;
      background-color: rgb(245 245 245 / 1);
59 display: flex;
60 height: 100%;
61 width: 50%;
62 flex-direction: column;
63 align-items: flex-end;
64 justify-content: center;
      text-align: right;
```

Figure 19 CSS

```
.ServiceButton4 {
    margin-top: 1rem;
     width: 10rem;
     cursor: pointer;
     border-radius: 10px;
    border-style: none;
   background-color: rgb(255 196 0 / 1);
     padding: 10px 20px;
     font-size: 20px;
11 color: rgb(245 245 245 / 1);
outline-offset: 2px;
transition-duration: 0.3s;
16 .ServiceButton4:hover {
17 background-color: rgb(192 147 0 / 1);
    transition-duration: 0.3s;
20 .image4 {
21 position: relative;
22 top: 0;
23 right: 0;
24 bottom: 0;
25 left: 0;
26 display: flex;
27 height: 100%;
28 width: 50%;
29 align-items: center;
30 justify-content: center;
31 overflow: hidden;
32 }
34 .part5 {
35 display: flex;
36 /* height: 100vh; */
37 width: 100%;
38 align-items: center;
39 justify-content: center;
    overflow: hidden;
42 background-color: rgb(255 196 0 / 1);
43 padding-top: 5rem;
44 padding-bottom: 5rem;
47 .innerContainerPart5 {
48 height: 100%;
49 width: 100%;
50 max-width: 80%;
51 overflow: hidden;
52 text-align: center;
55 display: flex;
56 align-items: center;
57 justify-content: center;
58 }
```

Figure 20 CSS

```
1 .extraBttn {
    margin-top: 1.25rem;
   border-radius: 100px;
   padding-left: 2.5rem;
   padding-right: 2.5rem;
    padding-top: 5px;
    padding-bottom: 5px;
     font-size: 20px;
    display: flex;
13 width: 100%;
14 align-items: center;
    justify-content: center;
17 background-color: rgb(245 245 245 / 1);
18 padding-top: 5rem;
19 padding-bottom: 5rem;
22 .innerContainerPart6 {
23 height: 100%;
24 width: 100%;
25 max-width: 80%;
    overflow: hidden;
28 .HeadingP6 {
29 padding-bottom: 20px;
30 text-align: center;
31 font-size: 75px;
32 font-weight: 800;
34 .PContentP6 {
35 text-align: center;
36 font-size: 35px;
37 font-weight: 500;
39 .ImagesStaff {
40 display: grid;
41 grid-template-columns: repeat(3, minmax(0, 1fr));
42 place-items: center;
    padding-top: 1.25rem;
46 .dr {
47 display: flex;
48 flex-direction: column;
50 .contentImgP6 {
51 padding-top: 1.5rem;
53 .contentImgP6 > h3 {
54 text-align: center;
55 font-size: 30px;
    font-weight: 700;
```

Figure 21 CSS

```
1 .vete6 {
2 text-align: center;
      font-size: 25px;
      font-weight: 500;
6 .Socials {
     display: flex;
     align-items: center;
      justify-content: center;
11 .Whatsapp {
display: flex;
height: 46px;
width: 43px;
15 scale: 0.8;
16 align-items: center;
17 justify-content: center;
18    overflow: hidden;
19    border-radius: 50%;
      background-color: rgb(255 196 0 / 1);
22 }
23 .Whatsapp>a>img{
24 margin-top: 5px;
27 display: flex;
28 height: 60vh;
29 width: 100%;
align-items: center;
justify-content: center;
background-size: cover;
     background-repeat: no-repeat;
35 .Sasuke {
36 display: flex;
37 height: 100%;
38 width: 100%;
39 justify-content: center;
40 background-color: #ffc400af;
43 display: flex;
44 height: 100%;
45 width: 100%;
46 max-width: 80%;
47 flex-wrap: wrap;
48 align-items: center;
     justify-content: space-around;
51 .CardFlex {
52 display: flex;
     flex-direction: column;
55 .Numbers {
56 align-items: center;
     padding-top: 20px;
text-align: center;
59 font-size: 30px;
      font-weight: 400;
      color: rgb(245 245 245 / 1);
```

Figure 22 CSS

```
.NumbersText {
     text-align: center;
       font-size: 30px;
      font-weight: 700;
      color: rgb(245 245 245 / 1);
9 .part8 {
10 display: flex;
11 /* height: 140vh; */
12 width: 100%;
13 align-items: center;
14 justify-content: center;
15 overflow: hidden;
17 background-color: rgb(245 245 245 / 1);
padding-top: 5rem;
padding-bottom: 5rem;
22 .innerContainerPart8 {
23 height: 100%;
24 width: 100%;
25 max-width: 80%;
      overflow: hidden;
29  overflow: hidden;
30  padding-bottom: 50px;
31  text-align: center;
33 .contentP8 > h1 {
34   overflow: hidden;
35   padding-bottom: 20px;
36   font-size: 75px;
38 .contentP8 > p {
39   overflow: hidden;
48   font-size: 35px;
42 .CardsP8 {
display: grid;
grid-template-columns: repeat(3, minmax(0, 1fr));
45 gap: 60px;
46 overflow: hidden;
47 padding-top: 50px;
      padding-bottom: 50px;
51 .postCard {
52 display: flex;
53 flex-direction: column;
      overflow: hidden;
56 .CardsContentClass {
57   display: flex;
58   flex-direction: column;
59   gap: 20px;
60 overflow: hidden;
61 border-left-width: 4px;
62 border-right-width: 4px;
      border-bottom-width: 4px;
      border-top-width: 0px;
      border-style: solid;
       border-color: rgb(214 214 214 /1);
      padding: 2rem;
```

Figure 23 CSS

```
1 .postCard2 {
2 display: flex;
    flex-direction: column;
     overflow: hidden;
     background-color: rgb(255 255 255 / 1);
8 .CardsContentClass2 {
9 z-index: 40;
10 display: flex;
flex-direction: column;
gap: 20px;
overflow: hidden;
padding: 2rem;
     overflow: hidden;
18 font-size: 25px;
20 .Just1 > p {
21 overflow: hidden;
22 font-weight: 500;
24 color: rgb(0 190 201 / 1);
25 }
27 display: flex;
28 flex-direction: column;
29 gap: 30px;
30 overflow: hidden;
31 }
33 overflow: hidden;
34 font-size: smaller;
36 .Just2 > :nth-child(2) {
37 overflow: hidden;
38 font-size: large;
39 font-weight: 500;
     color: rgb(0 190 201 / 1);
43 .HeadingP8 {
44 font-weight: 700;
48 cursor: pointer;
    color: rgb(245 245 245 / 1);
     display: flex;
54 height: 50vh;
     width: 100%;
    align-items: center;
    justify-content: center;
     background-color: rgb(48 49 48 / 1);
     padding-top: 5rem;
padding-bottom: 5rem;
```

Figure 24 CSS

```
1 .YeGridBanega {
2 display: flex;
      height: 100%;
width: 80%;
      max-width: 80%;
      flex-wrap: wrap;
      align-items: center;
      justify-content: space-between;
 10 .innerContainerFooter {
11 display: flex;
12 height: 100%;
13 width: 100%;
14 max-width: 80%;
15 place-items: center;
      justify-content: center;
18 .AboutHeading,
19 .ServicesHeading,
20 .ContactHeading {
padding-bottom: 20px;
22 font-size: 37px;
23 font-weight: 500;
24 color: rgb(245 245 245 / 1);
25 }
26 .AboutList,
27 .ServiceList {
    font-size: 27px;
     color: rgb(214 214 214 / 1);
32 .ContactContent {
      font-size: 23px;
35 color: rgb(214 214 214 / 1);
38 margin-left: 6vw;
39 display: flex;
40 flex-direction: column;
41 align-items: flex-end;
      justify-content: center;
 45 .socialsAgain {
46 display: flex;
47 gap: 10px;
48 padding: 10px;
49 }
50 .Instagram {
51   display: flex;
52   height: 46px;
53   width: 43px;
54   scale: 0.9;
55   align-items: center;
       justify-content: center;
       overflow: hidden;
      border-radius: 9999px;
       background-color: rgb(245 245 245 / 1);
      padding-top: 6px;
62 }
```

Figure 25 CSS

```
. . .
1 .InputMail {
2 border-style: none;
      background-color: rgb(255 196 0 / 1);
      padding-left: 10px;
      padding-bottom: 0;
     font-size: 18px;
font-weight: 500;
     color: rgb(255 255 255 / 1);
outline: 2px solid transparent;
cutline-offset: 2px;
14 .InputMail::-moz-placeholder {
15 font-size: 18px;
     color: rgb(255 255 255 / 1);
19 .InputMail::placeholder {
     font-size: 18px;
22 color: rgb(255 255 255 / 1);
23 }
27 grid-area: btn;
28 background-color: #00bec9;
29 border: none;
30 outline: none;
31 color: #f5f5f5;
32 font-size: 20px;
33 cursor: pointer;
34 transition: 0.3s;
     padding: 10px;
37 .InputMail {
38  grid-area: inp;
39 }
41 display: grid;
42 grid-template-areas: "inp inp inp btn";
43 width: 16rem;
44 gap: 0;
     margin-top: 25px;
     text-decoration: none;
50 .dogImage:hover > img {
51    transform: rotateY(180deg);
     background-image: url("./assets/Bgc.svg");
     box-shadow: #00000040 0 14px 28px, #00000038 0 10px 10px;
67 text-decoration: none;
68 }
66 .Just2 > :nth-child(2) {
71 display: none;
72 }
```

Figure 26 CSS

```
@media not all and (min-width: 1024px) {
    display: none;
  /* Navbar and Search Bar */
.navbar > li > a {
    display: none;
    display: none;
   display: block;
   height: 130vh;
 justify-content: center;
}
 .dogImage {
width: 80%;
   padding-top: 2.5rem;
   padding-bottom: 2.5rem;
 .vete {
  text-align: center;
   font-size: 60px;
 .Lorem1 {
  text-align: center;
  font-size: 1.125rem;
  line-height: 1.75rem;
   justify-content: center;
gap: 0.5rem;
  .bttn {
  .innerContainerPart2 {
   flex-direction: column;
align-items: center;
   justify-content: center;
  .content2 {
   width: 100%;
align-items: center;
   text-align: center;
font-size: 45px;
  .Lorem2 {
   text-align: center;
    font-size: 27px;
```

Figure 2711 Media Query

```
1 .part3 {
2  /* height: 165vh; */
      padding-top: 10%;
      padding-bottom: 20%;
    .vete3 {
      font-size: 65px;
      font-size: 30px;
    .card3 {
     display: none;
    grid-template-columns: repeat(2, minmax(0, 1fr));
}
    .ServiceCards {
    .contentCard > p {
      font-size: 18px;
    .contentCard > h3 {
     font-size: 30px;
    .part4 {
    flex-direction: column;
     padding-block: 20%;
    .content4 {
    width: 100%;
align-items: center;
    .image4 {
  width: 55%;
    .ImagesStaff {
     grid-template-columns: repeat(2, minmax(0, 1fr));
      gap: 1.25rem;
    .footer {
   height: 100vh;
    /* Cards in Part 8 Section */
.CardsP8 {
     grid-template-columns: repeat(2, minmax(0, 1fr));
```

Figure 28 Media Query

```
@media not all and (min-width: 768px) {
   .card3P7 {
   display: none;
.dogImage {
   padding-top: 4rem;
   padding-bottom: 4rem;
   font-size: 50px;
 .bttn {
   font-size: 15px;
 .vete3 {
   font-size: 60px;
 .Lorem3 {
  font-size: 25px;
 .contentCard > p {
  font-size: 16px;
  font-size: 25px;
 } */
/* Staff Images Section */
  .ImagesStaff {
   grid-template-columns: repeat(1, minmax(0, 1fr));
 .footer {
   height: 150vh;
 .pc2 {
   display: none;
   display: none;
 /* Cards in Part 8 Section */
.CardsP8 {
   grid-template-columns: repeat(1, minmax(0, 1fr));
 .ServiceCards {
   grid-template-columns: repeat(1, minmax(0, 1fr));
```

Figure 29 Media Query

```
@media not all and (min-width: 640px) {
  .Contact {
   align-items: flex-start;
margin-left: 0;
  .image4 {
   width: 100%;
  height: 400px;
width: 400px;
  .image2 {
  scale: 1.8;
 .card3P7 {
   display: none;
 }
/* Font Sizes in Part 3 Section */
  .ServiceCards {
  flex-direction: column;
  .vete3 {
  font-size: 55px;
  .Lorem3 {
  font-size: 20px;
 /* Font Sizes in Service Cards Section */
.contentCard > p {
   font-size: 14px;
 .contentCard > h3 {
   font-size: 20px;
 .ServiceCards {
  grid-template-columns: repeat(1, minmax(0, 1fr));
  height: 110vh;
padding-bottom: 15%;
  .p4 {
  gap: 5rem;
  .YeGridBanega {
   gap: 25px;
    height: 100%;
   height: 100%;
 .footer {
   height: 130vh;
    padding-block: 2.5rem;
```

Figure 30 Media Query

References

- 1. www.photopea.com
- 2. www.w3schools.com
- 3. www.figma.com
- 4. https://fonts.google.com/
- 5. https://developer.mozilla.org/en-US/