

Proctor Evaluation Cheat Sheet

Quick at-the-table scoring aid — grade each team fast against these anchors. Full reference answers are in the **ZTA Proctor Guide**. Do not show participants.

How to score. Each use case = **100 pts**: Pain → product mapping **40**, Products how & why **30**, Diagram & solution **30**. Tick the boxes a team hits, award partial credit generously where intent matches, then total. 1–3 required, 4–5 bonus.

Use Case 1 — Managed Environment — Segmentation

Required

100 pts

① PAIN-POINT → PRODUCT MAPPING · 40 PTS ~8 PTS / PAIN POINT

- ☐ VLAN/subnet segmentation is too complex → propose **SGTs (TrustSec)** instead of VLAN/IP.
- ☐ Profiling can't keep up with new devices → **Cisco ISE (cloud AI) profiling**.
- ☐ Failing PCI audits → **SGT segmentation + insert FW (FTD) services where L7 is required**.
- ☐ Corporate PCs behind on AV / OS → **ISE Posture** checks + remediation before full access.
- ☐ No budget for more firewalls → **SGT / SGACL enforcement on the existing switches** (no new FW).

② PRODUCTS — HOW & WHY / DIFFERENTIATORS · 30 PTS

- ☐ Names a specific product with a correct one-line “how it works”.
- ☐ Gives a genuine “why / differentiator”, not a generic benefit.
- ☐ Top band cites Cisco differentiators: **SGT/TrustSec** (topology-independent), **pxGrid / Rapid Threat Containment**, **ISE AI profiling**, **Secure Workload** (App Dependency Mapping).

Expected set: ISE · ISE-SGT · ISE SGACL policy · ISE pxGrid · Catalyst SD-WAN · FMC / SCC / FTD · Cisco Secure Workload

③ DIAGRAM & OVERALL SOLUTION · 30 PTS

- ☐ Legible; labels all four groups: **Employees, IOT, deskagents, Guest**.
- ☐ Marks the **enforcement point(s)** — SGACL on switches/routers; FW (FTD) where L7 is needed.
- ☐ Traces at least **one flow end-to-end**.
- ☐ Honors access rules: IoT → data-center + Internet only (blocked from other groups); Guest → Internet only; deskagents → on-prem DC only; Employees + IoT → controlled Internet + DC apps.
- ☐ Reuses the existing network — no wave of new firewalls.

COMMON GAPS / RED FLAGS — DOCK MARKS

- ☐ Relies on VLANs / IP ACLs for segmentation.
- ☐ Buys new firewalls just to segment (ignores the budget pain).

- ☐ No posture story for the AV / OS-hygiene pain point.
- ☐ Guest not restricted to Internet-only, or IoT not restricted from other groups.

Score Mapping / 40 Products / 30 Diagram / 30

Total / 100

Use Case 2 — Use Case 2

Required

100 pts

Evaluation anchors to be added when this use case goes live. Use the score bar below.

Score

Mapping

/ 40

Products

/ 30

Diagram

/ 30

Total

/ 100

Use Case 3 — Use Case 3

Required

100 pts

Evaluation anchors to be added when this use case goes live. Use the score bar below.

Score

Mapping

/ 40

Products

/ 30

Diagram

/ 30

Total

/ 100

Use Case 4 — Use Case 4

Bonus

100 pts

Evaluation anchors to be added when this use case goes live. Use the score bar below.

Score

Mapping

/ 40

Products

/ 30

Diagram

/ 30

Total

/ 100

Use Case 5 — Use Case 5

Bonus

100 pts

Evaluation anchors to be added when this use case goes live. Use the score bar below.

Score

Mapping

/ 40

Products

/ 30

Diagram

/ 30

Total

/ 100