

## Layouts

Layout	1
--------	---

## Tables

public.access_token	2
public.account	2
public.chef	2
public.chef_rating	3
public.chef_rating_detail	3
public.chef_rating_factor	3
public.identity_check	4
public.identity_check_status	4
public.identity_check_type	4
public.login_user	5
public.meal_item	5
public.meal_item_type	5
public.meal_measurement_type	5
public.meal_serving	6
public.meal_summary	6
public.meal_tags	6
public.meals	7
public.menu_rating	7
public.menu_rating_detail	7
public.menu_rating_factor	7
public.user	8




Table access_token			
*Pk	access_token_id	integer	
	access_token	varchar(300)	
	refresh_token	varchar(300)	
	expiry_date	timestamp	
	user_id	integer	
	created_date	timestamp	
	valid	bool	
	device_id	varchar(200)	
	login_user_id	integer	
Indexes			
Pk	pk_access_token_access_token_id	access_token_id	
Foreign Keys			
	fk_access_token_user ( user_id ) ref user ( userid )		
	fk_access_token_login_user_id ( login_user_id ) ref login_user ( login_user_id )		

Table account			
*Pk	account_id	integer	
	status	char(1)	
	created_date	timestamp	
	created_by	varchar(50)	
	modified_date	timestamp	
	modified_by	varchar(50)	
Indexes			
Pk	pk_account_account_id	account_id	

Table chef			
*Pk	chef_id	integer	
	user_id	integer	
	rating	integer	
Indexes			
Pk	pk_chef_chef_id	chef_id	

Table chef_rating			
*Pk	chef_rating_id	integer	
*	chef_id	integer	
	overall_rating	numeric(1000,2)	
	created_date	timestamp	
	modified_date	timestamp	
	created_by	varchar(50)	

Table chef_rating		
	modified_by	varchar(50)
Indexes		
Pk	pk_chef_rating_chef_rating_d	chef_rating_id
Foreign Keys		
	fk_chef_rating_chef_id ( chef_id ) ref chef ( chef_id )	

Table chef_rating_detail			
*Idx	chef_rating_id	integer	
Idx	rating_factor_id	integer	
	rating_val	numeric(1000,2)	
	crated_date	timestamp	
	modified_date	timestamp	
	created_by	varchar(50)	
	modified_by	varchar(50)	
Indexes			
	idx_chef_rating_detail	chef_rating_id, rating_factor_id	
Foreign Keys			
	fk_chef_rating_detail_rating_factor_id ( rating_factor_id ) ref chef_rating_factor ( chef_rating_factor_id )		
	fk_chef_rating_detail_chef_rating_id ( chef_rating_id ) ref chef_rating ( chef_rating_id )		

Table chef_rating_factor			
*Pk	chef_rating_factor_id	integer	
	rating_factor_cd	varchar(4)	
	rating_factor_desc	varchar(200)	
	valid	bool	
Indexes			
Pk	pk_chef_rating_factor_chef_rating_ractor_id	chef_rating_factor_id	

Table identity_check			
*Pk	identity_check_id	integer	
	verified_date	timestamp	
	checkstatus	integer	
	userid	integer	
	check_type	integer	
	created_date	timestamp	
	modified_date	timestamp	
	created_by	varchar(50)	
	modified_by	varchar(50)	

Table identity_check		
Indexes		
Pk	pk_identitycheck_identity_check_id	identity_check_id
Foreign Keys		
	fk_identitycheck_userid ( userid ) ref user ( userid )	
	fk_identitycheck_check_status ( checkstatus ) ref identity_check_status ( identity_check_status_id )	
	fk_identity_check_type ( check_type ) ref identity_check_type ( identity_check_type_id )	

Table identity_check_status			
*Pk	identity_check_status_id	integer	
	check_status_desc	varchar(50)	
	check_status_cd	char(1)	
	created_date	timestamp	
	modified_date	timestamp	
	created_by	varchar(50)	
	modified_by	varchar(50)	
Indexes			
Pk	pk_identitycheckstatus_identityche ckstatus_id	identity_check_status_id	

Table identity_check_type			
*Pk	identity_check_type_id	integer	
	check_type_cd	char(1)	
	check_type_desc	varchar(50)	
Indexes			
Pk	pk_identity_check_type_identity_ch eck_type_id	identity_check_type_id	

Table login_user			
*Pk	login_user_id	integer	
	username	varchar(200)	
	passwordhash	varchar(300)	
	salt	varchar(100)	
	userid	integer	
	created_date	timestamp	
	modified_date	timestamp	
	created_by	varchar(50)	
	modified_by	varchar(50)	
	valid	bool	
Indexes			

Table login_user			
Pk	pk_login_user_login_user_id	login_user_id	
Foreign Keys			
	fk_login_user_userid ( userid ) ref user ( userid )		

Table meal_item			
	meal_id	integer	
*Pk	meal_item_id	integer	
	item_desc	varchar(300)	
	item_type_id	integer	
	measurement_type_id	integer	
Indexes			
Pk	pk_meal_item_meal_item_id	meal_item_id	
Foreign Keys			
	fk_meal_item_measurement_type_id ( measurement_type_id ) ref meal_measurement_type ( meal_measurement_id )		
	fk_meal_item_item_id ( item_type_id ) ref meal_item_type ( meal_item_type_id )		

Table meal_item_type			
*Pk	meal_item_type_id	integer	
	meal_item_cd	varchar(4)	
	meal_item_desc	varchar(100)	
	valid	bool	
Indexes			
Pk	pk_meal_item_lookups_meal_item_lookup	meal_item_type_id	

Table meal_measurement_type			
*Pk	meal_measurement_id	integer	
	measurement_cd	varchar(4)	
	measurement_desc	varchar(100)	
	valid	bool	
Indexes			
Pk	pk_meal_measurement_meal_measurement_id	meal_measurement_id	

Table meal_serving			
*Pk	meal_serving_id	integer	
	meal_id	integer	
*	available	integer	
	time_left	time	

Table meal_serving			
	meal_date	date	
	order_closed_by	timestamp	
	created_date	timestamp	
	modified_date	timestamp	
	created_by	varchar(50)	
	modified_by	varchar(50)	
Indexes			
Pk	pk_meal_serving_meal_serving_id	meal_serving_id	
Foreign Keys			
	fk_meal_serving_meal_id ( meal_id ) ref meals ( meal_id )		

Table meal_summary			
*Pk	meal_summary_id	integer	
	meal_id	integer	
	notes	varchar(600)	
	notes_created_date	timestamp	
	created_date	timestamp	
	created_by	varchar(50)	
	modified_date	timestamp	
	modified_by	varchar(50)	
Indexes			
Pk	pk_meal_summary_meal_summary_id	meal_summary_id	
Foreign Keys			
	fk_meal_summary_meal_id ( meal_id ) ref meals ( meal_id )		

Table meal_tags			
*Pk	meal_tag_id	integer	
	meal_id	integer	
	tag	varchar(50)	
	created_date	timestamp	
	created_by	varchar(50)	
	modified_date	timestamp	
	modified_by	varchar(50)	
	valid	bool	
Indexes			
Pk	pk_meal_tags_meal_tag_id	meal_tag_id	
Foreign Keys			
	fk_meal_tags_meal_id ( meal_id ) ref meals ( meal_id )		

Table meals			
*Pk	meal_id	integer	
	title	varchar(200)	
	meal_date	date	
	chef_id	integer	
	created_date	timestamp	
	created_by	varchar(50)	
	modified_date	timestamp	
	modified_by	varchar(50)	
Indexes			
Unq	unq_meals_meal_id	meal_id	
Pk	pk_meals_meal_id	meal_id	
Foreign Keys			
	fk_meals_chef ( chef_id ) ref chef ( chef_id )		

Table menu_rating			
*Pk	menu_rating_id	integer	
	menu_id	integer	
	overall_rating	numeric(1000,2)	
Indexes			
Pk	pk_menu_rating_menu_rating_id	menu_rating_id	
Foreign Keys			
	fk_menu_rating_meal_id ( menu_id ) ref meals ( meal_id )		

Table menu_rating_detail			
	menu_rating_id	integer	
	menu_rating_factor_id	integer	
	rating_val	numeric(1000,2)	
Foreign Keys			
	fk_menu_rating_detail_rating_factor_id ( menu_rating_factor_id ) ref menu_rating_factor ( menu_rating_factor_id )		
	fk_menu_rating_detail_menu_rating_id ( menu_rating_id ) ref menu_rating ( menu_rating_id )		

Table menu_rating_factor			
*Pk	menu_rating_factor_id	integer	
	rating_factor_cd	varchar(4)	
	rating_factor_desc	varchar(50)	
	valid	bool	
Indexes			
Pk	pk_menu_rating_factor_menu_ratin g_factor_id	menu_rating_factor_id	



Table user this is the user table for hungry wolf user base.

*Pk	userid	integer	
*	first_name	varchar(100)	
	last_name	varchar(100)	
	date_of_birth	date	
	phone	date	
	email_address	varchar(100)	
	account_type_id	integer	
	created_by	varchar(50)	
	modified_by	varchar(50)	
	created_date	timestamp	
	modified_date	timestamp	

#### Indexes

Pk	pk_table_userid	userid	
----	-----------------	--------	--

#### Foreign Keys

fk\_user\_account\_id ( account\_type\_id ) ref account ( account\_id )