# Contents

CONTENTS	1
1 INTRODUCTION	3
1.1 PURPOSE	3
1.2 SCOPE	
1.3 INSTALLATION REQUIREMENTS	
1.5 INSTREEMTION REQUIREMENTS	
2 DATA ACCESS	4
2.1 BUSINESS_ENTITY_TYPES	4
2.2 BUSINESS_ENTITIES	4
2.3 BUSINESS_ENTITY_DEPARTMENTS	4
2.4 EMPLOYEE_TYPES	4
2.5 EMPLOYEE_DESIGNATIONS_TYPES	4
2.6 EMPLOYEE_DESIGNATION_GRADE_TYPES	4
2.7 EMPLOYEES	5
2.8 PROFILE_TYPES	5
2.9 PROFILE_FIELDS	5
2.10 PROFILE_FIELD_DEFAULT_VALUES	5
2.11 BUSINESS_ENTITY_CONTACT_DETAILS	6
2.12 EMPLOYEE_CONTACT_DETAILS	
2.13 EMPLOYEE_ROLE_TYPES	6
2.14 EMPLOYEE_TASK_TYPES	6
2.15 EMPLOYEE_TASKS	
2.16 EMPLOYEE_TASK_PERMISSION_TYPES	6
2.17 EMPLOYEE_ROLE_TASK_PERMISSIONS	7
2.18 EMPLOYEE_LOGINS	7
2.19 BUSINESS_ENTITY_HOLIDAY_TYPES	7
2.20 BUSINESS_ENTITY_HOLIDAYS	7
2.21 EMPLOYEE_LEAVE_TYPES	7
2.22 EMPLOYEE_LEAVES	8
2.23 BUSINESS_ENTITY_SHIFTS	8
2.24 BUSINESS_ENTITY_SHIFT_EXCEPTION_TYPES	8
2.25 BUSINESS_ENTITY_SHIFT_EXCEPTIONS	8
2.26 EMPLOYEE_SHIFT_ASSIGNMENTS	9
2.27 EMPLOYEE_ATTENDANCE	9
2.28 EMPLOYEE_ATTENDANCE_EXCEPTION_TYPES	
2.29 EMPLOYEE_ATTENDANCE_EXCEPTIONS	9
2.30 BUSINESS ENTITY DEVICES	9

3 BUSINESS	11
4 PRESENTATION	12
5 PACKAGING AND DEPLOYMENT	13

#### 1 INTRODUCTION

#### 1.1 PURPOSE

The purpose of this document is to provide the detailed design of "Time and Attendance" (hereafter referred to as T&A) software. The purpose of the software is to retrieve attendance information from the biometric enabled hardware device and provide useful information for the organization.

#### 1.2 SCOPE

The proposed software to be designed will be a web based software and will be capable of running under Microsoft IIS environment. The scope of the software is currently limited only to the attendance management.

#### 1.3 INSTALLATION REQUIREMENTS

OPERATING SYSTEM	WINDOWS SERVER 2008
COMPUTER	QUAD OR SIX CORE BASED SYSTEM
RAM	2 GB OF RAM
HARD DISK	500 GB
SCREEN RESOLUTION	1024x768 OR HIGHER
DATABASE	SQL SERVER 2008

#### **2 DATA ACCESS**

#### 2.1 BUSINESS\_ENTITY\_TYPES

BUSINESS\_ENTITY\_TYPE\_ID [PK] [TINYINT] [IDENTITY]

BUSINESS\_ENTITY\_TYPE\_NAME [VARCHAR(20)]

**EXAMPLES: HEADQUATER, BRANCH** 

#### 2.2 BUSINESS ENTITIES

BUSINESS ENTITY ID [PK] [INT] [IDENTITY]

BUSINESS\_ENTITY\_NAME [VARCHAR(20)]

BUSINESS\_ENTITY\_PARENT\_ID [FK\_BUSINESS\_ENTITY\_ID]

BUSINESS\_ENTITY\_TYPE\_ID [FK\_BUSINESS\_ENTITY\_TYPE\_ID]

#### 2.3 BUSINESS ENTITY DEPARTMENTS

BUSINESS\_ENTITY\_DEPARTMENT\_ID [PK] [INT] [IDENTITY]

BUSINESS\_ENTITY\_DEPARTMENT\_NAME [VARCHAR(20)]

BUSINESS ENTITY ID [FK BUSINESS ENTITY ID]

#### 2.4 EMPLOYEE\_TYPES

EMPLOYEE\_TYPE\_ID [PK] [TINYINT] [IDENTITY]

EMPLOYEE\_TYPE\_NAME [VARCHAR(20)]

EMPLOYEE\_TYPE\_DESCRIPTION [VARCHAR(20)]

EXAMPLES: FT (FULL TIME), CT (CONTRACT), PT (PART TIME)

#### 2.5 EMPLOYEE DESIGNATIONS TYPES

EMPLOYEE\_DESIGNATION\_TYPE\_ID [PK] [INT] [IDENTITY]

EMPLOYEE\_DESIGNATION\_TYPE\_NAME [VARCHAR(20)]

## 2.6 EMPLOYEE\_DESIGNATION\_GRADE\_TYPES

EMPLOYEE\_DESIGNATION\_GRADE\_TYPE\_ID [PK] [INT] [IDENTITY]

EMPLOYEE\_DESIGNATION\_GRADE\_TYPE\_NAME

#### EMPLOYEE DESIGNATION TYPE ID [FK EMPLOYEE DESIGNATION TYPE ID]

#### 2.7 EMPLOYEES

EMPLOYEE ID [PK] [BIGINT]

EMPLOYEE\_GENDER\_TYPE [BIT]

EMPLOYEE\_LAST\_NAME [VARCHAR(20)]

EMPLOYEE\_MIDDLE\_NAME [VARCHAR(20)]

EMPLOYEE\_FIRST\_NAME [VARCHAR(20)]

EMPLOYEE JOINING DATE[DATE]

EMPLOYEE\_LEAVING\_DATE [DATE]

EMPLOYEE\_PREV\_ID [FK\_EMPLOYEE\_ID]

EMPLOYEE\_DESIGNATION\_GRADE\_TYPE\_ID

[FK\_EMPLOYEE\_DESIGNATION\_GRADE\_TYPE\_ID]

EMPLOYEE\_TYPE\_ID [FK\_EMPLOYEE\_TYPE\_ID]

EMPLOYEE\_MANAGER\_ID [FK\_EMPLOYEE\_ID]

BUSINESS\_ENTITY\_DEPARTMENT\_ID

[FK BUSINESS ENTITY DEPARTMENT ID]

#### 2.8 PROFILE TYPES

PROFILE\_TYPE\_ID [PK] [INT] [IDENTITY]

PROFILE\_TYPE\_NAME [VARCHAR(20)]

**EXAMPLES: CONTACTS.** 

#### 2.9 PROFILE\_FIELDS

PROFILE FIELD ID [PK] [BIGINT] [IDENTITY]

PROFILE\_FIELD\_LABEL [VARCHAR(20)]

PROFILE TYPE ID [FK PROFILE TYPE ID]

EXAMPLES: EMAIL(WORK), PHONE(MOBILE), COUNTRY, CITY.

## 2.10 PROFILE\_FIELD\_DEFAULT\_VALUES

PROFILE\_FIELD\_DEFAULT\_VALUE\_ID[PK] [BIGINT] [IDENTITY]

PROFILE\_FIELD\_ID [FK\_PROFILE\_FIELD\_ID]

PROFILE\_FIELD\_DEFAULT\_VALUE [VARCHAR(20)]

#### 2.11 BUSINESS\_ENTITY\_CONTACT\_DETAILS

BUSINESS\_ENTITY\_ID [FK\_BUSINESS\_ENTITY\_ID]

BUSINESS\_ENTITY\_PROFILE\_FIELD\_ID [FK\_PROFILE\_FIELD\_ID]

BUSINESS\_ENTITY\_PROFILE\_FIELD\_VALUE [VARCHAR(50)]

#### 2.12 EMPLOYEE CONTACT DETAILS

EMPLOYEE\_ID [FK\_EMPLOYEE\_ID]

EMPLOYEE\_PROFILE\_FILED\_ID [FK\_PROFILE\_FIELD\_ID]

EMPLOYEE PROFILE FIELD VALUE [VARCHAR(50)]

#### 2.13 EMPLOYEE\_ROLE\_TYPES

EMPLOYEE\_ROLE\_TYPE\_ID [PK] [INT] [IDENTITY]

EMPLOYEE\_ROLE\_TYPE\_NAME [VARCHAR(20)]

EXAMPLES: ADMINISTRATOR, MANAGER, ENGINEER

## 2.14 EMPLOYEE\_TASK\_TYPES

EMPLOYEE TASK TYPE ID (PK) (TINYINT) (IDENTITY)

EMPLOYEE TASK TYPE NAME [VARCHAR(20)]

EMPLOYEE TASK TYPE DESCRIPTION [VARCHAR(50)]

## 2.15 EMPLOYEE\_TASKS

EMPLOYEE TASK ID [PK] [INT] [IDENTITY]

EMPLOYEE\_TASK\_NAME [VARCHAR(50)]

EMPLOYEE\_TASK\_DESCRIPTION [VARCHAR(50)]

EMPLOYEE\_TASK\_TYPE\_ID [FK\_EMPLOYEE\_TASK\_TYPE\_ID]

EXAMPLES: ASSIGN SHIFT, IMPORT, ADD EMPLOYEE, MODIFY USER.

#### 2.16 EMPLOYEE TASK PERMISSION TYPES

EMPLOYEE TASK PERMISSION TYPE ID [PK] [TINYINT] [IDENTITY]

EMPLOYEE TASK PERMISSION TYPE VALUE [TINYINT]

EXAMPLES: R(1) = READ, W(2) = WRITE, X(4) = EXECUTE

## 2.17 EMPLOYEE\_ROLE\_TASK\_PERMISSIONS

EMPLOYEE TASK ID [FK EMPLOYEE TASK ID]

EMPLOYEE\_ROLE\_TYPE\_ID [FK\_EMPLOYEE\_ROLE\_TYPE\_ID]

EMPLOYEE\_TASK\_PEMISSION\_TYPE\_ID

[FK\_EMPLOYEE\_TASK\_PEMISSION\_TYPE\_ID]

## 2.18 EMPLOYEE\_LOGINS

EMPLOYEE\_LOGIN\_ID [PK] [INT] [IDENTITY]

EMPLOYEE\_LOGIN\_NAME [VARCHAR(20)]

EMPLOYEE\_LOGIN\_PASSWORD [VARCHAR(20)]

EMPLOYEE\_ID [FK\_EMPLOYEE\_ID]

EMPLOYEE\_LOGIN\_ROLE\_TYPE\_ID [FK\_EMPLOYEE\_ROLE\_TYPE\_ID]

#### 2.19 BUSINESS\_ENTITY\_HOLIDAY\_TYPES

BUSINESS\_ENTITY\_HOLIDAY\_TYPE\_ID [PK] [TINYINT] [IDENTITY]

BUSINESS ENTITY HOLIDAY TYPE NAME [VARCHAR(20)]

#### 2.20 BUSINESS\_ENTITY\_HOLIDAYS

BUSINESS\_ENTITY\_HOLIDAY\_ID [PK][INT] [IDENTITY]

BUSINESS\_ENTITY\_HOLIDAY\_FROM [DATETIME]

BUSINESS ENTITY HOLIDAY TO [DATETIME]

BUSINESS ENTITY ID [FK BUSINESS ENTITY ID]

BUSINESS\_ENTITY\_HOLIDAY\_TYPE\_ID[FK\_BUSINESS\_ENTITY\_HOLIDAY\_TYPE ID]

## 2.21 EMPLOYEE\_LEAVE\_TYPES

EMPLOYEE LEAVE TYPE ID [PK] [TINYINT] [IDENTITY]

EMPLOYEE\_LEAVE\_TYPE\_NAME [VARCHAR(20)]

EMPLOYEE\_LEAVE\_TYPE\_SHORT\_NAME [VARCHAR(20)]

#### 2.22 EMPLOYEE\_LEAVES

EMPLOYEE\_LEAVE\_ID [PK] [BIGINT] [IDENTITY]

EMPLOYEE\_LEAVE\_FROM [DATETIME]

EMPLOYEE\_LEAVE\_TO [DATETIME]

EMPLOYEE\_LEAVE\_APPROVED [BIT]

EMPLOYEE\_ID [FK\_EMPLOYEE\_ID]

EMPLOYEE\_LEAVE\_TYPE\_ID[FK\_EMPLOYEE\_LEAVE\_TYPE\_ID]

#### 2.23 BUSINESS ENTITY SHIFTS

BUSINESS\_ENTITY\_SHIFT\_ID [PK] [INT] [IDENTITY]

BUSINESS\_ENTITY\_SHIFT\_NAME [VARCHAR(20)]

BUSINESS\_ENTITY\_SHIFT\_START\_TIME [TIME]

BUSINESS\_ENTITY\_SHIFT\_END\_TIME [TIME]

BUSINESS\_ENTITY\_SHIFT\_PUNCH\_IN\_START\_TIME [TIME]

BUSINESS\_ENTITY\_SHIFT\_PUNCH\_IN\_END\_TIME [TIME]

BUSINESS\_ENTITY\_SHIFT\_PUNCH\_OUT\_START\_TIME [TIME]

BUSINESS\_ENTITY\_SHIFT\_PUNCH\_OUT\_END\_TIME [TIME]

## 2.24 BUSINESS\_ENTITY\_SHIFT\_EXCEPTION\_TYPES

BUSINESS ENTITY SHIFT EXCEPTION TYPE ID [PK] [TINYINT] [IDENTITY]

BUSINESS\_ENTITY\_SHIFT\_EXCEPTION\_TYPE\_NAME [VARCHAR(20)]

EXAMPLES: PRAYERS, BREAK, WEEKLY OFF, WEEKLY PARTIAL

## 2.25 BUSINESS\_ENTITY\_SHIFT\_EXCEPTIONS

BUSINESS ENTITY SHIFT EXCEPTION ID [PK] [INT] [IDENTITY]

BUSINESS\_ENTITY\_SHIFT\_EXCEPTION\_START\_TIME [TIME]

BUSINESS\_ENTITY\_SHIFT\_EXCEPTION\_END\_TIME [TIME]

BUSINESS\_ENTITY\_SHIFT\_EXCEPTION\_WEEK\_DAY [TINYINT]

BUSINESS ENTITY SHIFT ID [FK BUSINESS ENTITY SHIFT ID]

BUSINESS ENTITY SHIFT EXCEPTION TYPE ID

[FK\_BUSINESS\_ENTITY\_SHIFT\_EXCEPTION\_TYPE\_ID]

#### 2.26 EMPLOYEE\_SHIFT\_ASSIGNMENTS

EMPLOYEE\_SHIFT\_ASSIGNMENT\_ID [PK] [INT] [IDENTITY]

EMPLOYEE\_SHIFT\_ASSIGNMENT\_START\_DATE [DATE]

EMPLOYEE\_SHIFT\_ASSIGNMENT\_END\_DATE [DATE]

EMPLOYEE\_ID [FK\_EMPLOYEE\_ID]

BUSINESS\_ENTITY\_SHIFT\_ID [FK\_BUSINESS\_ENTITY\_SHIFT\_ID]

#### 2.27 EMPLOYEE ATTENDANCE

EMPLOYEE\_ATTENDANCE\_ID [PK] [INT] [IDENTITY]

EMPLOYEE\_PUNCH\_IN [DATETIME]

EMPLOYEE\_PUNCH\_OUT [DATETIME]

EMPLOYEE\_ID [FK\_EMPLOYEE\_ID]

#### 2.28 EMPLOYEE\_ATTENDANCE\_EXCEPTION\_TYPES

EMPLOYEE\_ATTENDANCE\_EXCEPTION\_TYPE\_ID [PK] [TINYINT] [IDENTITY]

EMPLOYEE\_ATTENDANCE\_EXCEPTION\_TYPE\_NAME [VARCHAR(20)]

EXAMPLES: JUSTIFY, OUTDOOR ENTRY, MANUAL ENTRY

## 2.29 EMPLOYEE\_ATTENDANCE\_EXCEPTIONS

EMPLOYEE\_ATTENDANCE\_EXCEPTION\_ID [PK] [INT] [IDENTITY]

EMPLOYEE\_ATTENDANCE\_EXCEPTION\_START [DATETIME]

EMPLOYEE\_ATTENDANCE\_EXCEPTION\_END [DATETIME]

EMPLOYEE\_ATTENDANCE\_EXCEPTION\_REMARKS [VARCHAR(20)]

EMPLOYEE ID [FK EMPLOYEE ID]

EMPLOYEE ATTENDANCE EXCEPTION TYPE ID

[FK\_EMPLOYEE\_ATTENDANCE\_EXCEPTION\_TYPE\_ID]

## 2.30 BUSINESS\_ENTITY\_DEVICES

BUSINESS\_ENTITY\_DEVICE\_ID [PK] [INT] [IDENTITY]

BUSINESS ENTITY DEVICE NAME [VARCHAR(20)]

BUSINESS\_ENTITY\_DEVICE\_IP\_ADDRESS [VARCHAR(20)]

## BUSINESS\_ENTITY\_ID [FK\_BUSINESS\_ENTITY\_ID]

# **3 BUSINESS**

# **4 PRESENTATION**

# **5 PACKAGING AND DEPLOYMENT**