

Script started on 2026-02-11 13:17:25-06:00 [TERM="xterm" TTY="/dev/pts/0" COLUMNS= rc47379@ares:~\$ pwd

/home/students/rc47379
rc47379@ares:~\$ cat urlshortener.info

cat: urlshortener.info: No such file or directory
rc47379@ares:~\$ cat urtring

NAME: Calvin Rice

CLASS: CSC122-002

TITLE: 80 chars in a 50-wide hole? No problem!

LEVEL: 2

DESCRIPTION:

Shortens a string (URL) to a specified amount of characters while keeping the first

urlshortener.cpp:

```
1 #include <iostream>
2 #include <ostream>
3
4 #include "stringshortener.h"
5
6 int main()
7 {
8     std::cout << "50 Characters: " << shortenURL("http://craie-programming
9     std::cout << "45 Characters: " << shortenURL("http://craie-programming
10    std::cout << "10 Characters: " << shortenURL("http://craie-programming
11    return 0;
12 }
```

rc47379@ares:~\$ show-code stringshortener.cpp

stringshortener.cpp:

```
1 #include "stringshortener.h"
2 #include <string>
3
4 std::string shortenURL(std::string inputURL, int maxLength)
5 {
6     std::string ellipsis = maxLength % 2 == 0 ? "...." : "...";
7     if(inputURL.length() > maxLength)
8     {
9         int chunkLength = (maxLength - 3) / 2;
```

```
10         return inputURL.substr(0, chunkLength) + ellipsis + inputURL.substr
11     }
12     else
13     {
14         return inputURL;
15     }
16 }
```

rc47379@ares:~\$ show-code stringshortener.h

stringshortener.h:

```
1 #ifndef STRINGSHORTENER_H
2 #define STRINGSHORTENER_H
3
4 #include <string>
5
6 std::string shortenURL(std::string inputURL, int maxLength);
7
8 #endif
```

rc47379@ares:~\$ CPP urlshortener

urlshortener.cpp***
urlshortener.cpp:(.text+0x70): undefined reference to
`shortenURL(std::__cxx11::basic_string<char, std::char_traits<char>,
std::allocator<char> >, int)'
collect2: error: ld returned 1 exit status

rc47379@ares:~\$./urlshortener

50 Characters: http://craie-programmin...mber%20normal)/scores.C
45 Characters: http://craie-programm...er%20normal)/scores.C
10 Characters: htt...s.C
rc47379@ares:~\$ cat stringshortener.tpq

There isn't an odd() function in the standard library. (Or an even() one for that r

-Test if the string.length is even with the modulus operator

You think it's a good idea to print a ruler over the ellipsis-sized string to check

```
1          2          3          4          5          6
123456789012345678901234567890123456789012345678901234567890
```

How can you get the first line to print all spaced out like that? It lines up so ne

-Each character is monospaced in this font so it would only have to print a specif:

```
You can obviously count keep_per_endcharacters from the beginning of the string fa:  
-It starts at the index "keep_per_end - string.length"rc47379@ares:~$ exit  
exit  
Script done on 2026-02-11 13:18:24-06:00 [COMMAND_EXIT_CODE="0"]
```