# Stellaris Sandbox: DML and DDL Queries

Matthew S. Macovsky

Logan P. Traffas

CS 340-400 Winter 2021

Oregon State University

# **Contents**

1	Proj	ect Ou	tline	3		
2	Database Outline					
3	Entity-Relationship Diagram					
4	Schema					
Αŗ	pend	lices		8		
A Upgrades to Draft						
	A.1	Step 2		8		
	A.2	Step 3	Draft	8		
	A.3	Step 3		8		
	A.4	Step 4		8		
В	Feed	eedback and Fixes				
	B.1	Grader	Feedback (Step 1)	9		
		B.1.1	Maximum text length not specified	9		
		B.1.2	Lack of foreign key attributes	9		
		B.1.3	Lack of clarity in relationship meaning	9		
	B.2	Draft I	Review (Step 2)	10		
		B.2.1	Review 1	10		
		B.2.2	Review 2	11		
		B.2.3	Review 3	12		
		B.2.4	Review 4	14		

B.3	Grader Feedback (Step 3 Draft)		
	B.3.1	Lack of clarity in relationship between Systems and Resources	16
B.4	Draft I	Review (Step 3)	17
	B.4.1	Review 1	17
B.5	Grader	Feedback (Step 3)	17
	B.5.1	Missing pages for relationships	17

## 1 Project Outline

In the videogame Stellaris, players control galactic empires competing for control of a galaxy and its resources. Stellaris Sandbox is a database-driven website that will allow users to design a galaxy so that a game of Stellaris can be played in it. This will provide users with the freedom to create new starting circumstances for players, lending itself especially to role-playing oriented players. Stellaris has an average of 14,000 concurrent players on PC alone and a number of active online communities, together making up a large audience with a potential interest in the tool. A custom mod would be needed in order to import the galaxies designed in Stellaris Sandbox into the game itself.

Using Stellaris Sandbox, users can create between 200 and 1000 Systems within the galaxy as well as the hyperlanes that connect them. Users can also create between 0 and 10 Bodies, such as planets, within Systems that can each contain 0 to 3 exploitable Resource deposits. Alcontrolled Empires can also be created that span Systems and start off with given quantities of each Resource.

In Stellaris, there is only one galaxy, so Stellaris Sandbox will only allow design of a single galaxy at a time. Since users will be expected to create galaxies with a large number of Systems, Stellaris Sandbox will provide templates and other tools to automatically generate features which can then be edited by the user.


## 2 Database Outline

- Empires: Pre-existing, Al-controlled galactic empires
  - empirelD: int, auto\_increment, unique, not NULL, PK
  - □ name: varchar(255), not NULL
  - aggressiveness: varchar(16), not NULL, one of {"passive", "moderate", "aggressive"}
  - primaryColor: varchar(7), not NULL, the color Hex code
  - secondaryColor: varchar(7), not NULL, the color Hex code
  - isFallenEmpire: bool, not NULL
  - Relationship: 1:M between Empires and Systems, implemented with empireID as a FK within Systems. This relationship represents which empire owns the system.
  - Relationship: M:M between Empires and Resources, implemented in a separate table with empireID and resourceID as FKs and an int resourceQuantity. This represents resource stockpiles owned by an empire. Logan Traffas will work on this relationship in the database.
  - Matthew Macovsky will work on this & the associated website aspects.
- Systems: Star systems connected by hyperlanes and controlled by empires
  - systemID: int, auto\_increment, unique, not NULL, PK
  - name: varchar(255), not NULL
  - type: varchar(16), not NULL, one of {"unary", "binary", "trinary"}
  - orbitalRadius: float, not NULL, between 0.1 and 1.0
  - theta: float, not NULL, between 0 and 360. The theta and orbitalRadius attributes together indicate the positions of Systems in the galaxy using polar coordinates.
  - empireID: int, FK
  - Relationship: M:M between Systems, implemented in a separate table with system1 and system2 as FKs. This relationship consists of the hyperlane connections between systems. Matthew Macovsky and Logan Traffas will work together on this relationship in the database.
  - Relationship: 1:M between Systems and Bodies, implemented with systemID as a FK within Bodies.
     Logan Traffas will work on this & the associated website aspects.
  - Indirect Relationship: M:M between Systems and Bodies, since Systems contain Bodies which are in turn related to Resources. Does not require explicit implementation in the database.
- Bodies: Astronomical bodies that reside in systems (namely planets and asteroids)
  - bodyID: int, auto\_increment, unique, not NULL, PK

- name: varchar(255), not NULL
- type: varchar(16), not NULL, one of {"planet", "asteroid"}
- orbitalRadius: float, not NULL, between 0.1 and 1.0
- theta: float, not NULL, between 0 and 360. The theta and orbitalRadius attributes together indicate the positions of Bodies in Systems using polar coordinates.
- systemID: int, not NULL, FK
- Relationship: M:M between Bodies and Resources, implemented in a separate table with bodyID and resourceID as FKs and an int resourceQuantity. This represents resource deposits on a body that can produce that many of that resource per month. Matthew Macovsky will work on this relationship in the database.
- Logan Traffas will work on this & the associated website aspects.
- Resources: Resource deposits on bodies that can be exploited by empires
  - resourceID: int, auto\_increment, unique, not NULL, PK
  - □ name: varchar(255), not NULL
  - baseMarketValue: float, greater than 0
  - color: varchar(7), not NULL, the color Hex code
  - Matthew Macovsky will work on this & the associated website aspects.

# 3 Entity-Relationship Diagram

## Stellaris Sandbox: ER Diagram



## 4 Schema

```
Empires(
        empireID,
        name,
        aggressiveness,
        primaryColor,
        secondaryColor,
        isFallenEmpire)
Systems(
        systemID,
        name,
        type,
        orbitalRadius,
        theta,
        empireID)
Bodies(
        bodyID,
        name,
        type,
        orbitalRadius,
        theta,
        systemID)
Resources(
        resourceID,
        name,
        baseMarketValue,
        color)
Hyperlanes(
        system1ID,
        system2ID)
ResourceStock(
        empireID,
        resourceID,
        quantity)
ResourceDeposits(
        bodyID,
        resourceID,
        quantity)
```

# **Appendix A Upgrades to Draft**

## **A.1** Step 2

None.

## A.2 Step 3 Draft

 Change colors to use RGB hex color codes rather than a choice between a small number of colors.

## **A.3** Step 3

None.

## **A.4** Step 4

- Replaced the Systems int starCount attribute with a varchar(16) type attribute that can be one of {"unary", "binary", "trinary"}. Because of the few options available, it makes more sense and is more immersive to use these names rather than a number.
- Changed color attributes to be varchar(7) instead of varchar(6) so that they could include the # symbol in the hex code color (ex: #FFFFFF)

# Appendix B Feedback and Fixes

## **B.1** Grader Feedback (Step 1)

### B.1.1 Maximum text length not specified

#### B.1.1.1 Feedback

"text should be varchar(<max\_length\_of\_text>) e.g.varchar(255)"

#### B.1.1.2 Fix/Response

Specify text attributes as varchar(max\_text\_length).

### **B.1.2** Lack of foreign key attributes

#### B.1.2.1 Feedback

"You specify that there is a 1:M relationship between Empires and Systems with empireID acting as the FK in Systems, but there is no empireID attribute in Systems. Same issue with Systems and Bodies."

### B.1.2.2 Fix/Response

Add FKs to Bodies and Systems to enable 1:M relationships.

### **B.1.3** Lack of clarity in relationship meaning

#### B.1.3.1 Feedback

"The M:M relationship between Systems and Systems is fine, but please clarify that the relationship indicates the hyperlane connections between the two (which is what I inferred)."

#### B.1.3.2 Fix/Response

Clarify that the M:M relationships between Systems and Systems represent hyperlanes between the related systems.

## **B.2** Draft Review (Step 2)

#### **B.2.1** Review 1

#### **B.2.1.1** Contents

- Does the overview describe what problem is to be solved by a website with DB back end?
  - I think a little more clarity here could help. The overview explicitly states that people can create galaxies for the video game that I gather will then be ported to the game itself so people can play within the galaxy. I'm guessing the problem to be solved is that creating galaxies is time consuming and there is a creative aspect that lends itself well to being open to creators who can help the game designers come up with original and unique galaxies to play within. The 'why' that I'm guessing here isn't explicitly stated.
- Does the overview list specific facts?
  - No. I'm not sure how many people they expect to play this game or the benefits of opening up galaxy creation to the public. I get the idea but no context was given as to the why.
- Are at least four entities described and does each one represent a single idea to be stored as a list?
  - Yes.
  - I noticed the Schema has two additional tables(?) that are not present on the ERD.
- Does the outline of entity details describe the purpose of each, list attribute datatypes and constraints and describe relationships between entities? Does the outline clearly indicate which entities (tables) will be implemented and which team member is primarily assigned to the associated page(s)?
  - Yes: Purpose of each
  - Yes: List attribute datatypes and constraints
  - Yes: Describe relationship between entities
  - No: Which team member is primarily assigned to the associated pages
- Are 1:M relationships correctly formulated? Is there at least one M:M relationship?
  - Yes, correctly formulated and at least one M:M
- Is there consistency in a) naming between overview and entity/attributes b) entities plural, attributes singular c) use of capitalization for naming?
  - Yes, consistency present.

#### B.2.1.2 Fixes/Responses

- Fix: Clarify purpose and audience of tool in project overview.
- Fix: Add player numbers to project overview.
- Response: The tables not present in the ERD are M:M relationship tables. No fix needed.
- Fix: Assign team members to entities.

#### B.2.2 Review 2

#### **B.2.2.1** Contents

- Does the overview describe what problem is to be solved by a website with DB back end?
  - It seems like it may be a companion for a tabletop rpg, similar to D&D, or a computer game like Minecraft, where someone can setup a world/server and invite others to join. This will allow someone to setup the star system in their universe so that the game can then be played. After reading through it again it kind of seems like a mix of the games Civilization and No Mans Sky.
- Does the overview list specific facts?
  - It lists facts about the number of different things that can be implemented but not about number of users. Seems like it can be 1 to many users since it mentions AI empires can be generated.
- Are at least four entities described and does each one represent a single idea to be stored as a list?
  - Yes, there are 4 entities.
- Does the outline of entity details describe the purpose of each, list attribute data types and constraints and describe relationships between entities? Does the outline clearly indicate which entities (tables) will be implemented and which team member is primarily assigned to the associated page(s)?
  - The outline lists the entities along with attributes and their types. A bit of description would be helpful for people unfamiliar with them. For instance, Theta is an attribute in a few tables ranging from 0 360 (degrees). I am guessing that it is probably the location of the object in its orbit gut it could also be associated with the spin or tilt of the object as well. The tables that are mentioned for containing the M:M relationships are not in the outline or ER diagram.
- Are 1:M relationships correctly formulated? Is there at least one M:M relationship?

- It seems like they are correctly formatted based on the ER diagram. The schema doesn't list what are foreign keys and would be easier to see if it was in a diagram with arrows going from entities to foreign keys. There is more than 1 M:M relationship.
- Is there consistency in a) naming between overview and entity/attributes b) entities plural, attributes singular c) use of capitalization for naming?
  - Yes, everything seems to be consistent with naming, plurality, and case.

### **B.2.2.2** Fixes/Responses

- Fix: Clarify what theta is.
- Response: The ER diagram is only required to have primary keys listed.

#### B.2.3 Review 3

#### **B.2.3.1** Contents

- Does the overview describe what problem is to be solved by a website with DB back end?
  - The overview clearly spells out your goals. I am wondering whether an empire could relate to systems across multiple galaxies or if it would be limited to systems a single galaxy. Similarly, I wonder if hyperplanes can connect systems across galaxies or if they would be limited to making connections within a single galaxy.
- Does the overview list specific facts?
  - Yes, the numerical specificity and clarity of the relationships (with the exceptions identified above) is good. I wonder about implementing the minimum bound of 200 systems per galaxy. This makes sense to me conceptually, but I think it could be painful from the perspective of a user needing to create 200 systems in order to initialize a galaxy.
- Are at least four entities described and does each one represent a single idea to be stored as a list?
  - Yes
- Does the outline of entity details describe the purpose of each, list attribute datatypes and constraints and describe relationships between entities? Does the outline clearly indicate which entities (tables) will be implemented and which team member is primarily assigned to the associated page(s)?
  - Yes, great job

# • Are 1:M relationships correctly formulated? Is there at least one M:M relationship?

- The M:M empire\_resources relationship doesn't make sense to me in context of the hierarchical design described in your overview. For example, if an empire owns a system, which contains bodies, which contain resources, doesn't that empire already own the resources by extension? Wouldn't a separate empire\_resources linking table either duplicate that ownership or indicate conflicting ownership?
- In describing the 1:M relationship between systems and bodies, you have written: "This relationship consists of the hyperlane connections between systems. I think maybe that statement belongs in the description of the M:M system to system relationship.
- it seems to me that the resourceQuantity attribute should be assigned to the Resources table, not the M:M relationship between bodies and resources. Here I'm assuming that if resources are collected from a resource, all associated systems should see that change. The M:M relationship between resources and systems also seems inconsistent to me with your overview which indicates resources are "contained" in systems. Please see my first comment in response to this question, as I think that issue is tied into this as well. I think the broader conceptual question needing clarification is: what is the conceptual nature of a resource and how a resource is shared (e.g. can two bodies in the same system share a resource? can two bodies in separate systems share a resource? two bodies in separate galaxies?)?

# Is there consistency in a) naming between overview and entity/attributes b) entities plural, attributes singular c) use of capitalization for naming?

Yes, this looks good to me, though it might make things easier to use plural or singular in both the table names and the key names (both foreign and primary) e.g. Empire and empireID or Empires and empiresID. I just just think it's possible this would make writing queries easier.

#### B.2.3.2 Fixes/Responses

- Fix: Clarify that Stellaris only allows for a single galaxy.
- Fix: Add that tool will have the capability to randomly generate systems.
- Fix: Clarify that empires have planets which contain exploitable resource deposits (x resources/month) as well as their own stockpiles of resources.
- Fix: Move clarification about hyperlanes to correct relationship description.
- Response: There is no relationship between systems and resources.
- Response: We prefer the table names to be plural (as they will contain many entities) and the attribute names to be singular (as they will contain the ID of a single entity).

#### B.2.4 Review 4

#### B.2.4.1 Contents

- Does the overview describe what problem is to be solved by a website with DB back end?
  - The database will be in charge of maintaining newly created systems, bodies, and resources, as well as tracking changes over time that happen between the systems.
- Does the overview list specific facts?
  - Yes, they do a good job of being thorough with each attribute. I also think it was smart that they limited the systems, bodies, and resources to the numbers they chose. With what they are trying to achieve those seem like well thought out parameters.
- Are at least four entities described and does each one represent a single idea to be stored as a list?
  - Yes. I'm a bit confused on some of these entities which I explain in the next part.
- Does the outline of entity details describe the purpose of each, list attribute datatypes and constraints and describe relationships between entities? Does the outline clearly indicate which entities (tables) will be implemented and which team member is primarily assigned to the associated page(s)?
  - For the second question, they list out tasks well and seem spread out effectively.
  - You list that Empires to Systems will be 1 to M but the ERD shows M:M
  - I'm a bit confused on the Systems Entity. Are Star Systems being treated like cities, where say Portland (Star System) is in Oregon (Empire), and that theoretically we could go from one city to another, one star system to another star system.
  - I'm a bit confused on the relationship from Empires to Systems, which says there must be at least one system to a empire. What happens to the system attached to the empire when it falls? If an empire can fall, it seems like it should be 0 to all the connected pieces.
  - Are asteroids always orbiting something since there must be an orbitalRadius?
- Are 1:M relationships correctly formulated? Is there at least one M:M relationship?
  - Shouldn't there be another table for the M:M from Empires to Systems?
  - The other 1:M relationships seem fine.
- Is there consistency in a) naming between overview and entity/attributes b) entities plural, attributes singular c) use of capitalization for naming?

- Yes, in response to the review above, I think that have the key names be singular helps to solidify these are individual parts of the entity. Having everything be plural confuses me.
- l'm a fan of camelCase

#### B.2.4.2 Fixes/Responses

- Fix: Correct the relationship in the ERD between Empires and Systems to be 1:M.
- Response: Ships can move between star systems, but that isn't part of this tool, only part of the game itself. Empires can claim ownership of star systems in their entirety.
- Response: This is a valid point during gameplay, but since the tool is for designing starting galaxies no empire will be without a system.
- Response: In Stellaris, asteroids, like planets, always orbit the system's star(s).
- Response: The M:M relationship between Empires and Systems in the ERD was an error.
- Response: See response to the point about pluralization in the previous review.

## **B.3** Grader Feedback (Step 3 Draft)

### B.3.1 Lack of clarity in relationship between Systems and Resources

#### B.3.1.1 Feedback

"I'm iffy on the argument that there are no relationships between systems and resources. There is because a system has a body and a body has resources. So its an indirect 1:M relationship. I'm not going to say you have to make any changes other than maybe expand, perhaps in your overview what the relationship is between Systems  $\xi$  Bodies  $\xi$  Resources and explicitly state why Systems has no relationship with Resources."

#### B.3.1.2 Fix/Response

Fix: Add clarification in section about the Systems entity that there is an indirect M:M relationship between Systems and Resources via the relationship between Systems and Bodies.

## B.4 Draft Review (Step 3)

#### **B.4.1** Review 1

#### B.4.1.1 Contents

Matthew and Logan, it looks like you have a good start on your project. You have created a cool looking interface so far. I saw the tables for Resources and Bodies, but the pages for Empires and Systems were not loading, so I'm guessing these still might be in progress. I noticed you had the ability to add rows for both Resources and Bodies, but are still working on update and delete functionality. I also didn't see anything representing the relationships, so maybe these are coming when Empires and Systems are added as well.

#### B.4.1.2 Fixes/Responses

- Response: The Empires and Systems pages loaded correctly when tried by both of us we're not sure what the issue the reviewer had was.
- Fix: Create the missing relationship management pages for Hyperlanes, ResourceStock, and ResourceDeposits.

## **B.5** Grader Feedback (Step 3)

## **B.5.1** Missing pages for relationships

#### B.5.1.1 Feedback

"Just make sure you don't forget to represent your Hyperlanes, ResourceStock and ResourceDeposits on the web app. I did not see anywhere they were represented."

#### B.5.1.2 Fix/Response

Fix: Create the missing relationship management pages for Hyperlanes, ResourceStock, and ResourceDeposits.