Figure 1: timing-pattern

1

Figure 2: timing-n-polymorphic-universes param-1-n 0

The figure shows a plot with x-axis labeled "0-univ-count" (ranging from 0 to 16,000) and y-axis labeled "time (s)" (ranging from 0 to 30). The legend includes:

- abstract-real (red circle)
- $9.36 \cdot 10^{-8} \cdot x^2 + 3.51 \cdot 10^{-4} \cdot x$
- close-abstract-real (blue star)
- $9.35 \cdot 10^{-8} \cdot x^2 + 2.77 \cdot 10^{-4} \cdot x$
- exact-real (magenta circle with x)
- $7.6 \cdot 10^{-5} \cdot x - 4.74 \cdot$

Figure 3: timing-repeat-setoid-rewrite-under-binders

3

Figure 4: timing-repeat-setoid-rewrite-under-binders-noop

4

Figure 5: timing-rewrite-strat-under-binders

Figure 6: timing-rewrite-repeated-app-autorewrite

Figure 7: timing-rewrite-repeated-app-autorewrite-noop

Figure 8: timing-rewrite-repeated-app-ssrrewrite

○	try-ssr-rewrite!-cold-noop-rea
—	$5.13 \cdot 10^{-7} \cdot x + 3.17 \cdot 10^{-2}$
⋆	try-ssr-rewrite!-noop-real
—	$4.88 \cdot 10^{-7} \cdot x - 4.06 \cdot 10^{-3}$
⊗	try-ssr-rewrite-noop-real
—	$4.73 \cdot 10^{-7} \cdot x - 1.34 \cdot 10^{-3}$
■	try-ssr-rewrite?-noop-real
—	$4.67 \cdot 10^{-7} \cdot x + 1.45 \cdot 10^{-3}$

Figure 9: timing-rewrite-repeated-app-ssrrewrite-noop param-1-lgn   1

9

Figure 10: timing-rewrite-repeated-app-rewrite-strat

The legend of the figure contains the following entries:

- abstract+rewrite-strat-bottomu...
- rewrite-strat-bottomup-rea...
- abstract+rewrite-strat-topdow...
- rewrite-strat-topdown-rea...
- close-abstract+rewrite-strat-botto...
- close-abstract+rewrite-strat-topd...
- rewrite-strat-topdown-noop-...
- rewrite-strat-bottomup-noop-...

Figure 11: timing-rewrite-repeated-app-fast-rewrite

11

Figure 12: timing-rewrite-repeated-app-fast-rewrite-no-abstract

Figure 13: timing-typeclass-reification-let-in-HOAS

Figure 14: timing-typeclass-reification-let-in-PHOAS

Figure 15: timing-rewrite-repeated-app-fast-rewrite-ltac2

15