

Figure 1: timing-pattern



Figure 2: timing-n-polymorphic-universes param-1-n 0



Figure 3: timing-repeat-setoid-rewrite-under-binders



Figure 4: timing-repeat-setoid-rewrite-under-binders-noop



Figure 5: timing-rewrite-strat-under-binders



Figure 6: timing-rewrite-repeated-app-autorewrite



Figure 7: timing-rewrite-repeated-app-autorewrite-noop



Figure 8: timing-rewrite-repeated-app-ssrrewrite



Figure 9: timing-rewrite-repeated-app-ssrrewrite-noop param-1-lgn 1



Figure 10: timing-rewrite-repeated-app-rewrite-strat



Figure 11: timing-rewrite-repeated-app-fast-rewrite



Figure 12: timing-rewrite-repeated-app-fast-rewrite-no-abstract



Figure 13: timing-typeclass-reification-let-in-HOAS



Figure 14: timing-typeclass-reification-let-in-PHOAS


time (s)
n
0
2
4
6
8
10
12
14
16
18
20
0
500
1,000
1,500
2,000
2,500
3,000

abstract-real
$2.24 \cdot 10^{-6} \cdot x^2 + 1.04 \cdot 10^{-4} \cdot x$
abstract-user
$2.24 \cdot 10^{-6} \cdot x^2 + 9.68 \cdot 10^{-5} \cdot x$
fast-rewrite-real
$1.87 \cdot 10^{-6} \cdot x^2 + 5.59 \cdot 10^{-5} \cdot x$
fast-rewrite-user
$1.87 \cdot 10^{-6} \cdot x^2 + 4.87 \cdot 10^{-5} \cdot x$
close-abstract-rea
$3.69 \cdot 10^{-7} \cdot x^2 + 4.72 \cdot 10^{-5} \cdot x$
close-abstract-use
$3.69 \cdot 10^{-7} \cdot x^2 + 4.7 \cdot 10^{-5} \cdot x$
type-pf-cast-real
$2.72 \cdot 10^{-7} \cdot x^2 - 1.25 \cdot 10^{-5} \cdot x$
type-pf-cast-user
$2.72 \cdot 10^{-7} \cdot x^2 - 1.25 \cdot 10^{-5} \cdot x$
check-admit-user
$2.75 \cdot 10^{-7} \cdot x^2 - 2.4 \cdot 10^{-5} \cdot x$
check-admit-real
$2.74 \cdot 10^{-7} \cdot x^2 - 2.27 \cdot 10^{-5} \cdot x$
check-admit-cast-u
$2.75 \cdot 10^{-7} \cdot x^2 - 2.07 \cdot 10^{-5} \cdot x$
check-admit-cast-re
$2.74 \cdot 10^{-7} \cdot x^2 - 2.04 \cdot 10^{-5} \cdot x$
type-admit-cast-re
$2.63 \cdot 10^{-7} \cdot x^2 - 1.86 \cdot 10^{-5} \cdot x$
type-admit-cast-us
$2.63 \cdot 10^{-7} \cdot x^2 - 1.89 \cdot 10^{-5} \cdot x$
refine-real
$2.51 \cdot 10^{-7} \cdot x^2 + 2.04 \cdot 10^{-5} \cdot x$
$5.41 \cdot 10^{-4} \cdot x - 5.84 \cdot$
refine-user
$2.51 \cdot 10^{-7} \cdot x^2 + 1.92 \cdot 10^{-5} \cdot x$
$5.4 \cdot 10^{-4} \cdot x - 5.83 \cdot$
type-admit-user
$2.78 \cdot 10^{-7} \cdot x^2 - 5.52 \cdot 10^{-5} \cdot x$
type-admit-real
$2.77 \cdot 10^{-7} \cdot x^2 - 5.34 \cdot 10^{-5} \cdot x$
check-pf-cast-use
$2.58 \cdot 10^{-7} \cdot x^2 - 1.83 \cdot 10^{-5} \cdot x$
check-pf-cast-rea
$2.58 \cdot 10^{-7} \cdot x^2 - 1.72 \cdot 10^{-5} \cdot x$
build-eval-thunk-us
$1.17 \cdot 10^{-4} \cdot x - 6.22 \cdot$
build-eval-thunk-re
$1.18 \cdot 10^{-4} \cdot x - 5 \cdot 1$
build-thunk-user
$1.16 \cdot 10^{-4} \cdot x - 6.81 \cdot$
build-thunk-real
$1.17 \cdot 10^{-4} \cdot x - 5.53 \cdot$
check-l-real