Figure 1: timing-pattern

1

Figure 2: timing-n-polymorphic-universes param-1-n  0

Figure 3: timing-repeat-setoid-rewrite-under-binders

3

Figure 4: timing-repeat-setoid-rewrite-under-binders-noop

4

Figure 5: timing-rewrite-strat-under-binders

Figure 6: timing-rewrite-repeated-app-autorewrite

The chart contains the following legend entries and fitted curves:

- abstract+rewrite!-
  $2.48 \cdot 10^{-5} \cdot x^2 - 5.62 \cdot 10^{-4} \cdot$
- abstract+autorewrit
  $2.44 \cdot 10^{-5} \cdot x^2 - 5.28 \cdot 10^{-4} \cdot$
- rewrite!-real
  $1.58 \cdot 10^{-5} \cdot x^2 - 5.4 \cdot 10^{-4} \cdot x$
- autorewrite-rea
  $1.54 \cdot 10^{-5} \cdot x^2 - 4.85 \cdot 10^{-4} \cdot$
- close-abstract+rewrit
  $8.98 \cdot 10^{-6} \cdot x^2 - 4.1 \cdot 10^{-5} \cdot x$
- close-abstract+autorew
  $8.97 \cdot 10^{-6} \cdot x^2 - 6.77 \cdot 10^{-5} \cdot$
- rewrite?-noop-re
  $2.23 \cdot 10^{-5} \cdot x - 7.95$
- autorewrite-noop-
  $2.23 \cdot 10^{-5} \cdot x - 7.96$

Figure 7: timing-rewrite-repeated-app-autorewrite-noop

Figure 8: timing-rewrite-repeated-app-ssrrewrite

Figure 9: timing-rewrite-repeated-app-ssrrewrite-noop param-1-lgn   1

Figure 10: timing-rewrite-repeated-app-rewrite-strat

Figure 11: timing-rewrite-repeated-app-fast-rewrite

Figure 12: timing-rewrite-repeated-app-fast-rewrite-no-abstract