2009 H1N1 (swine flu pandemic) cases, deaths, and hospitalizations

Interpolated counts from Counts from Oct 2009 to March 2010

The CDC provided middle, low and high, estimate counts for the categories below for each month from Oct 2009 to March 2010.

Estimates starting from April 2009 (the beginning of the H1N1 pandemic) are not given, these were interpolated using spline estimation.



First case was reported on April 13, 2009 https://www.cdc.gov/mmwr/preview/mmwrhtml/mm5815a5.htm

2009 H1N1 (swine flu pandemic) cases, deaths, and hospitalizations

Interpolated counts from counts from Oct 2009 to March 2010


The CDC provided middle, low and high, estimate counts for the categories below for each month from Oct 2009 to March 2010.

Estimates starting from April 2009 (the beginning of the H1N1 pandemic) are not given, these were interpolated using spline estimation.




2009 H1N1 cumulative cases by day vs Covid-19

320 days after the first case



2009 H1N1 cumulative cases by day vs Covid-19


336 days after the first case



Sources: The New York Times, https://github.com/nytimes/covid-19-data accessed 2020-12-06 (Covid19); https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm (H1N1)


2009 H1N1 estimated deaths by day vs Covid-19 deaths

320 days after the first case



2009 H1N1 estimated deaths by day vs Covid-19 deaths


336 days after the first case



2009 H1N1 new cases by day vs Covid-19 cases

336 days after the first case

Vertical blue lines are for reference and placed every two months
after the frst case for each pandemic




2009 H1N1 new deaths by day vs Covid-19 deaths

336 days after the first case


Vertical blue lines are for reference and placed every two months
after the frst case for each pandemic

Change Type Decreased Increased Unchanged Other Coronavirus Jun.2020...... Aug.2020..... Feb. 2020 Apr. 2020 . . . Oct 2020..... Dec.2020... 3k 2k 1k 0 100 200 300 **H1N1** Jun 2009 Oct 2009 Feb 2010 Aug 2009 Dec 2009 200 100 0 100 200

COVID 19 Cases in the US



COVID 19 Deaths in the US



Rates by Counties

Jan 2020

Apr 2020

New cases, 7 and 14 days rolling average

variable - rollingMean07Day - rollingMean14Day Los Angeles 7500 5.541 5000 2500 0 **Orange** 7500 5000 2500 Riverside 7500 5000 2500 San Bernardino 7500 5000 2500

Sources: The New York Times, https://github.com/nytimes/covid-19-data accessed 2020-12-06 (Covid19)

Oct 2020

Jan 2021


Jul 2020

Rates by Counties by 100K population

New cases, 7 and 14 days rolling average


Rolling Average - 7-day - 14-day

Difference between 7 and 14 days rolling average -10-5 0 5 1015




Days to double the number of cases

based on daily counts for when the counts increase from one day to the next day only, the if the counts double in more than 35 days they show as 35 days.



Cummulative cases per 1k persons by state region


the four highest states by region are highlighted



Sources: The New York Times, https://github.com/nytimes/covid-19-data accessed 2020-12-06 (Covid19)
U.S. Census Bureau; American Community Survey, 2014-2018 5-year Estimates,
Table B01003_001 TOTAL POPULATION; generated with tidycensus R package.


7-day rolling average of daily cases per 100k persons by state region

the four highest states by region are highlighted



Sources: The New York Times, https://github.com/nytimes/covid-19-data accessed 2020-12-06 (Covid19)
U.S. Census Bureau; American Community Survey, 2014-2018 5-year Estimates,
Table B01003_001 TOTAL POPULATION; generated with tidycensus R package.

Cummulative cases per 1k persons for California counties selected counties highlighted



7-day rolling average of daily cases per 100k persons by California counties selected counties highlighted

