


2009 H1N1 (swine flu pandemic) cases, deaths, and hospitalizations

Interpolated counts from counts from Oct 2009 to March 2010

The CDC provided middle, low and high, estimate counts for the categories below for each month from Oct 2009 to March 2010.

Estimates starting from April 2009 (the beginning of the H1N1 pandemic) are not given, these were interpolated using spline estimation.

Type Cases Deaths Hospitalizations




2009 H1N1 (swine flu pandemic) cases, deaths, and hospitalizations

Interpolated counts from counts from Oct 2009 to March 2010

The CDC provided middle, low and high, estimate counts for the categories below for each month from Oct 2009 to March 2010.

Estimates starting from April 2009 (the beginning of the H1N1 pandemic) are not given, these were interpolated using spline estimation.

Type Cases Deaths Hospitalizations




Note: y-axis is in log scale

Source: https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm (H1N1)

First case was reported on April 13, 2009 <https://www.cdc.gov/mmwr/preview/mmwrhtml/mm5815a5.htm>

2009 H1N1 cumulative cases by day vs Covid-19


722 days after the first case



Note: Chart is in logarithmic scale. Vertical scale is compress to show changes in percentage terms.
A rise from 100 to 110 takes the same space as a rise from 100,000 to 110,000 since both are 10% changes.

2009 H1N1 cumulative cases by day vs Covid-19


722 days after the first case



Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2022-01-12 (Covid19); https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm (H1N1)

2009 H1N1 estimated deaths by day vs Covid-19 deaths


722 days after the first case



Note: y-axis is in log scale
Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2022-01-12 (Covid19);
https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm (H1N1)

2009 H1N1 estimated deaths by day vs Covid-19 deaths

722 days after the first case




Note: y-axis is in log scale
Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2022-01-12 (Covid19);
https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm (H1N1)

2009 H1N1 new cases by day vs Covid-19 cases

Vertical blue lines are for reference and placed every two months after the first case for each pandemic

Change Type Decreased Increased Other Unchanged





Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2022-01-12 (Covid19); https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm (H1N1)

2009 H1N1 new deaths by day vs Covid-19 deaths


Vertical blue lines are for reference and placed every two months after the first case for each pandemic

Change Type ■ Decreased ■ Increased ■ Unchanged ■ Other




Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2022-01-12 (Covid19);
https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm (H1N1)

COVID-19 Cases in the US



COVID-19 Deaths in the US




Rates by Counties


New cases, 7 and 14 days rolling average

variable ● rollingMean07Day ● rollingMean14Day


Los Angeles




Orange



Riverside



San Bernardino



2020-01

2020-07

2021-01

2021-07

2022-01

Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2022-01-12 (Covid19)

Rates by Counties by 100K population


New cases, 7 and 14 days rolling average

Rolling Average — 7-day — 14-day

Difference between
7 and 14 days rolling average



-50 0 50 100




Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2022-01-12 (Covid19)


Days to double the number of cases

based on seven day rolling average of new cases,
for counts increase only, if the counts double in more
than 35 days they show as 35 days.


Los Angeles




Orange



Riverside




San Bernardino




Structural change analysis of daily new cases

blue lines with dates reflect when there was a break in the trend for each county


Los Angeles




Orange



Riverside



San Bernardino




2020 022020 042020 062020 082020 102020 122020 022021 042021 062021 082021 102021 122021 02

Note: new break trends can developed as new daily counts are included.
Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2022-01-12 (Covid19)

Structural change analysis of daily new deaths


blue lines with dates reflect when there was a break in the trend for each county



Note: new break trends can developed as new daily counts are included.
Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2022-01-12 (Covid19)

Cummulative cases per 1k persons by state region


the four highest states by region are highlighted



Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2022-01-12 (Covid19)
 U.S. Census Bureau; American Community Survey, 2014-2018 5-year Estimates,
 Table B01003_001 TOTAL POPULATION; generated with tidycensus R package.

7-day rolling average of daily cases per 100k persons by state region


the four highest states by region are highlighted



Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2022-01-12 (Covid19)
 U.S. Census Bureau; American Community Survey, 2014-2018 5-year Estimates,
 Table B01003_001 TOTAL POPULATION; generated with tidycensus R package.

Cummulative cases per 1k persons for California counties

selected counties highlighted



7-day rolling average of daily cases per 100k persons by California counties

selected counties highlighted

