2009 H1N1 (swine flu pandemic) cases, deaths, and hospitalizations

Interpolated counts from Counts from Oct 2009 to March 2010

The CDC provided middle, low and high, estimate counts for the categories below for each month from Oct 2009 to March 2010.

Estimates starting from April 2009 (the beginning of the H1N1 pandemic) are not given, these were interpolated using spline estimation.



First case was reported on April 13, 2009 https://www.cdc.gov/mmwr/preview/mmwrhtml/mm5815a5.htm


2009 H1N1 (swine flu pandemic) cases, deaths, and hospitalizations

Interpolated counts from counts from Oct 2009 to March 2010


The CDC provided middle, low and high, estimate counts for the categories below for each month from Oct 2009 to March 2010.

Estimates starting from April 2009 (the beginning of the H1N1 pandemic) are not given, these were interpolated using spline estimation.







306 days after the first case



Sources: The New York Times, https://github.com/nytimes/covid-19-data accessed 2020-11-22 (Covid19); https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm (H1N1)




336 days after the first case




Sources: The New York Times, https://github.com/nytimes/covid-19-data accessed 2020-11-22 (Covid19); https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm (H1N1)

2009 H1N1 estimated deaths by day vs Covid-19 deaths




2009 H1N1 estimated deaths by day vs Covid-19 deaths



2009 H1N1 new cases by day vs Covid-19 cases

336 days after the first case


Vertical blue lines are for reference and placed every two months
after the frst case for each pandemic




2009 H1N1 new deaths by day vs Covid-19 deaths

336 days after the first case


Vertical blue lines are for reference and placed every two months
after the frst case for each pandemic



COVID 19 Cases in the US




COVID 19 Deaths in the US



Rates by Counties

New cases, 7 and 14 days rolling average

variable ← rollingMean07Day ← rollingMean14Day




Rates by Counties by 100K population

New cases, 7 and 14 days rolling average


Rolling Average - 7-day - 14-day

Difference between 7 and 14 days rolling average -5 0 5 10 15



Cummulative cases per 1k persons by state region


the four highest states by region are highlighted



Jan 2020 Apr 2020 Jul 2020 Oct 2020 Jan 2021 Jan 2020 Apr 2020 Jul 2020 Oct 2020 Jan 2021


7-day rolling average of daily cases per 100k persons by state region

the four highest states by region are highlighted



Sources: The New York Times, https://github.com/nytimes/covid-19-data accessed 2020-11-22 (Covid19)
U.S. Census Bureau; American Community Survey, 2014-2018 5-year Estimates,
Table B01003_001 TOTAL POPULATION; generated with tidycensus R package.

Cummulative cases per 1k persons for California counties selected counties highlighted



Sources: The New York Times, https://github.com/nytimes/covid-19-data accessed 2020-11-22 (Covid19)
U.S. Census Bureau; American Community Survey, 2014-2018 5-year Estimates,
Table B01003_001 TOTAL POPULATION; generated with tidycensus R package.

7-day rolling average of daily cases per 100k persons by California counties selected counties highlighted

