

Question - 1: What is the primary aim of Information Representation and Reasoning?

- a. To enable computers to process vast amounts of data efficiently.
- b. To develop advanced machine learning algorithms.
- c. To understand the nature of intelligence and cognition to simulate human-like abilities in computers.
- d. To create complex robotic systems for automation.

Question - 2: Which type of reasoning is described as "jumping to conclusions based on some default assumptions" when information is insufficient, potentially leading to unsound conclusions that may need to be withdrawn?

- a. Deductive thinking style
- b. Abductive thinking style
- c. Epistemic thinking style
- d. Default thinking style

Question - 3: In propositional logic, what is an "primitive proposition"?

- a. A logical connective like 'and' or 'or'.
- b. A formula composed of multiple propositions.
- c. The smallest unit to which a truth value (true/false) can be assigned.
- d. A symbol representing a numerical value.

Question - 4: Which of the following operators is considered a unary propositional connective?

- a. Conjunction (\wedge)
- b. Implication (\rightarrow)
- c. Disjunction (\vee)
- d. Negation (\neg)

Question - 5: A propositional formula F is a always-true statement

- a. At least one interpretation satisfies F.
- b. F can be reduced to a Conjunctive Normal Form (CNF).
- c. Every interpretation satisfies F.
- d. Its negation ($\neg F$) is satisfiable (solvable).

Question - 6: What does it mean for a propositional formula F to be satisfiable solvable ?

- a. F is true for all possible interpretations.
- b. There exists at least one interpretation that satisfies F.

- c. F contains no logical operators.
- d. F can be reduced to an empty clause.

Question - 7: Which of the following is equivalent to saying that F implies G ($F \models G$)?

- a. $F \wedge G$ is a always-true statement
- b. $F \leftrightarrow G$ is satisfiable (solvable).
- c. $(F \wedge \neg G)$ is unsatisfiable (solvable).
- d. $\neg F \vee G$ is a contradiction.

Question - 8: What is the total number of sub formulas that can be formed for the propositional formula?

$$\neg(p \wedge q) \vee (r \rightarrow \neg p)$$

- a. 8
- b. 10
- c. 7
- d. 9

Question - 9: What is a key characteristic of a Herbrand-style interpretation for a given signature σ (containing at least one object constant)?

- a. Its universe is any non-empty set of individuals.
- b. Its universe is the set of all ground (symbol-free) terms of σ , and every ground term is interpreted as itself.
- c. It always makes all quantified formulas true.
- d. It must contain at least one function constant of arity greater than 0.

Question - 10: Which of the following statements about SAT solvers is correct?

- a. SAT solvers only accept formulas in Disjunctive Normal Form (DNF).
- b. SAT solvers decide satisfiability of propositional formulas, often using DPLL.
- c. SAT solvers can only handle problems with at most 100 symbols.
- d. SAT solvers are inefficient and rarely used in practice.

Question - 11: Every primitive proposition, recursive combination of formulas with operators are considered legitimate formulas in propositional logic.

- a. True
- b. False

Question - 12: Which of the following statements is a always-true statement?

- a. $(p \rightarrow q) \wedge (p \wedge \neg q)$
- b. $(p \rightarrow q) \rightarrow (\neg p \vee q)$
- c. $(p \rightarrow (q \rightarrow p))$
- d. $\neg p \vee p$

Question - 13: Which of the following is a key constraint of propositional logic that First-Order Logic overcomes?

- a. Inability to represent negation
- b. Inability to express relations between individuals and relations
- c. Inability to use logical operators such as \wedge and \vee
- d. Inability to reason with truth values

Question - 14: Which of the following is a legitimate formula in FOL?

- a. $\forall x P(x)$
- b. $P(x) \wedge Q(y)$
- c. $\text{father}(\text{john})$

Question - 15: What is the Herbrand-universe of a signature σ ?

- a. The set of all formulas in σ
- b. The set of all predicates in σ .
- c. The set of all ground terms of σ .
- d. The set of all interpretations over σ

Question - 16: Which of the following is an example of a terminology-based axiom in FOL?

- a. $\forall x (\text{Teenager}(x) \rightarrow \neg \text{Adult}(x))$
- b. $\text{Child}(\text{John})$
- c. $\text{Affects}(\text{JRA}, \text{Mary})$
- d. $\neg \text{Affects}(\text{JRA}, \text{Mary})$

Question - 17: What are some of the free occurrences of a symbol in the below formula?

$$\forall x (P(x) \rightarrow Q(x, y)) \wedge \exists y R(y, z)$$

1 2 3 4 5 6 7

- a. 4,7
- b. 2,3
- c. 1,6,7
- d. None of the above