
Sunburst Pie Chart

Contents

The Sunburst pie chart 1
The Sunburst pie chart GUI and input csv file 2
The Sunburst pie chart output 4
The Filtering options 7

The Sunburst pie chart

The Sunburst pie chart, known by multiple names such as **ring chart** and **radial treemap**, is used to visualize a hierarchical dataset. It shows hierarchy through **a series of concentric rings**, where **each ring corresponds to a level in the hierarchy. Each ring is segmented proportionally to represent its constituent details**.




The Sunburst pie chart GUI and input csv file


Suppose that you want to visualize the values of the NER PERSON for the corpus of Chinese Government Work Reports (CGWR). The filenames in the corpus (e.g., 1954_Mao_Zhou.txt) contain the year of the report (e.g., 1954), the name of the President (e.g., Mao), and the name of the Premier (e.g., Zhou).

	Word	NER	tokenBegi	tokenEnd	Sentence I	Sentence	Document
2	1954	DATE	8	9	1	Report on t	1
3	########	DATE	11	14	1	Report on t	1
4	First	ORDINAL	16	17	1	Report on t	1
5	First Natio	ORGANIZA	20	25	1	Report on t	1
6	Republic o	COUNTRY	29	32	1	Report on t	1
7	Zhou Enlai	PERSON	32	34	1	Report on t	1
8	Premier	TITLE	35	36	1	Report on t	1
9	State Cour	ORGANIZA	38	41	1	Report on t	1


You need to start by selecting the document and the names embedded in it.



Then you hit +



Using the Search field dropdown menu, you select NER and enter PERSON as Search value.
Then hit + again and select Word, the field that contains the actual instances of NER PERSON.
You leave the Search values field blank so that ALL PERSON values will be used.



You can click on Show to display the combination of csv file field and value entered.




The display tells you that you have selected the files with the following embedded names: Mao, Hu, Jiang, Deng, Xi. Any other csv file record without these names would be ignored (although these are all the China Premiers, so we do not need to worry about ignoring data), with NER value PERSON, and all the values for Word inside PERSON.


Now you hit RUN to display the following chart.

The Sunburst pie chart output


And here is the output, the fully interactive, html Sunburst pie chart.



You can click on any slice of the pie, the chart will activate. For instance, click on PERSON inside Deng, to obtain a new chart.



Hovering over any part of the chart will display information about that slice.



Click repeatedly at the center core of the pie to return to the original display.

The Filtering options

By default, the Filtering options is set to **No filtering**. This option allows for all values in the selected variables (i.e., slices in the circles) potentially resulting in very dense circles, depending on the number of values in each slice.

The selection of a fixed parameter (set to 50 as default) will restrict the maximum number of values displayed in the outer circles.

Basically, filtering enables the display of the most frequent values, eliminating the creation of minute slice sections for infrequent values that become invisible to the eye.