

# TOSHIBA

## **e-STUDIO™ 908/1058/1208**

- Departmental/Light Production
- Advanced Paper Handling
- Proven Reliability
- High Volume
- Solutions Ready



# EMPOWER YOUR BUSINESS IN POWERFUL WAYS.

If you're looking for ways to grow and expand your business, Toshiba has the answer. With the e-STUDIO1208 Series, you can take advantage of impressive speeds, outstanding reliability, and flexible paper handling. That's just the beginning, because the processing and output are equally impressive.

## A workhorse at work.

Amazing performance starts right out of the gate with a first copy out time as fast as 3.2 seconds and copy speeds of 90, 105 and 120 pages per minute. Want to scan? That's done at up to 240 impressions per minute (ipm) for double sided documents and 120 ipm for single sided. All of these outstanding features are right at your fingertips, thanks to an intuitive, large touch panel.

## Performance never looked so good.

Outstanding image quality at 1,200 x 1,200 dpi is consistently impressive, even across long print runs. You can rest assured documents of all sizes will turn out precise and accurate, run after run after run. And, you can use a variety of media – up to 160lb index. Need more toner? Simply replace the toner cartridge while the job is still running.

## The technology of getting what you want.

In addition to speed and image quality, the e-STUDIO1208 Series offers a variety of paper handling, input and finishing options. There's also extra-large paper capacity and document storage. In addition, you get to choose from various paper trays, folding units and finishers.

## More processing, less effort.


The series features powerful Intel processors and large RAM, which allows the systems to handle large runs in very little time. Furthermore, PCL6 and genuine Adobe PostScript 3 come standard. A 10/100/1000 BaseT Gigabit Ethernet connection enables transferring of large files quickly and the e-STUDIO1208 Series 1 TB HDD can store 35,000 pages while performing all of the impressive MFP functions.

## The business of security.


Security continues to be a growing issue for businesses around the world. Toshiba stays ahead of the game. The e-STUDIO1208 Series lets you breathe easier by offering security features such as Data Overwrite, Encryption, Authentication, Hidden Pattern Printing and Image Logs.

## Environmentally and business friendly.

At Toshiba, we go to great lengths to reduce our environmental impact, and yours. We rank in the highest levels thanks to accomplishments like being RoHS Compliant and ENERGY STAR® rated. The e-STUDIO1208 Series utilizes CO2 reducing plastics and toner, Energy Save and Eco Modes, Enhanced Power Shut-Off and Eco Scan as well as a reduced TEC value. We are always working to make sure our environmental impact is a positive one.



A large 250-sheet Duplex Single Pass Feeder (DSPF) handles your biggest jobs with ease. Time saving features like an interposer and a multitude of finishing options allow you to produce professional looking documents, brochures, and booklets.



## THE e-STUDIO1208 SERIES AT A GLANCE.

### Super fast features

- > First copy out time as fast as 3.2 seconds
- > 90, 105 and 120 pages per minute respectively
- > Up to 240 images per minute scan speeds

### Ease of use

- > Up to 15" touch screen control panel
- > Access to the entire user manual at the keyboard
- > Full fax functionality on the e-STUDIO908

### Workhorse performance

- > Up to 1,000K monthly copy volume
- > Hefty toner yield of 120K at 5% coverage

### Massive paper handling


- > Up to 13,500-sheet maximum paper capacity
- > Up to 9 paper sources plus 2 insert sources
- > Handles up to 160lb index

### Network print and scan

- > PCL6 and genuine Adobe PostScript 3 come standard
- > USB-direct printing and scanning
- > Direct print from FTP, web page, email and SMB

### Various finishing options

- > 100-sheet stapler finisher
- > 100-sheet stapler finisher with saddle stitch
- > Folding and post inserter options



A convenient status indicator changes color, runs solid or blinks to let you know when the MFP needs attention. ➤

A variety of options allows you to configure an MFP that perfectly suits your needs. All with the speed, reliability, and quality you've come to expect from Toshiba.





## Main Specifications

<b>System Overview</b>	Base Models include LCD, DSPF, 1TB Hard Disk Drive, PCL6®/Adobe® PostScript® 3™ Network Printing, Color Network Scanning, Web Browser, Keyboard
<b>Type</b>	Console, Monochrome Multi-Function Digital Document System
<b>Display</b>	15.4" WXGA (e-STUDIO1058/1208) or 10.1" WXGA (e-STUDIO908) Color Touch Panel Tilting Display
<b>Functions</b>	Copy, Print, Network Print, Network Scan and Document Filing
<b>Copy System</b>	Dry Electrostatic Transfer/Dual Component Developer/Magnetic Brush Development/OPC/White LED Exposure/Heat Roller Fusing Sheets and Bound Documents
<b>Originals</b>	11" x 17"
<b>Max Original Size</b>	Min. 5.5" x 8.5", Max. 11" x 17" + 12" x 18"
<b>Copy Size</b>	90/105/120 PPM (8.5" x 11")
<b>Copy Speed</b>	Max. 9999 Copies
<b>Multiple Copy</b>	Platen Glass: 4.0/3.2/3.2 Seconds
<b>First Copy Time</b>	DSPF: 6.3/5.5/5.5 Seconds
<b>Warm Up Time</b>	210 Seconds
<b>Magnification</b>	25% to 400% in 1% Increments (with Document Feeder 25%-200%)
<b>Original Feed</b>	250-Sheet DSPF
<b>Scan Speed</b>	DSPF Scan: Up to 240 IPM (200IPM e-STUDIO1058/1208)
<b>Original Sizes</b>	5.5" x 8.5", 8.5" x 11", 8.5" x 11" R, 8.5" x 14", 11" x 17"
<b>Paper Capacity</b>	e-STUDIO908 - Std. 3,100 Sheets/Max. 8,500 Sheets e-STUDIO1058/1208 - Std. 3,000 Sheets/Max. 13,500 Standard: Tandem Tray 1 - 1200 Sheets (Letter), Tandem Tray 2 - 800 Sheets (Letter), Trays 3/4 - 500 Sheets ea. (Letter/Legal/Ledger/Statement/12" x 18"), Multi-Bypass Tray (for Machine) - 100 Sheets (Letter/Legal/Ledger/Statement/12" x 18"), Multi-Bypass (for LCT) - 500 Sheets (Letter/Legal/Ledger/Statement/12" x 18"), LCT (2-Drawer) - 2,500-Sheets Each Drawer (Letter/Legal/Ledger/12" x 18"), Letter LCC - 3,500 Sheets (Letter) Tandem Trays - 16-28 lb Bond, Trays 3/4 - 16 lb Bond to 100 lb Bristol, Multi-Bypass Tray (for Machine) - 15 lb Bond to 110 lb Cover, Multi-Bypass Tray (for LCT) - 15 lb Bond to 100 lb Bristol, LCT (2-Drawer) - 15 lb Bond to 110 lb Cover, Letter LCC - 16 lb Bond to 110 Cover. Supported Paper Types Include Thin, Plain, Recycled, Color, Letterhead, Pre-printed and Pre-Punched and Glossy Standard Automatic Duplex Copying and Printing e-STUDIO908 - 1.91 GHz Multi-Processor e-STUDIO1058/1208 - 1.8 GHz Multi-Processor
<b>Paper Feed Sizes</b>	RJ-45 Ethernet (10/100/1,000 Base-T), USB 2.0 (2 Host Ports, Front and Rear), USB 2.0 (1 Device Port) 6GB (e-STUDIO1058/1208 5GB) 1TB 1200 x 1200 dpi / 600 x 600 dpi Monochrome/Grayscale Text, Text/Printed-Photo, Printed-Photo, Text Photo, Photo, Map, Pale-Color Settings: Auto or 9 Step Manual 256 Gradations/2 Levels (Monochrome) Electronic Sort, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Image Preview/Edit, Auto Tray, Paper Type Selection Switching, Rotate Copy, Reserve Copy, Tandem Copy, Book Copy, Margin Shift, Edge/Center Erase, Book Divide, Dual Page, Cover/Insert Page, OHP Insert, Job Build, Card Shot, Blank Page Skip, Mirror/B/W Reverse, Proof, Pamphlet, Watermark, Custom Image, Job Programs Up to 1,000 Users. Supports User Authentication (via LDAP Server) for Copy, Print, Scan and Document Management
<b>Paper Weights and Types</b>	International ENERGY STAR® Program Ver. 2.0, Law on Promoting Green Standards Purchasing, European RoHS (Restriction of Hazardous Substances) AC 208-240 VAC, 60 HZ, 15 Amps Power 3.55 kW or Less Approx. 665 lb e-STUDIO908 Approx. 42.75" (W) x 31.25" (D) x 48.75" (H) e-STUDIO1058/1208 Approx. 45" (W) x 30.5" (D) x 60.25" (H)
<b>Duplexing</b>	
<b>CPU</b>	
<b>Interface</b>	
<b>Memory</b>	
<b>Hard Disk Drive</b>	
<b>Resolution Scan/Copy</b>	
<b>Copy Modes</b>	
<b>Exposure Control Modes</b>	
<b>Halftone</b>	
<b>Copy Features</b>	
<b>Account Control</b>	
<b>Environmental</b>	
<b>Power Source</b>	
<b>Consumption Maximum</b>	
<b>Weight</b>	
<b>Dimensions</b>	

## Network Printing System (Standard)

<b>PDL</b>	PCL6, True Adobe, PostScript 3
<b>Resolution</b>	1200 x 1200 dpi
<b>Print Speed</b>	90/105/120 Pages Per Minute (8.5" x 11")
<b>Print Drivers</b>	Windows Server® 2008-2012, Windows Server® 2008-2012 x64, Windows® 8, Windows® 8 x64, Windows® 8.1, Windows® 8.1 x64, Windows® 10, Windows® 10 x64, macOS X (Including 10.4-10.11)
<b>Features</b>	Auto Configuration, Continuous Printing, Electronic Sorting, N-Up Printing, Duplex Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Bypass Print, Job Retention, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks
<b>Additional Features</b>	Multiple Pamphlet Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, Form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and More
<b>Direct Printing</b>	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A1, PostScript (Plus DOCX, XLSX, PPTX & PNG e-STUDIO908 Only). Methods: FTP, Web Page, Email, Network Folder and USB
<b>Resident Fonts</b>	80 Outline Fonts (PCL), 139 Fonts (PS)
<b>Interface</b>	RJ-45 Ethernet 10/100/1,000 Base-T, USB 2.0
<b>Operating Systems</b>	Windows Server® 2008-2012, Windows® 7, Windows® 8/8.1, Windows® 10, macOS X (10.4-10.11), UNIX®, Linux®, and Citrix® XenApp
<b>Network Protocols</b>	TCP/IP (IPv4, IPv6, IPSEC) SSL (HTTP, IPP, FTP), SNMPv3, SMTP, POP3, LDAP, 802.1x for Windows® and UNIX®, LPD and LPR for UNIX®, IPX/SPX® for Novell® Environments and EtherTalk® for Macintosh Environments
<b>Printing Protocols</b>	LPR, IPP, IPPS, PAP, Raw TCP (Port 9100), FTP and Novell® Pserver/Rprinter

Designs and specifications are subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage of a Letter-sized page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. This is a Class 1 laser product complying with IEC60825-1. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

## Network Scanning System (Standard)

<b>Scan Modes</b>	Standard: Color, Monochrome, Grayscale
<b>Max. Original Size</b>	11" x 17"
<b>Optical Resolution</b>	600 dpi
<b>Output Modes</b>	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
<b>Image Formats</b>	Monochrome: TIFF, PDF, Encrypted PDF, XPS, PDF/A Color/Grayscale: Color TIFF, JPEG, PDF, Encrypted PDF, PDF/A1, Compressed PDF1, XPS1 (+ Searchable PDF, DOCX, XLSX, PPTX & PNG e-STUDIO908 Only) Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (High, Middle, Low)
<b>Image Compression</b>	Email, Desktop, FTP, Folder, (SMB), USB
<b>Scan Destinations</b>	Up to 2,000 (Combined Scan Destinations)
<b>One-Touch Destinations</b>	Up to 500
<b>Group Destinations</b>	48 (Combined)
<b>Programs</b>	Up to 100
<b>Max. Jobs</b>	TCP/IP and TLS (Includes HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP and 802.1x
<b>Network Protocols</b>	

## 4K 100-Sheet Stapler/Finisher (MX-FN21: option)

<b>Type</b>	4,000-Sheet Console Stapler Finisher (100-Sheet Stapling)
<b>Output Trays</b>	Upper Tray: Moving Offset Tray (Up to 1,500 Letter Sheets) Middle Tray: 250 Sheets (Letter, Non-Stapled) Lower Tray: Moving Offset Tray (Up to 2,500 Letter Sheets) Up to 100 Sheets (Letter/Statement) Plain Paper, Letter/Legal/Ledger or Mixed 1 Front, 1 Rear, or 2 Point Stitching Optional Three-Hole Punch Unit MX-PN13B 20 VAC, 60 HZ, 15 Amps 200w/350w with MX-FD10 Approx.: 134.5 lb Approx.: 35.25" (W) x 30" (D) x 41" (H) (with Tray Extended)
<b>Stapling Capacity</b>	
<b>Stapling Media</b>	
<b>Stapling Positions</b>	
<b>Hole Punching</b>	
<b>Power Source</b>	
<b>Power Consumption</b>	
<b>Weight</b>	
<b>Dimensions</b>	

## 4K 100-Sheet Stapler/Saddle-Stitch Finisher (MX-FN22: option)

<b>Type</b>	4,000-Sheet Console Stapler Finisher (100-Sheet Stapling)
<b>Output Trays</b>	Upper Tray: Moving Offset Tray (Up to 1,500 Letter Sheets) Middle Tray: 250 Sheets (Letter, Non-Stapled) Lower Tray: Moving Offset Tray (Up to 2,500 Letter Sheets) Up to 100 Sheets (Letter/Statement) Plain Paper, Letter/Legal/Ledger or Mixed 1 Front, 1 Rear, or 2Point Stitching Center Stitch/Center Fold (2 Staples) Letter/Legal/Ledger Paper, Saddle-Stitch Up to 5 Sets (16-20 Sheets)/10 Sets (11-15 Sheets)/15 Sets (6-10 Sheets)/Max. Sets: 25 (1-5 Sheets) Optional Three-Hole Punch Unit MX-PN13B 120 VAC, 60 HZ, 15 Amps 200W/350W with MX-FD10 Approx. 134.5 lb Approx. 35.25" (W) x 30" (D) x 41" (H) (with Tray Extended)
<b>Stapling Capacity</b>	
<b>Stapling Media</b>	
<b>Stapling Positions</b>	
<b>Saddle Stitch</b>	
<b>Hole Punching</b>	
<b>Power Source</b>	
<b>Power Consumption</b>	
<b>Weight</b>	
<b>Dimensions</b>	

## Optional Equipment

<b>MX-CF11</b>	Insertor
<b>MX-FD10</b>	Multi-Folding Unit
<b>MX-LC12</b>	3,500-Sheet Large Capacity Cassette (Letter)
<b>MX-LC3N</b>	3,000 Sheet Large Capacity, Ledger (e-STUDIO908 Only)
<b>MX-LC13N</b>	5,000-sheet Large Capacity 2-Drawer Air Feed Tray (Ledger)
<b>MX-MFX1</b>	100-Sheet Multi-Bypass Tray (for Machine)
<b>MX-MF11</b>	500-Sheet Multi-Bypass Tray (for MX-LC13)
<b>MX-FN21</b>	4K Stacking 100-Sheet Staple Finisher
<b>MX-FN22</b>	4K Stacking 100-Sheet Staple/Saddle Stitch Finisher
<b>MX-FN24</b>	3K Stacking 50-Sheet Staple Finisher (e-STUDIO908 Only)
<b>MX-FN25</b>	3K 50-Sheet/Saddle Stitch Finisher (e-STUDIO908 Only)
<b>MX-CF11</b>	2-Tray Insertor Unit
<b>MX-FD10</b>	Multi-Folding Unit
<b>MX-RB16</b>	Large Capacity Tray Mounting Kit
<b>MX-RB17</b>	Large Capacity Tray Tandem Connecting Kit
<b>MX-RB18</b>	Curl Correction Unit
<b>MX-RB13</b>	Relay Unit
<b>MX-TM10</b>	Trimmer Unit
<b>MX-PN13B</b>	3-Hole Punch Unit (for MX-FN21/FN22)
<b>MX-PNX4B</b>	3-Hole Punch Unit (for MX-FN24/FN25)
<b>MX-SL10N</b>	Status Indicator
<b>MX-FX15</b>	Fax Expansion Kit (e-STUDIO908 Only)

## Supplies

<b>T1207U</b>	Toner Cartridge (Yield 120K @ 5%)
<b>6LS00016000</b>	Developer D1207
<b>Staple2000</b>	Staple Cartridge (for MX-FN24/FN25)
<b>Staple3100</b>	Staple Cartridge (for MX-FN25 - Saddle)
<b>Staple2400</b>	Staple Cartridge (for MX-FN22 - Saddle)
<b>Staple2600</b>	Staple Cartridge (for MX-FN21/FN22)

## Corporate Office

25530 Commercentre Drive, Lake Forest, CA 92630  
Tel: 949-462-6000  
959 Route 46 East, 5th Floor, Parsippany, NJ 07054  
Tel: 973-316-2700  
8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631  
Tel: 773-380-6000  
2037 Bakers Mill Rd., Dacula, GA 30019  
Tel: 678-546-9385  
25530 Commercentre Drive, Lake Forest, CA 92630  
Tel: 949-462-6000  
www.business.toshiba.com

## East Coast

## Midwest

## South

## West Coast

## Web Site