Conditional Query Parameters for CoAP Observe

Status of the draft

- Version -13
- Github Issues all closed

What's changed/added in -13:
New Section: Advertising Support for Conditional Parameters

- Background:
  - Github Issue #59 (Add an if= description)
  - Section 2.4 of draft-ietf-core-corr-clar-04
  - Interim meeting and mailing list discussions
- Resource MAY advertise support by including the interface description "core.conditional" as a target attribute:

```
</temperature>;rt="core.s";if="core.conditional";obs
```


- A resource MAY support the conditional parameters defined in this document without advertising this interface type
  - Conversely, advertising this interface type does not by itself guarantee that any particular conditional parameter is supported
  - No mechanism defined in this document for discovering which individual conditional parameters a resource supports

What's changed/added in -13:
Server Processing: Unsupported Conditional Parameters (1/2)


- A resource that receives a conditional parameter it does not support MUST treat that parameter as having no effect on the observation, and MUST process the remainder of the request as usual
  - Such a request MUST NOT be rejected solely because a conditional parameter is not supported.
- Examples follow in next slide
  - Just confirming: Is this what we want?
  - Again, referring to previous discussions, is there any interest in escalating a need to know which query parameters are/are not supported?

What's changed/added in -13:
Server Processing: Unsupported Conditional Parameters (2/2)

Example 1:



Example 2:



What’s changed/added in -13:

Removal of this text:

This document defines conditional query parameters that refine the behavior of a resource when used in conjunction with the Observe mechanism. As such, this specification does not require resources to advertise explicit support for conditional parameters through resource discovery. More specifically, it does not define a new CoRE Link Format (if=) interface type for advertising support of these conditional parameters. This specification intentionally avoids defining such an interface type at this stage, in order to preserve flexibility and to avoid introducing unnecessary coupling between resource interface semantics and request-time projection behavior.

Future specifications MAY define a Link Format interface type or other discovery mechanisms to explicitly advertise support for conditional parameters, should deployment experience indicate that proactive capability discovery is necessary. Such mechanisms would need to clearly specify the behavioral guarantees associated with advertising that interface.

Next Steps

- Draft has been in WGLC
- Draft already received IoTDir early review
- Document ready to move forward?