URI-Path abbreviation in CoAP

`ietf-core-uri-path-abbrev-05`

Christian Amsüss, Michael Richardson

CoRE at IETF126 / Vienna, 2026-07-23

Why?

GET /.well-known/core has 17 bytes of Uri-Path.

EDHOC was unhappy.

cBRSKI is unhappy.

IETFers are jealous of other SDOs[1]

[1] LwM2M's `/rd` is a BCP190 no-go

Solution

Numeric Uri-Path-Abbrev option.

Abbreviated	Expanded
Uri-Path: 0	Uri-Path: “.well-known”, “core”
`d0 00`	`bb . w e l l - k n o w n 04 c o r e`
2	17

Critical. Safe-to-forward[2].

Uri-Host (3), Uri-Port (7), **Uri-Path-Abbrev (13)**, Uri-Query (15).

[2] even though Uri-Path is not

Post-WGLC: -05 published

Addressing WGLC comments

Worked in reviews (and PRs!) from Esko and Marco.

Jon and Mikolai reported from implementations.

- “reject” was ambiguous, now “refuse” a request at access control.
- Editorial changes, including in abstract.

IANA review

Thanks to David, Amanda and Sabrina

- IETF review vs. expert instructions

  Plan: Move text into body, target requesters and reviewers, reference from IANA considerations.

- Name of registry

Can this happen in parallel with the...

Next steps

- Shepherd review (Carsten)