Tags

Updated September 20, 2026 at 10:56 PM

- Create a Tag
- Use Tags to Restrict Access
- Additional Tag Use Cases
- Add Tags in Bulk

Note

You can also use tags to restrict the vehicles or trailers a driver can select with the mobile app. These tags are separate from tags described in this topic which are used to restrict administrative access throughout the Samsara dashboard. For more information, see Driver Profile Settings.

Create a Tag

To segment drivers or vehicles into teams or easily identifiable groups, you can create and assign tags. Tags enable you to zoom in on the performance of individual teams or groups, such as fuel, safety, or route performance.



You are now creating a new tag for your organization. Once your tag is created, it can be used to restrict access and filter views across the dashboard.

Name *

Nest this tag under:

Vehicles in Tag

Select vehicles...

Industrial Gateways in Tag

Select gateways...

Trailers in Tag

Select trailers...

Powered Equipment in Tag


Select powered equipments...

Unpowered Assets in Tag

Select unpowered assets...


From the Samsara Fleet Overview (), you can view groups of vehicles and drivers, such as for a specific team, with tags. Filter by the Tag name to view results for that tag only, or select multiple tags to view results for multiple groups. Tags are powerful when used in Samsara Reports: You can use them to view the performance of individual teams, such as fuel, safety, and route performance.

You can create and edit an unlimited number of tags or customize which vehicles and drivers have tag assignments at any time. Vehicles and drivers can also be associated with multiple teams and therefore can be assigned multiple tags:



To create a tag, follow the detailed workflow below:

1. Select the Settings icon (⚙) at the bottom of your Fleet menu.
2. In **Organization > Tags**, select **+ Create a Tag**.
3. Enter a name to identify your tag.
   The tag name is essentially a group name. For example, you can create a tag to represent a geographic region or a distribution group. Tag names often mirror the names given internally for a group within an organization.
4. (Optional) To create a group within a parent group, you can create a nested tag. Enable **Nest this tag under** and select the parent tag from the menu.



   You can use nesting to create sub-categories within your tags. For example, under a parent Distribution group, you could create more specific child tags for subcategories (such as regions) that fall under Distribution. If you assign a colored marker to the parent tag, all nested tags will inherit the parent's tag color.
5. Select the vehicles, assets, drivers sensors, or trailers that you want to assign to this tag.
6. (Optional) Assign a map marker color for vehicles or assets.
   With colored markers for assets based on tags, you can visually differentiate between your assets on your Fleet Overview map. To prevent tag conflicts, assign only one colored tag to represent a unique attribute, such as vehicle type or jurisdiction.



To view your colored marker tags, from your Samsara dashboard, navigate to your Fleet Overview ( ). At the top of the map select **Map Options > Marker Color > Tag**.
Assets with tags that do not have a color or have a tag conflict appear as a black marker on the Fleet Overview map.

7. **Save** the tag.

Use Tags to Restrict Access

You can use tags to give users access to team-specific information. For example, if your fleet has multiple divisions, you can use tags to give administrators access to only the vehicles or drivers in their specific division.

After you create a tag, you can use it to control an administrator's access by adding or editing users and granting them tag-based administrative access.

> **Note**
>
> Tags restrict access only when you scope a user's role to specific tags. If a user has **Access entire organization**, they can see all tags and tagged assets. There is no separate setting to hide tags.

To limit visibility with tags, remove **Access entire organization** from the user's role and add only the tags that define the assets they should see. Repeat this for each user who should be restricted.

> **Note**
>
> When you change tag assignments or user tag scopes, dashboards and lists refresh to match the new visibility. Plan these changes during a low-impact time.


Additional Tag Use Cases

After you create tags, you can use them throughout the Samsara dashboard. Some example use cases include:

- Narrow down the Fleet Map Overview ( ) and asset list by using tags for a specific region



- Filter your Reports ( ), Compliance Dashboard ( ), and other parts of the Samsara dashboard to see insights by region, vehicle type, or organizational group



- Use Tags to Manage Mobile Devices
- Pair a tag with a read-only role so someone outside your organization can see only their own assets. For example, create a tag for a rental client, assign their trailers to that tag, create a custom viewer role with view-only permissions, and invite that user scoped to the tag.


Add Tags in Bulk

To quickly add tags in bulk, Samsara provides a template in comma-separated values (CSV) format. When you export the template from the Samsara web interface, Samsara includes all existing tags and their unique Samsara IDs. In the CSV file, you can add new tags or modify information about your existing tags.

To use the template to add tags in bulk:

1. Select the Settings icon ( ) at the bottom of your Fleet menu.
2. Select **Organization > Tags**.
3. Select More Actions **(...) > Upload CSV**.

4. Select **Download Tags List** to download a template containing your existing tag definitions or **Download Blank Template** to start a new template and define tags from scratch.



   You can later return to this dialog when you complete your edits in the CSV file.
5. Open the CSV file in a spreadsheet application of your choice.
6. If you open the file in Microsoft Excel, the application identifies the ID as a scientific number. As a result, you must first set the format for the **ID** field as a **Number** and remove any additional decimal places before saving the file. If you skip this step, you will overwrite the unique ID and will need to start over with a new file.
7. Make any desired changes to your tags and save the file. At a minimum, you must include the **ID** and tag **Name**. Use the CSV Format table below to properly format your CSV file prior to upload. Review the following additional considerations for modifying the CSV file:

   - Any changes to existing tags (including blank or empty fields) will overwrite the definitions in Samsara upon import. Be careful in these cases to avoid accidentally overwriting existing stored data.
   - Tags can be added and edited but cannot be deleted in bulk by CSV upload.
   - If you include a column and leave a value blank, Samsara assigns the default value for the field (typically null or blank).
   - Ensure that you have fewer than 50,000 entries.

8. Save your file and return to the Tags page in the Samsara dashboard.
9. Select More Actions **(...) > Upload CSV**.
10. Choose the CSV file from your computer, or drag and drop the CSV file into the window.
11. **Preview** your tag updates.
    The Samsara dashboard displays the **Tags Upload** tab, where you can view the upload progress.
12. **Review** your changes before committing updates to the system.
    If the upload has errors, click **Review Errors**. Edit your CSV file to correct the errors and retry the file upload.
13. **Process Updated Rows** to finish adding tags.

CSV Format

The following table describes the CSV fields you can use to define your tags:

ID	Internal ID number of tag. This field is not editable on import since it represents an internal storage identifier. For new tags, leave this field empty.	1
Name	Tag Name: This field is required when creating new tags.	Arizona
Nest Tag Under	If you want to create a hierarchy in your tag structure, this field denotes the direct parent tag. To nest a tag, it must be present after the entry for the parent tag. If the parent tag doesn't exist or isnt defined before the child tag, you will receive an error.	Southwest
Map Marker Color	Color-coded indicator for assets associated with the tag. The fleet overview page displays the icon for the asset based on the associated tag. Color must be a value from the following list (values are case sensitive): • lightRed • red • darkRed • lightBlue • blue • darkBlue • lightPurple • darkPurple • lightYellow • darkYellow • orange • black	lightRed
Driver Usernames	Usernames of drivers to be added to tag. Multiple values must be comma separated. See Locate Driver Usernames to find your existing assets IDs.	johns, adamg
Asset IDs	IDs of Assets that should be added to tag. Multiple values must be comma separated. See Locate Asset IDs to find your existing assets IDs.	234455677899693
Address IDs	IDs of addresses to be added to the tag. Multiple values must be comma separated. See Locate Address IDs to find your existing Address IDs.	1234567, 7890145

Locate Driver Usernames

To identify driver usernames, perform the following workflow:

1. Select the Settings icon (⚙) at the bottom of your Fleet menu.
2. Select **Drivers**.
3. Review the **Usernames** for your drivers. You can also download your driver list in CSV format from the **More Actions** menu.

Locate Asset IDs

To identify your existing Asset IDs, perform the following workflow:

1. From the Samsara dashboard, select **Overview (📍) > Assets**.

Locate Address IDs

To identify your existing Address IDs, perform the following workflow:

1. Select the Settings icon (⚙) at the bottom of your Fleet menu.
2. Select **Fleet > Address/Geofences**.
3. At the top of the page, select More Options **(...) > Upload CSV**.
4. Select **Addresses List** to download your existing address data.
5. Open the file in your spreadsheet application of choice. Locate the value in the **ID** column for the Address ID.