Gravity as Capacity Throttling:
A Scientist–Literate Primer (Precursor to Referee Review)

[clg][1]

[1][Institution(s)]
(Dated: September 1, 2025)

Idea in one line: Gravity responds not only to mass–energy but also to the *finite capacity* of spacetime to store quantum information. As the universe expands, the *capacity load* increases monotonically (an entropic statement), which throttles the effective strength of gravity in a predictable, testable way.

Three pillars. (1) *Capacity limit adjusts gravity*: tighter capacity $\Rightarrow$ weaker effective G; looser capacity $\Rightarrow$ stronger effective G. (2) *Field strength adjusts capacity limit*: strong fields/curvature push the system closer to its limit (throttling back to GR in high-curvature environments); weak fields sit farther from the limit (room for emergent effects). (3) *Entropy increases monotonically*: a coarse-grained, positive–direction evolution ensures the capacity load never decreases with cosmic time, fixing the sign of corrections and supplying an arrow of time. Put differently, the universe is carrying an ever-increasing "information load" that we experience as a change in the pace of expansion. This monotonicity is what makes the arrow of time manifest at the cosmological level.

Why this matters. The same three principles naturally: (i) reduce late-time growth (S_8 band), (ii) soften Hubble-ladder tensions by a small, controlled amount, and (iii) (*optional, exploratory*) explain lensing peak shifts in shocked cluster gas without touching FRW distances. All with *no hand-tuned parameters*.

1. WHAT "CAPACITY THROTTLING" MEANS

Think of a finite-bandwidth channel. When it is lightly loaded, the channel behaves as if it had more headroom; under heavy load it throttles. Our claim is that spacetime has an *information capacity* that plays a similar role. The cosmic state variable $\varepsilon(a)$ (dimensionless; "capacity load") *monotonically increases* with the scale factor a:

$$\frac{d\varepsilon}{d\ln a} \geq 0 \qquad \text{(monotonic entropy / capacity load increase).}$$

This load renormalizes the effective Planck mass and therefore the effective gravitational coupling.

2. ONE-LINE WORKING EQUATION FOR GROWTH

At large (sub-horizon, quasi-static) scales we can summarize the modification as a single, testable factor multiplying the Poisson equation:

$$\nabla^2 \Phi = 4\pi G a^2 \rho_m \, \mu(\varepsilon, s), \tag{1}$$

$$\mu(\varepsilon, s) = \frac{1}{1 + \frac{5}{12}\,\varepsilon\, s(x)} \qquad \text{(capacity throttling of gravity).} \tag{2}$$

Here Φ is the Newtonian potential, and $s(x) \in [0, 1]$ is a *local environment weight* that collapses to 1 in weak curvature (voids; low Weyl) and to 0 in strong curvature (Solar System, CMB/BAO regime). Thus:

- **Capacity limit adjusts G.** The factor $\mu(\varepsilon, s) < 1$ weakens effective G when the capacity load ε is nonzero (throttling).

- **Field strength adjusts capacity limit.** In strong fields, $s(x) \to 0$ (no throttling; GR recovered). In weak fields, $s(x) \to 1$ (maximal throttling from the background load).

- **Monotonic entropy increase.** Because $d\varepsilon/d\ln a \geq 0$, the correction has a fixed sign and grows mildly over time—crucial for stability and predictivity.

Distances and wave speeds remain GR-like at this working order:

$$\nabla^2 \frac{\Phi + \Psi}{2} = 4\pi G a^2 \rho_m, \qquad c_T = 1,$$

so standard distance ladders (CMB, BAO) stay intact. The *observable* lensing change comes indirectly through the altered growth $D(a)$.

3. A SINGLE PICTURE TO KEEP IN MIND

- *Background (cosmic)*: $\varepsilon(a)$ increases monotonically, throttling growth slightly as the universe ages.

- *Environment (local)*: $s(x)$ turns the throttling off in strong fields (Solar System; early-time CMB/BAO regime) and on in weak fields (voids; late-time LSS).

- *Net effect*: later formation is a bit *less efficient* than GR would predict $\Rightarrow$ lower S_8 without retuning early-time pillars.

Visualization note: A simple schematic—voids shown as shaded regions with $s(x) \approx 1$ (maximal throttling) and compact systems like the Solar System shaded with $s(x) \approx 0$ (GR recovered)—would make this environment switch visually intuitive. Such a figure can be added in a future iteration.

4. THREE CONCISE OUTCOMES

(A) S_8 band (growth). Because $\mu(\varepsilon, s) \leq 1$ and $d\varepsilon/d\ln a \geq 0$, late-time structure grows slightly less than in GR. Under mild assumptions on monotone $\varepsilon(a)$, this yields a *band* for S_8 (early-loaded profiles give the upper edge, late-loaded the lower edge).

> **Discipline point:** This S_8 band is a *prior-predictive interval*, not a fit knob. It comes directly from the monotonic-entropy constraint; it is not adjusted post-hoc to fit data.

(B) Hubble-ladder softening. A small, controlled background throttling modestly reduces the ladder inference for H_0 relative to pure GR baselines, nudging ladder and early-time inferences closer without spoiling CMB/BAO distances.

(C) Optional, local lensing suppression in shocked gas. *Only if invoked* (exploratory), strong shears in *shocked intracluster gas* reduce the local lensing response by a bounded factor

$$\Sigma(x) \simeq 1 - \alpha_{\mathrm{opt}} \, \frac{\mathcal{S}_{\mathrm{shock}}(x)}{1 + \mathcal{S}_{\mathrm{shock}}(x)} \in (0, 1],$$

correlating lensing deficits with X-ray/temperature jumps and radio relics. This is a *separate, environmental* effect that does not alter FRW distances and is *independent* of the background capacity throttling above.

5. WHAT TO MEASURE (MINIMAL, FALSIFIABLE TESTS)

1. **Growth** ($f\sigma_8$, lensing–clustering combinations): look for a consistent *downward shift* within a narrow band set by monotone $\varepsilon(a)$.

2. **Distances** (d_L^{EM} vs. d_L^{GW}; CMB/BAO): *no* working-order split or distance distortion (consistency with GR).

3. **Environment switch** (Solar System, strong-field lenses): *no* deviations—$s(x) \to 0$.

4. **Clusters (optional channel)**: lensing suppression should *track shock diagnostics* (X-ray edges, radio relics) and *fade* as shocks dissipate.

6. CLEAN FALSIFIERS (ANY ONE IS ENOUGH)

- A statistically significant *increase* of growth relative to GR at late times (violates $\mu \leq 1$ and/or $d\varepsilon/d\ln a \geq 0$).

- A robust GR-scale *distance* anomaly at working order (e.g. $d_L^{\mathrm{GW}} \neq d_L^{\mathrm{EM}}$ at the 10^{-3} level in quiet cosmology).

- Solar-System or strong-field lens tests showing deviations (would contradict $s(x) \to 0$).

- For the optional cluster channel: *no spatial correlation* between lensing suppression and independent shock tracers; or a transport-inferred α_{opt} inconsistent with the required suppression.

7. MINIMAL MATH SANDBOX (FOR READERS WHO WANT ONE LINE MORE)

All the action is in a single factor:

$$\mu(\varepsilon, s) = \frac{1}{1 + \frac{5}{12}\, \varepsilon\, s(x)}$$

with three rules of thumb:

1. $\varepsilon(a)$ increases monotonically (entropy/capacity load $\nearrow$ with cosmic time).

2. $s(x) \approx 1$ in weak fields (voids/LSS), $s(x) \approx 0$ in strong fields (CMB/BAO, Solar System).

3. Distances stay GR-like at this order; growth is the *leading* place to look.

8. ONE-PARAGRAPH PROVENANCE (WHY THIS IS PRINCIPLED)

Behind this primer sits a referee-grade derivation: a projected modular-response theorem in QFT (fixing the universal 5/12 weak-field factor), a covariant coarse-graining that yields a positive, contact-like response (monotone capacity load), and an action-level environment weight $s(x)$ that enforces Solar-System safety. The exploratory cluster channel is anchored to standard Schwinger–Keldysh/BRSSS hydrodynamics, making the local lensing suppression a function of transport coefficients rather than a free fit. Readers who want the full derivation can open the technical companion.

9. PLAIN-LANGUAGE SUMMARY (TAKEAWAY)

Capacity sets gravity, fields set capacity, entropy only goes up. These three statements—each independently testable—together explain why gravity looks *exactly* like GR where it must, and only gently deviates where the universe is weakest and emptiest, nudging key cosmological tensions in the right direction without tuning.

Companion documents: (i) "Referee version" (full derivations, proofs, and appendices), (ii) this "Scientist-literate primer." The two are logically consistent; the primer is a map, the referee draft is the proof.