


Actuator



```
function h = CMG_AngMom(h0, theta)
% Produces the angular momentum vector for the CMGs


% Extract alpha and betas
alphas = theta(1:4);
betas = theta(5:8);

h = zeros(3,1);
for ii = 1:4
    h = h + h0*[sin(alphas(ii)); cos(alphas(ii))*cos(betas(ii)); cos(alphas(ii))*sin(betas(ii))];
end
```


```
function X = CMG_X(theta)
% Produces the matrix of CMG spin axes


% Extract alpha and betas
alphas = theta(1:4);
betas = theta(5:8);

X = zeros(3,8);
for ii = 1:4
    X(:,2*ii-1:2*ii) = [cos(alphas(ii)), 0;
        -sin(alphas(ii))*cos(betas(ii)), -cos(alphas(ii))*sin(betas(ii));
        -sin(alphas(ii))*sin(betas(ii)), cos(alphas(ii))*cos(betas(ii))];
end
```



Flight Software





```
function theta_real = ForceReal(theta)

theta_real = real(theta);
```



```
function q_ref2actual = ErrorQuat(q_inertial2body_ref, q_inertial2body_actual)

q_ref2actual = QuatProduct(q_inertial2body_actual,QuatInv(q_inertial2body_ref));

% Force normalization
q_ref2actual = q_ref2actual/norm(q_ref2actual);
```

```
function delta_w = ErrorRate(w_ref, w_actual, q_ref2actual)
delta_w = w_actual - QuatTransform(q_ref2actual,w_ref);
```

```
function dtheta = ErrorQuat2ErrorAngle(q_err)
```

```
% Quaternion components
```

```
q_v = real(q_err(1:3));
```


```
q_s = real(q_err(4));
```

```
dtheta = [atan2(q_v(1),q_s);
```

```
    atan2(q_v(2),q_s);
```

```
    atan2(q_v(3),q_s)];
```

```
function dthetadot = ErrorThetaDot(omega_ref, delta_omega, delta_theta)
dthetadot = delta_omega - cross(omega_ref,delta_theta);
```





```
function T = GGTorque(J, n, r_inertial, q_inertial2body)


% Down in body frame
down_inertial = -r_inertial/norm(r_inertial);
down_body = QuatTransform(q_inertial2body,down_inertial);

% Gravity gradient torque
T = 3*n^2*cross(down_body,J*down_body);
```

```
function n = OrbitRate(mu,r)
n = sqrt(mu/norm(r)^3);
```







```
function q_dot = QuaternionEvolution(omega, q)
intermed = [omega; 0];
q_dot = 0.5*QuatProduct(intermed,q);
```

```
function omega_dot = OmegaEvolution(J, T, omega)
omega_dot = J\T - cross(omega, J*omega);
```


```
function nv = NormVec(v)
```

```
nv = v/norm(v);
```

function q_A2C = QuatProduct_sym(q_B2C,q_A2B)



q_A2C = QuatProduct(q_B2C,q_A2B);

```
function v2 = QuatRotate_sym(q,v)
v2 = QuatTransform(q,v);
```




else { }


Action Port




(u1 < Tf_max)

Action Port








```
function q_dot = QuaternionEvolution(omega, q)
intermed = [omega; 0];
q_dot = 0.5*QuatProduct(intermed,q);
```

```
function omega_dot = OmegaEvolution(J, T, omega)
omega_dot = J\T - cross(omega, J*omega);
```


```
function nv = NormVec(v)
```

```
nv = v/norm(v);
```



if(u1 < 1)

Action Port




else { }

Action Port





```
function v2 = QuatRotate_sym(q,v)
v2 = QuatTransform(q,v);
```

```
function v2 = QuatRotate_sym(q,v)
v2 = QuatTransform(q,v);
```



Plant






```
function q_dot = QuaternionEvolution(omega, q)
intermed = [omega; 0];
q_dot = 0.5*QuatProduct(intermed,q);
```



```
function omega_dot = OmegaEvolution(J, T, omega)
omega_dot = J\T - cross(omega, J*omega);
```

```
function nv = NormVec(v)
```

```
nv = v/norm(v);
```




```
function T = GGTorque(J, n, r_inertial, q_inertial2body)

% Down in body frame
down_inertial = -r_inertial/norm(r_inertial);
down_body = QuatTransform(q_inertial2body,down_inertial);

% Gravity gradient torque
T = 3*n^2*cross(down_body,J*down_body);
```

```
function n = OrbitRate(mu,r)
```

```
n = sqrt(mu/norm(r)^3);
```



```
function a = TwoBodyGrav(r,mu)
```

```
nr = norm(r);
```

```
a = -mu*r/(nr^3);
```