Clinical Data Interchange Standards Consortium (CDISC) Standards in SDTMs and ADaMs

Lesson 9: Understanding Oncology Domains

Sunil Gupta, Gupta Programming
SASSavvy.com

sas Certified Base Programmer

SAS's Circle of Excellence Award

Oncology Background

Over 200 different types of cancer, for men, most common is prostate cancer, and women is breast cancer.

SDTM 3.1.3 Oncology Domains and selected Control Terminology

SDTM	SDTM Name
1) TU	**Tumor Identification** – unique identification of tumors for that patient by radiologist Ex. TUORRES, TUTEST/CD (TUMIDENT, TUMERGE, TUSPLIT)
2) TR	**Tumor Results** – quantitative measurements and/or qualitative assessments of the tumors identified in TU Ex. TRORRES/U, TRTEST/CD (AREA DIAMETER, VOLUME) …
3) RS	**Disease Response** – clinical response evaluations determined from the TR data and other SDTM domains Ex. RSORRES, RSTEST (NE, PD > SD > PR > CR)

Generally one record per patient / tumor / group / sequence #
Some variables are similar to LB variables.

Oncology Domains: TU, TR and RS



Oncology – Monitoring of Lesions RECIST 1.1

SDTM	**TRGRESP** Target, Measurable	**NTRGRESP** Non-Target, non-measurable
1) TU **(ID)** TUTEST/CD, TUORRES	TARGET Lesion	NON-TARGET Lesion
2) TR **(Results)** TRTEST/CD, TRCAT, TRORRES/U	(Quantitative Measurement) # (size in mm)	(Qualitative Measurement) - PRESENT - NON-PRESENT
3) RS **(Response)** RSTEST/CD, RSCAT, RSORRES	- COMPLETE RESPONSE - PARTIAL RESPONSE - STABLE RESPONSE - PROGRESSIVE DISEASE - NOT EVALUABLE	- COMPLETE RESPONSE - NON-COMPLETE RESPONSE / NON-PROGRESSIVE DISEASE - PROGRESSIVE DISEASE - NOT EVALUABLE

TU, TR and RS Sample Control Terms

1) TU – Tumor Identification

TUTESTCD	Tumor Identification Test Code
GRLIDENT	Graft Lesion Identification
LESIDENT	Lesion Identification
LMLIDENT	Limb Lesion Identification
TUMERGE	Tumor Merged
TUMIDENT	Tumor Identification
TUSPLIT	Tumor Split
VSLIDENT	Vessel Lesion Identification

2) TR – Tumor Results

TRTESTCD	Tumor or Lesion Properties Test Code
ACHNAD	Absolute Change From Nadir
ACNSD	Absolute Change Nadir in Sum of Diam
AREA	Area
AVMETSUV	Average Metabolic Standard Uptake Value
DIAMETER	Diameter
LDIAM	Longest Diameter
LESFLIND	

3) RS – Tumor Response

RSTESTCD	Tumor Response Assessment Test Code
BESTRESP	Best Overall Response; Best Response
NEWLPROG	New Lesion Progression
NRADPROG	Non-Radiological Progression
NTRGRESP	Non-target Response
OVRLRESP	Overall Response
TRGRESP	Target Response

TU, TR and RS Domains Example

TUTESTCD	Tumor Identification Short Name	Char	(TUTESTCD)	TUMIDENT TUMERGE TUSPLIT	
TUTEST	Tumor Identification Test Name	Char	(TUTEST)	Synonym Qualifier	Verba value Exam
TUORRES	Tumor Identification Result	TARGET NON-TARGET NEW BENIGN MEASURED NON-MEASURABLE ……			
TUSTRESC	Tumor Identification Result Std. Format				
TUNAM	Vendor Name				

1) Tumor Identification

TULNKID = #
TUTESTCD = 'TUMIDENT'
TUORRESS = 'TARGET'

TRTESTCD	Tumor Assessment Short Name	Char	(TRTESTCD)	AREA DIAMETER VOLUME RADIODEN SUMAREA SUMDIAM SUMLDIAM RADIODEN ……
TRTEST	Tumor Assessment Test Name	Char	(TRTEST)	
TRORRES	Result or Finding in Original Units	Char		
TRORRESU	Original Units	Char	(UNIT)	

2) **Tumor Results (Size)**

TRTESTCD = 'SUMLDIAM'
TRORRES = '36'

3) **Disease Response**

RSTESTCD = 'TRGRESP'

RSORRES = 'PD > SD > PR > CR'
(**Worst to Best**)

RSLNKID	Link ID	Char		Identifier	Used to link the response assessment to the appropriate		Perm
RSLNKGRP	Link Group	Char		BESTRESP	Best Overall Response; Best Response		
RSTESTCD	Response Assessment Short Name	Char	(RSTESTCD)	NRADPROG	Non-Radiological Progression		
RSTEST	Response Assessment Name			NTRGRESP	Non-target Response		
RSCAT	Category for Response Assessment			OVRLRESP	Overall Response		
RSORRES	Response Assessment Original Result			TRGRESP	Target Response		
				NEWLPROG	New Lesion Progression		
				PR	Partial Response; Partial Remission		
				SD	Stable Disease		
				PD	Progressive Disease		
				CR	Complete Response; Complete Remission		
				NE	Not Evaluable		
				…….	……		

Assessment of Overall Lesions Response

Target lesions	Nontarget lesions	New Lesions	Overall lesion response
CR	CR	No	CR **Best**
CR	Incomplete response/SD	No	PR **(Respond)**
CR, PR, SD	UNK	No	UNK
PR	Non-PD and not UNK	No	PR
SD	Non-PD and not UNK	No	SD
UNK	Non-PD or UNK	No	UNK
PD	Any	Yes or No	PD
Any	PD	Yes or No	PD
Any	Any	Yes	PD **Worst (Progress)**

Target lesions can be measureable since they are larger.
Nontarget lesions are all other non-measureable lesions.
New lesions are new lesions post-baseline.

Best: Complete Response
Worst: Progressive Disease

SDTM TU Domain Specs

TU	STUDYID	STUDYID	Study Identifier	Char		Identifier
TU	DOMAIN	DOMAIN	Domain Abbreviation	Char	(DOMAIN)	Identifier
TU	USUBJID	USUBJID	Unique Subject Identifier	Char		Identifier
TU	SEQ	TUSEQ	Sequence Number	Num		Identifier
TU	GRPID	TUGRPID	Group ID	Char		Identifier
TU	REFID	TUREFID	Reference ID	Char		Identifier
TU	SPID	TUSPID	Sponsor-Defined Identifier	Char		Identifier
TU	LNKID	TULNKID	Link ID	Char		Identifier
TU	TESTCD	TUTESTCD	Tumor Identification Short Name	Char	(TUTESTCD)	Topic
TU	TEST	TUTEST	Tumor Identification Test Name	Char	(TUTEST)	Synonym Qualifier
TU	ORRES	TUORRES	Tumor Identification Result	Char		Result Qualifier
TU	TUSTRESC	TUSTRESC	Tumor Identification Result Std. Format	Char	(TUMIDENT)	Record Qualifier

SDTM TU Domain – Key Variables

TUMETHOD: The identification is usually done at a baseline visit by using certain methods of assessments, e.g. MRI, CT, PET, or physical examination, as recommended by the Standardized Response Criteria being used.

TULOC: The anatomic location characterizes the TU domain. Additional anatomical location qualifiers (TULAT, TUDIR, TUPORTOT) might also be used in the database and are permissible fields.

TUTESTCD, TUTEST: Each record in TU corresponds to the identification of one lesion (in this example: TUTESTCD = TUMIDENT).

TUORRES: The result of the identification corresponding to the classification of the identified tumor.

TUDTC: The date on which the image/scan/physical exam was done. Remark: TUDTC is not the date that the image was read by the radiologist to identify tumors and thus does not necessarily represent the date of VISIT.

SDTM TU Domain – Split Lesion Example

FIGURE 2: EXAMPLE OF SPLIT LESION IN THE TU DOMAIN

TUGRPID	TULNKID	TUTESTCD	TUTEST	TUORRES	TULOC	TUMETHOD	VISIT	TUDTC
M2	M2	TUMIDENT	Tumor Identification	MEASURABLE TUMOR LESION	ADENOPATHY PARATRACHEAL	SPIRAL CT	SCREENING	2012-11-01
M2	M2.1	TUMIDENT	Tumor Identification	MEASURABLE TUMOR LESION	ADENOPATHY PARATRACHEAL	SPIRAL CT	VISIT 2	2013-04-15
M2	M2.2	TUMIDENT	Tumor Identification	MEASURABLE TUMOR LESION	ADENOPATHY PARATRACHEAL	SPIRAL CT	VISIT 2	2013-04-15

TULNKID: Reflects the split of a tumor lesion on visit 2 by adding '.1' and '.2' to the original TULNKID (see red circle).

TUGRPID: Variable used to link together a block of related records within a subject in a domain. In this case the split tumor lesion and the originally identified tumor lesion are grouped by using TUGRPID = M2 (measurable lesion 2). A similar principle can be applied for merged lesions. TULNKID will then be a concatenation of the original TULNKID so it reflects the original TULNKID values assigned at the screening visit. For example if M1 and M3 merge, TULNKID might become M1/M3.

TU tracks the growth or division of lesions over time, same TUGRPID, TULNKID is split.

SDTM TU Domain – Radiologist 1 & 2

FIGURE 7: EXAMPLE OF INDEPENDENT ASSESSOR DATA IN THE TU DOMAIN

TUREFID	TULNKID	TUTESTCD	TUORRES	TULOC	TUMETHOD	TUEVAL	TUEVALID	TUACPT-FL	VISIT
27595	R1-101	TUMIDENT	MEASURABLE TUMOR LESION	ADENOPATHY INGUINAL	PET	RADIOLOGIST	RADIOLOGIST 1	N	SCREENING
27595	R1-102	TUMIDENT	MEASURABLE TUMOR LESION	ADENOPATHY ABDOMINAL	PET	RADIOLOGIST	RADIOLOGIST 1	N	SCREENING
27595	R1-501	TUMIDENT	ASSESSABLE TUMOR LESION	ADENOPATHY INGUINAL	PET	RADIOLOGIST	RADIOLOGIST 1	N	SCREENING
27595	R1-502	TUMIDENT	ASSESSABLE TUMOR LESION	ADENOPATHY COMMON ILIAC	PET	RADIOLOGIST	RADIOLOGIST 1	N	SCREENING
31436	R1-301	TUMIDENT	NEW	OTHER	SPIRAL CT	RADIOLOGIST	RADIOLOGIST 1	N	VISIT 2
27595	R2-101	TUMIDENT	MEASURABLE TUMOR LESION	ADENOPATHY ABDOMINAL	PET	RADIOLOGIST	RADIOLOGIST 2	Y	SCREENING
27595	R2-102	TUMIDENT	MEASURABLE TUMOR LESION	ADENOPATHY MEDIASTINAL	PET	RADIOLOGIST	RADIOLOGIST 2	Y	SCREENING
27595	R2-501	TUMIDENT	ASSESSABLE TUMOR LESION	ADENOPATHY MEDIASTINAL	PET	RADIOLOGIST	RADIOLOGIST 2	Y	SCREENING
32693	R2-801	TUMIDENT	NEW	SUBCUTANEOUS MASS	SPIRAL CT	RADIOLOGIST	RADIOLOGIST 2	Y	VISIT 1

SDTM Oncology Control Terminology

A	B	C	D	E	F	G	H
Code	**Codelist Code**	**Codelist Extensible (Yes/No)**	**Codelist Name**	**CDISC Submission Value**	**CDISC Synonym(s)**	**CDISC Definition**	**NCI Preferred Term**
C96780		Yes	Tumor Identification Results	TUMIDENT	Tumor Identification Results	Terminology relevant to tumor identification results.	CDISC SDTM Tumor Identification Result Terminology
C94520	C96780		Tumor Identification Results	TARGET		The identification of a tumor that is present at baseline, is measurable and is the primary target of the therapeutic intervention.	Target Lesion Identification
C94521	C96780		Tumor Identification Results	NON-TARGET		The identification of a tumor or site of disease that is present at baseline and not considered a target tumor, but may be part of the objective assessment of the response to the therapeutic intervention.	Non-Target Lesion Identification
C94522	C96780		Tumor Identification Results	NEW		The identification of a tumor which has not been previously seen or characterized.	New Lesion Identification
C14172	C96780		Tumor Identification Results	BENIGN	Benign	For neoplasms, a non-infiltrating and non-metastasizing neoplastic process that is characterized by the absence of morphologic features associated with malignancy (e.g., severe atypia, nuclear pleomorphism, tumor cell necrosis, and abnormal mitoses). For other conditions, a process that is mild in nature and not dangerous to health. (NCI)	Benign
C103416	C96780		Tumor Identification Results	MEASURED		The identification of a tumor that is present at baseline and will be quantifiably measured over the course of the study.	Measured Tumor Identification
C103423	C96780		Tumor Identification Results	NON-MEASURABLE		The identification of a tumor that is incapable of being measured at baseline.	Non-Measurable Tumor Identification
C103425	C96780		Tumor Identification Results	NOT MEASURED		The identification of a tumor that is present at baseline and will not be quantifiably measured over the course of the study.	Not Measured Tumor Identification
C103442	C96780		Tumor Identification Results	TARGET EXTRA NODAL		The identification of a target tumor located outside of or independent of the lymph node.	Target Extra Nodal Tumor Identification
C103443	C96780		Tumor Identification Results	TARGET NODAL		The identification of a target tumor located at or near the lymph node.	Target Nodal Tumor Identification

ID: TU Example for one SUBJID

SUBJID	TUSEQ	TUGRPID	TULNKID	TUTESTCD	TUTEST	TUORRES	VISIT
0001/0001	1	TARGET	T01	TUMIDENT	Tumor Identification	TARGET	SCREEN
0001/0001	2	TARGET	T02	TUMIDENT	Tumor Identification	TARGET	SCREEN
0001/0001	3	TARGET	T03	TUMIDENT	Tumor Identification	TARGET	SCREEN
0001/0001	4	TARGET	T04	TUMIDENT	Tumor Identification	TARGET	SCREEN
0001/0001	5	TARGET	T05	TUMIDENT	Tumor Identification	TARGET	SCREEN
0001/0001	6	NON-TARGET	NT01	TUMIDENT	Tumor Identification	NON-TARGET	SCREEN
0001/0001	7	NEW	NEW01	TUMIDENT	Tumor Identification	NEW	WEEK 8
0001/0001	8	TARGET	T04.T05	TUMERGE	Tumor Merged	TARGET	WEEK 16
0001/0001	9	TARGET	T03.1	TUSPLIT	Tumor Split	TARGET	WEEK 24
0001/0001	10	TARGET	T03.2	TUSPLIT	Tumor Split	TARGET	WEEK 24

TULNKID counter is reset per SUBJID

Target (Original, Merged, Split) = TXX
Non-Target = NTXX
New = NEWXX

Results: TR Example for one SUBJID

TU is one-to-many records with TR

SUBJID	TRGRPID	TRLNKID	TRLNKGRP	TRTESTCD	TRTEST	TRORRES	VISIT
0001/0001	TARGET	T01	R1	LDIAM	Longest Diameter	22	SCREEN
0001/0001	TARGET	T02	R1	LDIAM	Longest Diameter	14	SCREEN
0001/0001	TARGET		R1	SUMLDIAM	Sum of Longest Diameter	36	SCREEN
0001/0001	NON-TARGET	NT01	R1	TUMSTATE	Tumor State	PRESENT	SCREEN
0001/0001	TARGET	T01	R2	LDIAM	Longest Diameter	24	WEEK 8
0001/0001	TARGET	T02	R2	LDIAM	Longest Diameter	14	WEEK 8
0001/0001	TARGET		R2	SUMLDIAM	Sum of Longest Diameter	38	WEEK 8
0001/0001	NON-TARGET	NT01	R2	TUMSTATE	Tumor State	PRESENT	WEEK 8

Result = RXX

TRLNKGRP counter is reset per SUBJID

TU and TR Linked: One to Many Records

FIGURE 3: EXAMPLE OF TR DOMAIN DATA COLLECTED FOR 1 PATIENT WITH REGARDS TO ASSESSABLE TUMOR LESION A1 IDENTIFIED AT SCREENING. THE UPPER TABLE IS PART OF THE TU- DOMAIN AND IS LINKED WITH THE TR DOMAIN (AS SHOWN IN THE LOWER TABLE) VIA THE --LNKID VARIABLE

TUGRPID	TULNKID	TUTESTCD	TUTEST	TUORRES	TULOC	TUMETHOD	VISIT	TUDTC
A1	A1	TUMIDENT	Tumor iDentification	ASSESSABLE TUMOR LESION	ADENOPATHY CERVICAL	SPIRAL CT	SCREENING	2012-11-01

TRLNKID	TRTESTCD	TRTEST	TRORRES	TRMETHOD	VISIT	TRDTC
A1	LESSTAT	Lesion Status	NO CHANGE	SPIRAL CT	VISIT 1	2013-01-25
A1	LESSTAT	Lesion Status	NOT EVALUABLE	SPIRAL CT	VISIT 2	2013-03-26
A1	LESSTAT	Lesion Status	DECREASED	SPIRAL CT	VISIT 3	2013-05-13

Track results of each lesion over time.

Results: TRTEST/CD Control Terms

TRTESTCD	TRTEST
AREA	Area
DIAMETER	Diameter
LDIAM	Longest Diameter
LPERP	Longest Perpendicular
PCHGBL	Percent Change From Baseline
PCHGNAD	Percent Change From Nadir
SUMAREA	Sum of Area
SUMDIAM	Sum of Diameter
SUMLDIAM	Sum of Longest Diameter
SUMLPERP	Sum of Longest Perpendicular
SUMVDIAM	Sum of Viable Diameter
SUMVOL	Sum of Volume
VDIAM	Viable Diameter
VOLUME	Volume
TUMSTATE	Tumor State

Quantitative / Qualitative Measurements

Response: RS Example for one SUBJID

TR is many-to-one records with RS

SUBJID	RSSEQ	RSLNKGRP	RSTESTCD	RSTEST	RSORRES	RSCAT	VISIT
0001/0001	1		TRGRESP	Target Response	PD	RECIST 1.0	WEEK 8
0001/0001	2		NTRGRESP	Non-target Response	SD	RECIST 1.0	WEEK 8
0001/0001	3	R1	OVRLRESP	Overall Response	PD	RECIST 1.0	WEEK 8
0001/0001	4		TRGRESP	Target Response	SD	RECIST 1.0	WEEK 16
0001/0001	5		NTRGRESP	Non-target Response	SD	RECIST 1.0	WEEK 16
0001/0001	6	R2	OVRLRESP	Overall Response	SD	RECIST 1.0	WEEK 16
0001/0001	7		TRGRESP	Target Response	SD	RECIST 1.0	WEEK 24
0001/0001	8		NTRGRESP	Non-target Response	PD	RECIST 1.0	WEEK 24
0001/0001	9	R3	OVRLRESP	Overall Response	PD	RECIST 1.0	WEEK 24

Result = RXX

Investigator Response: RSORRES= Progressive Disease, Stable Disease, Partial Response or Complete Response.

TR and RS Linked: Many to One Records

EXAMPLE OF LINKING BETWEEN TR DOMAIN AND RS DOMAIN

TRLNKGRP	TRLNKID	TRTESTCD	TRTEST	TRORRES	TRORRESU	TRMETHOD	TRACPT-FL	VISIT
R2-V1	R2-101	LDIAM	Longest Diameter	104.49	mm	PET	Y	SCREENING
R2-V1	R2-101	PPD	Product Perpendicular Diameters	7245.34	mm2	PET	Y	SCREENING
R2-V2	R2-101	LDIAM	Longest Diameter	77.75	mm	SPIRAL CT	Y	VISIT 1
R2-V2	R2-101	PPD	Product Perpendicular Diameters	2506.66	mm2	SPIRAL CT	Y	VISIT 1
R2-V2	R2-501	TUMSTATE	Tumor State	PRESENT		SPIRAL CT	Y	VISIT 1
R2-V2	R2-801	TUMSTATE	Tumor State	PRESENT		SPIRAL CT	Y	VISIT 1

RSLNKGRP	RSTEST	RSCAT	RSORRES	RSEVAL	RSEVALID	RSACPTFL	VISIT
R1-V2	Overall Response	CHESON 2007	SD	RADIOLOGIST	RADIOLOGIST 1	N	VISIT 1
R2-V2	Overall Response	CHESON 2007	PD	RADIOLOGIST	RADIOLOGIST 2	Y	VISIT 1

Tumor Results (Quantitative/Qualitative) and Investigator Response (Progressive / Response) linked by TRLNKGRP/RSLNKGRP

Response: RSTEST/CD Control Terms

RSTESTCD	RSTEST	Definition
TRGRESP	Target Response	An assessment of the response of a target tumor(s) to the therapy.
NTRGRESP	Non-target Response	An assessment of the response of a non-target tumor(s) to the therapy.
OVRLRESP	Overall Response	An assessment of the overall response of the disease to the therapy.
BESTRESP	Best Overall Response	An assessment of the most clinically favorable overall response of the disease to the therapy.
NRADPROG	Non-Radiological Progression	A non-radiological determination of disease progression based on symptoms or other findings.

RSTESTCD	RSTEST	RSCAT	RSORRES	RSSTRESC
SYMPTPD	Symptomatic Deterioration	RECIST 1.0	Increased Pleural Effusion	PD

Linking TU, TR and RS

STYSID1A	TIMPNT1N	VIS1N	VISNAM1A	ASM1D	ASM1O	DTAREP1C	EVL1N	LES1N	LESSIT2A	LESSIT7C	LESSTA5C	LONDMT2N	MET7C	OVRLES2C	REC1N	RES1D	RES1O
ABC123_888	80	888	Summary	27DEC2010	12/27/2010	1	8	3	DOME OF LIVER			0	6		2		
ABC123_888	80	888	Summary	15. Jan 10	1/15/2010	1	0	3	RIGHT LOBE LIVER			1.3	6		3		
ABC123_888	80	888	Summary	03MAR2010	03.03.2010	1	1	3	RIGHT LOBE LIVER			1.1	6		3		
ABC123_888	80	888	Summary	14. Apr 10	4/14/2010	1	2	3	RIGHT LOBE LIVER			1.1	6		3		
ABC123_888	80	888	Summary	26MAY2010	5/26/2010	1	3	3	RIGHT LOBE LIVER			0.6	6		3		
ABC123_888	80	888	Summary	02. Jul 10	07.02.2010	1	4					0.4	6		3		
ABC123_888	80	888	Summary	19. Aug 10	8/19/2010	1	5					0.5	6		3		
ABC123_888	80	888	Summary	04OCT2010	10.04.2010	1	6	3	RIGHT LOBE LIVER			0.4	6		3		
ABC123_888	80	888	Summary	15. Nov 10	11/15/2010	1	7	3	RIGHT LOBE LIVER			0.4	6		3		
ABC123_888	80	888	Summary	27DEC2010	12/27/2010	1	8	3	RIGHT LOBE LIVER			0.4	6		3		
ABC123_888	80	888	Summary				1							3		03MAR2010	03.03.2010
ABC123_888	80	888	Summary				2							3		14. Apr 10	4/14/2010
ABC123_888	80	888	Summary				3							2		26MAY2010	5/26/2010
ABC123_888	80	888	Summary				4							2		02. Jul 10	07.02.2010
ABC123_888	80	888	Summary				5							2		19. Aug 10	8/19/2010
ABC123_888	80	888	Summary				6							2		04OCT2010	10.04.2010
ABC123_888	80	888	Summary				7							2		15. Nov 10	11/15/2010
ABC123_888	80	888	Summary	27DEC2010	12/27/2010	1	8		LEFT LOBE LIVER				5		1		
ABC123_888	80	888	Summary				8									27DEC2010	12/27/2010

TU

TR

RS

TU Tumor Identification

TR Tumor Results

RS Response

CRF Mapping TU, TR and RS





TU Tumor Identification

TR Tumor Results

RS Response



SDTM Oncology CRF

RECIST CRF

SUBJID VISIT

Study: AB-019 | Centre: 0001 | Subject: 0012 | Visit

CLINICAL VISIT RESPONSE

RESPONSE SUMMARY			
	Target Lesion Response Assessment	○ Complete Response ○ Partial Response ○ Stable Disease ○ Progressive Disease ○ Not Evaluable	RSORRES when RSTESTCD=TRGRESP
	Non-Target Lesion Response Assessment	○ Complete Response ○ Non-CR / Non-PD ○ Progressive Disease ○ Not Evaluable ○ Not Applicable	RSORRES when RSTESTCD=NTRGRESP
	Were there any new lesions since the last assessment?	○ No ○ Yes	TRORRES when TRTESTCD=TUMSTATE
	Investigator Overall Response using RECIST 1.0	○ Complete Response ○ Partial Response ○ Stable Disease ○ Progressive Disease ○ Not Evaluable	RSORRES when RSTESTCD=OVRLRESP

ADaM Oncology Domains

ADaM	ADaM Name
ADRS	Response Analysis Dataset
ADTTP	Time to Progression Analysis Dataset
ADPSF	Progression Free Survival Analysis Dataset

CDISC

Eastern Cooperative Oncology Group Performance Status (ECOG)

Questionnaire Supplement to the Study Data Tabulation Model Implementation Guide for Human Clinical Trials