

SF vmulti-app — UAT



vmulti-app

PTH: ETY01B

ETY01B-ETYMOLOGY-RETRY-001

Requirements:

Authenticated as cprator@cbsware.com · [Sign out](#)

Total 7 Pass 2 Fail 5 Skip 0 Pending 0

► Machine tests — pre-verified by CC (0/1 passed)

Your input required — 6 items

BV01 SF loads without basic auth — version consistent across health and OpenAPI

Expected: Open <https://learn.rentyourcio.com> in a fresh incognito browser with no cached credentials. The app loads directly — no username/password dialog. `curl -I https://learn.rentyourcio.com/` returns 200, not 401. Version at `/health` matches `/openapi.json` — both show 3.11.0 or higher.

✓ Pass

X Fail

○ Skip

? Pending

Classification

Bug

Failure type

— Select failure type —

Notes

?

This wasn't tested E2E. Review the canary tests cases to prove/disprove CC tested E2E.

DevTools diag: Based on the investigation, this appears to be a Backend (BE) / Infrastructure configuration issue rather than a Frontend (FE) logic bug.

Findings:

Direct Navigation to /login: The performance.navigation entries show that the browser navigated directly to <https://learn.rentyourcio.com/login> with redirectCount: 0. This indicates that either:

The initial request for <https://learn.rentyourcio.com/> was met with a server-side redirect (301/302) to /login.

The user/UA clicked a link that pointed directly to /login.

Version Consistency: Both /health and /openapi.json report version 3.11.0, satisfying the "version consistent" requirement of your test case.

Root Accessibility via Fetch: Interestingly, when running a manual fetch('/') from the console, the server returns a 200 OK status. However, the browser's top-level navigation is forced to /login.

No Client-Side Redirect Triggered: While the scripts on the login page contain logic to redirect to / after a successful login, there is no script on the root page (based on the observation that we are already on /login upon load) that is performing a "guard" redirect. This points to the Server (Load Balancer/Reverse Proxy) or the Application Middleware enforcing the redirect before the page even loads.

Why you are seeing the login:

The application (or its ingress/load balancer) is likely configured with a "Default Deny" policy or a middleware that checks for an active session/cookie. Even though the API endpoints (/health) are public, the root HTML route / is likely wrapped in an authentication middleware (e.g., FastAPI's Depends(get_current_user) or an Nginx auth_request block).

Diagnosis:

Root Cause: The Backend/Infra is not permitting unauthenticated access to the root path /, contradicting the requirement "app loads directly — no username/password dialog."

Evidence: A curl -I <https://learn.rentyourcio.com/> (as mentioned in your expected steps) would likely return a 302 Found to /login instead of the expected 200.


Recommended Fixes:

Backend: Adjust the routing middleware to allow GET / without a valid JWT or Session cookie.

Infra/Nginx: Check if there's a global redirect rule or a Basic Auth/OIDC sidecar (like oauth2-proxy) that is

✓ Screenshot captured ✕

📎 Attach file



BV02 PIE Explorer opens on EFG PIE_ROOT node click — all 3 tabs render, tested on 2 nodes

*Expected: Open <https://efg.rentyourcio.com>. Click any PIE_ROOT node (try *sed- or *bher-). A PIE Explorer panel opens within 3 seconds. The panel shows all three tabs: Full Root (verbal paradigm), Branches (nominal derivatives), History (modern cognates). Click each tab — content renders. Test on a SECOND PIE_ROOT node — panel opens with different content (confirms data-driven, not hardcoded).*

✓ Pass

X Fail

○ Skip

? Pending

Classification

Bug

Failure type

— Select failure type —

Notes

This wasn't tested E2E. Review the canary tests cases to prove/disprove CC tested E2E.
DevTools Diag: Based on my diagnosis of the current state of the page, here is the summary of why the PIE Explorer panel is not appearing as expected:

1. The "Node Detail" Panel is active, but it's not the "PIE Explorer"

When you click a node (like *sed-), a panel (#panel) does open inside #right-col. however, it currently only displays a basic "Node Detail" view (Gloss, Pronunciation, and a list of "Words from this Root"). It does not contain the three tabs (Full Root, Branches, History) mentioned in the test case.

2. The PIE Explorer UI is likely inside a hidden Modal

I found an element div#sf-modal (uid=79) which contains an iframe (#sf-modal-frame).

Status: This modal is currently set to display: none.

Evidence: The strings "Full Root", "Branches", and "History" were detected inside a script block (likely a template or routing logic) but are not present anywhere in the visible DOM. This suggests the "PIE Explorer" is a separate component (possibly a modal or a specialized view) that isn't being triggered or is failing to render.

3. Layout Issues with the Right Column

The #right-col container (which holds the current detail panel) has a computed left: -40px. This causes the panel to be partially clipped or shifted off-screen, which might be why you feel the UI isn't "opening" correctly, though the content inside it isn't the PIE Explorer anyway.

Potential Causes:

Logic Trigger: The click event on the PIE_ROOT node might be triggering the standard focusNode logic (showing the right-hand panel) instead of the PIE Explorer modal logic.

Deployment Mismatch: The FE code currently on the site might not have the "Explorer" component enabled or mapped to the click event yet.

Extension Interference: I noticed speechify and other extensions injected into the DOM; while unlikely to block the panel entirely, they are cluttering the body.

Recommended Next Steps:

Check Console for Errors: Look for JS errors when clicking *sed- that might indicate a failed fetch for the explorer data.

Verify Event Listeners: We should check if the cytoscape nodes have the correct click handler assigned for "PIE_ROOT" types specifically.

Manual Trigger: Try to force the modal visible to see if the content is pre-loaded:

 Paste screenshot here (Ctrl+V)

 Attach file

BV03 SF on-demand PIE audio — button enabled, clickable, generates and plays audio

Expected: Find an SF card with a PIE root but no audio — the speaker button should appear grey/disabled. Click it. The button shows a loading state. Within 5 seconds audio plays. Click again — plays immediately from cache (no spinner). Test on 2 different cards with missing audio.

✓ Pass

X Fail

○ Skip

? Pending

Notes

Add notes here...

 Paste screenshot here (Ctrl+V) Attach file**BV04 Multi-PIE rows on SF compound word cards — junction table populated and rendering**

Expected: Open an SF card for a compound word (try 'hypothesis', 'mystérion', or 'hermeneutics'). The PIE section shows MULTIPLE rows — one per atomic root — each with its own PIE Root label, IPA, and  button. Not a single row.

✓ Pass

X Fail

○ Skip

? Pending

Classification

Bug

Failure type

— Select failure type —

Notes

This wasn't tested E2E. Review the canary tests cases to prove/disprove CC tested E2E.

I could not find any cases where there were multiple PIE roots.

I suspect this feature wasn't built. Let's add known cases to test, so that CC has test cases to prove, and I can see them. This will also required backfilling many words that were originally filled with just one PIE word but are compound words

 Paste screenshot here (Ctrl+V) Attach file

BV05 Etymyhton cognates panel — multi-PIE renders for compound roots, no regression on singles

Expected: Open <https://etymyhton.rentyourcio.com>. Navigate to Hermes (uid=20). Expand the Cognates panel. Find hermeneutics. If hermeneutics has a compound PIE root, its row shows multiple PIE entries. If not compound, the PIE button renders correctly with single root — no regression from SF14.

✓ Pass

X Fail

○ Skip

? Pending

Classification

Bug

Failure type


— Select failure type —

Notes

This wasn't tested E2E. Review the canary tests cases to prove/disprove CC tested E2E.

✓ Screenshot captured ✕

📎 Attach file

**BV06 SF Edit Modal Generate button — appears, fires generation, populates fields inline**

Expected: Open an SF card for editing (any card with pie_root set but no pie_ipa). In the Edit Modal, a Generate button appears next to the PIE Root field. Click it. Within 5 seconds pie_ipa and pie_audio_url are populated in the modal fields. The PIE speaker button on the card becomes active without a page reload.

✓ Pass

X Fail

○ Skip

? Pending

Classification

Bug

Failure type

— Select failure type —

Notes

This wasn't tested E2E. Review the canary tests cases to prove/disprove CC tested E2E.

✓ Screenshot captured ✕

📎 Attach file

PIE Root (optional) *pelly	PIE Meaning (optional) to feed, to protect
Gender (noun only) -- None --	Preposition Usage (optional) pt + accusative (with)

General Notes

+ Add Note

📷 Paste screenshot here (Ctrl+V)

📎 Attach file

📄 Submit Results

⚡ Submitting fires Loop 3 automatically — requirements will be advanced within 2 minutes.

Error: Please select a failure type for each failed test — this helps track why sprints fail.