Superscript

ını

```
3
               6
           4
              5
                   7
  b c d e f g
                   hijkl
        q
           r
                 t
                   u
n
              S
                           X
                      V W
           Ε
                 G H
                         J
                      Ι
                            K
        D
             F
           R
N
    Р
        Q
              S
                Т
                   U
                      V
                         W \chi
     \times = ( ) / \triangle \Delta <
```

"q" U+107A5 Modifier Letter Small q
(Mapped q.superscript to this codepoint)

"c" U+A7F2: Modifier Letter Capital C
(Mapped C.superscript to this codepoint)

"F" U+A7F3: Modifier Letter Capital F
(Mapped F.superscript to this codepoint)

"Q" U+A7F4: Modifier Letter Capital Q
(Mapped Q.superscript to this codepoint)

"∆" U+1D0EC Byzantine Musical Symbol Arktiko Di

(Mapped uni0394.superscript to this codepoint) (Superscript Delta)

Technically this modifier should not be full height.

"Y" U+107B2: Modifier Letter Small Capital

(Mapped Y.superscript to this codepoint)

This should probably not be done if the font will genuinely be used for Canadian Aboriginal Syllabics.

"s" U+1506 Canadian Syllabics Athapascan s (Mapped S.superscript to this codepoint)

"Z" U+1646 Canadian Syllabics Carrier Z
(Mapped Z.superscript to this codepoint)

"/" U+141F Canadian Syllabics Final Acute (Mapped slash.superscript to this codepoint) (Superscript Division)

Modified ^R U+1D3F and R.superscript, they must have been accidentally emboldened or something.