

Wordglass User Flows

27 flows · 4 actors · every branch named

Step-by-step paths through the product, with **actor, screen, system response, decision branches and error paths** specified for each. Written to be built from directly.

PERSONAS

4
Solo creator, writer, recorder, owner

FLOWS

27
Grouped in 8 sets

NOTATION

4 actor tags
User, App, OS, Server

INCLUDES

Error paths
Named, not implied

INCLUDES

Copy strings
Verbatim where it matters

INCLUDES

Analytics
Event per flow completion

Flow Index

	REFERENCE	
–	Personas, notation, and entry points	4
	A • ACTIVATION	
F01	First launch to first export	6
F02	Granting camera and microphone access	7
	B • SCRIPT CREATION	
F03	Writing a script by hand	8
F04	Generating a script with AI	8
F05	Turning a blog post into a script	10
	C • RECORDING	
F06	Recording a take	11
F07	Recording interrupted by a phone call	12
F08	Reviewing takes and choosing one	12
F09	Adjusting beauty effects	13
	D • POST-PRODUCTION	
F10	Trimming a take	14
F11	Generating captions	14
F12	Correcting the transcript	16
F13	Applying a caption theme and brand	16
F14	Importing a music bed	17
	E • SMART CLIPPING	
F15	Removing filler words and silences	18

F16	Extracting short clips	19
F17	Reframing landscape footage to vertical	19
F • PUBLISHING		
F18	Exporting and sharing	20
F19	Export fails on storage	21
G • ACCOUNT AND MONETISATION		
F20	Signing up and creating an org	22
F21	Hitting the caption limit and subscribing	22
F22	Restoring a purchase on a new device	23
H • TEAM		
F23	Writer assigns a script	24
F24	Recorder completes an assignment	24
F25	Writer requests a retake	25
F26	Inviting a teammate and adding a seat	26
F27	Working with no connectivity	27

Personas, Notation & Entry Points

Read this once. Every flow that follows assumes it.

Personas

PERSONA	CONTEXT	WHAT THEY ARE OPTIMISING FOR
Solo creator	Realtor, coach, course creator. Mobile only. Records 1–5 videos a week	Looking competent on camera without memorising. Publishing the same day
Writer	Marketing lead. Desktop. Produces 10+ scripts a week for other people to record	Volume and on-brand consistency. Never records anything personally
Recorder	Sales rep or field staff. Mobile. Records what they are told to record	Getting it done in under five minutes. Does not want to make decisions
Owner	Whoever pays. Usually also the writer	Seats, spend, and whether the team is actually using it

A solo creator is an org of one and is simultaneously writer, recorder and owner. The role split only becomes visible when a second person joins.

Notation

TAG	MEANING
USER	A deliberate human action
APP	On-device response. No network
SERVER	Edge Function, ASR provider, LLM, or database
OS	Android-owned surface. Cannot be restyled — see the build plan, §1.1

Screen names appear as `ScreenName`. User-facing copy appears in *italics* and is verbatim.

Entry points

ENTRY	LANDS ON
Cold launch, signed out	Welcome → F01

Cold launch, signed in	ScriptList, or AssignmentInbox if the user's only role is recorder
Assignment push notification	AssignmentDetail → F24
Export-complete notification	ExportComplete
Retake-requested push	AssignmentDetail in retake state → F25
Share-to-Wordglass (text)	ScriptEditor, prefilled
Invite email link	Web AcceptInvite → F26

Activation

The two flows that decide whether anyone ever becomes a user.

F01 First launch to first export

ACTOR	Solo creator, brand new, arrived from a Play Store listing
PRECONDITION	No account. Nothing recorded. App just installed
SUCCESS	A captioned, watermarked video saved to the gallery and shared
TARGET	Under 8 minutes for a 60-second video, including recording time

- APP** Cold launch shows *Welcome*. Three panels, swipeable, skippable. No account wall.
- USER** Taps *Make your first video*.
- APP** *ScriptStart* offers three routes: *Write it*, *Generate it*, *Paste or import*. No default is preselected.
- USER** Chooses *Generate it* → continues in F04.
- APP** Script saved locally. *ScriptEditor* shows estimated read time and a primary *Record* button.
- USER** Taps *Record*.
- APP** First-time permission pre-prompt → F02.
- APP** *Capture* opens with a one-time coach overlay naming three things only: speed control, pause, record. Dismisses on first tap and never returns.
- USER** Records a take → F06.
- APP** *TakeReview* plays the take back with *Use this take* and *Record another*.
- USER** Taps *Use this take*.
- APP** *Edit* opens. Captions are *not* generated automatically — that would spend free quota without consent. A prominent card reads *Add captions · 10 free minutes left this month*.
- USER** Taps it → F11.
- USER** Taps *Export* → F18.
- APP** *ExportComplete* shows the video, a *Share* button, and one line: *Watermark removed on any paid plan*. No modal payoff.

BRANCH · ACCOUNT CREATION

No sign-up is required for any step above. The account prompt appears only at the first sync-requiring action — a second device, or an invite. Requiring sign-up before step 2 is the single largest activation loss available to this app; do not add it.

BRANCH · USER CHOOSES "WRITE IT" AT STEP 4

Goes to F03 instead. Slower to first export but a legitimate path — some users arrive with the script already in their head.

EVENTS `first_launch`, `script_route_chosen{route}`, `first_take_recorded`, `first_captions_generated`, `first_export_completed`. The gap between `first_take_recorded` and `first_export_completed` is the number to watch — a wide gap means the edit surface is confusing.

F02 Granting camera and microphone access

ACTOR	Any recorder
TRIGGER	First tap on <i>Record</i>
SUCCESS	Both permissions granted, <i>Capture</i> opens

- 1 **APP** `PermissionPrimer`. Copy: *Wordglass needs your camera and microphone to record. Nothing is uploaded unless you ask for captions.* Buttons: *Continue*, *Not now*.
- 2 **USER** Taps *Continue*.
- 3 **OS** System dialog for `CAMERA`. Not designable.
- 4 **OS** System dialog for `RECORD_AUDIO`, requested immediately after, in the same gesture sequence.
- 5 **APP** Both granted → *Capture*.

BRANCH · CAMERA GRANTED, MIC DENIED

Do not open *Capture* in a broken state. Show `PermissionBlocked`: *Without the microphone we can record picture but no sound. Add microphone access to continue.* Single action re-requests.

BRANCH · SOFT DENIAL (FIRST "DON'T ALLOW")

`PermissionBlocked` with *Try again*. One re-ask only. A second denial is treated as final for the session — repeated asking is how apps get uninstalled.

ERROR · PERMANENTLY DENIED ("DON'T ASK AGAIN")

Different screen, different copy: `PermissionSettings` reads *Camera access is turned off for Wordglass. Turn it on in Settings to record.* Primary action deep-links to `ACTION_APPLICATION_DETAILS_SETTINGS`. Secondary action returns to `ScriptEditor` so the user is not trapped.

BRANCH · RETURNING FROM SETTINGS

App detects the permission change on resume and advances to *Capture* automatically. The user should not have to tap *Record* a second time.

EVENTS `permission_primer_shown`, `permission_result{type, result}`, `permission_settings_opened`.

Script Creation

Three routes to the same object. Generation is the default because the blank page is the real obstacle.

F03 Writing a script by hand

ACTOR Solo creator or writer

SUCCESS Script saved, read time shown, ready to record

- 1 **USER** Taps **+** on `ScriptList`, then *Write it*.
- 2 **APP** `ScriptEditor`, empty, keyboard up, cursor in the body. Title is auto-derived from the first line and editable.
- 3 **USER** Types.
- 4 **APP** Live read-time estimate at 140 wpm, updating on pause not per keystroke. Displayed as *≈ 47 sec*.
- 5 **APP** Autosaves on 2s idle and on background. No save button exists.
- 6 **USER** Taps *Record*.

BRANCH · EMPTY LIST

`ScriptList` empty state reads *No scripts yet. Generate one in about thirty seconds, or write your own*. Two buttons, generation first.

BRANCH · BACK WITH UNSAVED CHANGES

There are none — autosave means back is always safe. No "discard changes?" dialog should exist anywhere in this app.

F04 Generating a script with AI

ACTOR Solo creator or writer

PRECONDITION Network available. Generation quota remaining

SUCCESS One of 2–3 variants accepted into `ScriptEditor`

TARGET Under 45 seconds from tap to editable script

- 1 **USER** Taps *Generate it*.
- 2 **APP** `GenerateInput`. One free-text field: *What is this video about?* Below it, three compact selectors with defaults preselected — Length *60 sec*, Tone *Direct*, Audience *General*. A user who types and taps *Generate* never touches the selectors.
- 3 **USER** Types a topic, taps *Generate*.

- 4 **APP** Shows the remaining quota inline before the call fires: *4 of 5 generations left this month*.
- 5 **SERVER** Edge Function calls the model with the org brand kit injected as context. Returns 2–3 variants.
- 6 **APP** `VariantPicker`. Variants are full-height cards, swipeable, each showing its own estimated read time. No variant is preselected.
- 7 **USER** Taps *Use this* on one.
- 8 **APP** Opens `ScriptEditor` with that variant, fully editable. The other variants are discarded and not recoverable — say so on the picker.

BRANCH · REGENERATE ONE PARAGRAPH

Long-press any paragraph in `ScriptEditor` → *Rewrite this paragraph*. Counts as a fractional generation, not a whole one. Shows the replacement inline with *Keep / Undo*.

BRANCH · INLINE REWRITE

Select text → toolbar offers *Shorter, Punchier, More formal*. Replaces in place, single undo.

ERROR · QUOTA EXHAUSTED

Paywall before the call fires, never after. Copy: *You've used your 5 free generations this month. They reset on the 1st*. Actions: *See plans, Write it myself*. The second action must be present — a dead end here loses the user entirely.

ERROR · OFFLINE

Generation is the one creation route that requires network. *Generating needs a connection. You can write your script now and generate next time*. Falls through to `ScriptEditor`, empty.

ERROR · MODEL CALL FAILS OR TIMES OUT

Retry once silently. On second failure: *That didn't work. Try again, or write it yourself*. **Do not decrement quota on a failed generation.**

EVENTS `generation_requested{length, tone}`, `generation_completed{variants, latency_ms}`, `variant_accepted{index}`, `generation_quota_blocked`.

F05 Turning a blog post into a script

ACTOR Writer, repurposing existing content

SUCCESS A spoken-length script derived from a URL, not the article verbatim

- 1 **USER** Taps *Paste or import* → *From a link*.
- 2 **USER** Pastes a URL.
- 3 **SERVER** Fetches and extracts the article body.
- 4 **APP** `ImportPreview` shows the extracted title and first lines, with a length selector. **Primary action is *Turn this into a 60-second script, not Use as is***. Nobody reads an article aloud.
- 5 **USER** Taps it.
- 6 **SERVER** Generates a spoken-form script from the extracted text. Counts against generation quota.
- 7 **APP** `ScriptEditor` with the result.

BRANCH • FILE IMPORT

From a file opens the OS Storage Access Framework picker for `.txt` and `.docx`. Same `ImportPreview` afterwards.

ERROR • URL UNREACHABLE OR PAYWALLED

We couldn't read that page. Paste the text instead. Falls through to the paste field with focus already in it.

Recording

The user's eyes are on the lens, not the screen. Every flow here is designed for peripheral operation.

F06 Recording a take

ACTOR	Solo creator or recorder
PRECONDITION	Script exists. Permissions granted
SUCCESS	Take saved to <code>TakeList</code> , playable

- 1 **APP** Capture. Live preview, prompter overlay scrolled to the top and paused, guide frame for the chosen ratio. Controls fixed in the bottom third.
- 2 **USER** Optionally opens `CaptureSettings` — ratio, resolution, mirror, countdown, prompter speed and size. Settings persist across sessions.
- 3 **USER** Taps record.
- 4 **APP** Countdown if enabled — large, centred, over the preview. Haptic on each tick so it is felt, not watched.
- 5 **APP** Recording begins. Prompter starts scrolling. A persistent edge treatment appears around the full preview so recording state is perceivable in peripheral vision. Elapsed time counts up.
- 6 **USER** Reads. Adjusts speed mid-take with a fixed control if the scroll drifts.
- 7 **USER** Taps stop.
- 8 **APP** Writes the file, creates the `Take` row linked to the script, and goes to `TakeReview` with playback ready.

BRANCH • PAUSE MID-TAKE

Tapping the prompter pauses the scroll but *not* the recording. These are separate concepts and must never share a control. Prompter-paused state is visually distinct.

BRANCH • RECORD ANOTHER

Record another on `TakeReview` returns to `Capture` with the prompter reset to the top and all settings preserved.

ERROR • STORAGE BELOW THRESHOLD AT START

Block before recording, never during. *Not enough space to record. Free up about 400 MB and try again.* Recording is checked against a real estimate for the selected resolution, not a fixed number.

ERROR • STORAGE EXHAUSTED MID-TAKE

Stop cleanly, finalise the partial file, keep it. *Recording stopped — the phone ran out of space. We kept what you recorded.* Never discard a partial take.

EVENTS `capture_opened`, `take_started{ratio,resolution}`, `take_completed{duration_s}`, `prompter_speed_changed_mid_take`.

F07 Recording interrupted by a phone call

ACTOR Any recorder

SUCCESS Partial take preserved and playable. Nothing lost

- 1 **OS** Incoming call takes audio focus and foregrounds the dialler.
- 2 **APP** Stops recording immediately on audio-focus loss, finalises and flushes the file, writes the **Take** row. This must complete without the app being in the foreground.
- 3 **USER** Ends the call, returns to Wordglass.
- 4 **APP** Resumes on **TakeReview** with the partial take loaded. Banner: *Recording stopped when your call came in. We saved what you had.*
- 5 **USER** Taps *Record again* or keeps the partial.

BRANCH · APP KILLED BY THE SYSTEM WHILE BACKGROUNDED

Same outcome. The take row was already written in step 2, so a cold launch finds it in **TakeList** with a *Partial* marker.

BRANCH · PROMPTER POSITION

Restore the prompter to where it was when the interruption occurred, not the top. The user knows where they got to; make the app know too.

EVENTS `take_interrupted{cause, duration_s}`, `partial_take_recovered`.

F08 Reviewing takes and choosing one

ACTOR Solo creator

SUCCESS One take carried into **Edit**; the rest kept

- 1 **USER** Opens **TakeList** from the script.
- 2 **APP** Lists takes newest first with thumbnail, duration, and recorded time. Partial takes are marked.
- 3 **USER** Taps one → **TakePlayer** with scrub.
- 4 **USER** Taps *Use this take* → **Edit**.

BRANCH · DELETE A TAKE

Swipe or long-press → delete. Removes from the list immediately with a 6-second *Undo* snackbar. The file is only unlinked after the window closes. Takes are expensive to reproduce — never delete without an undo.

BRANCH · STORAGE PRESSURE

When takes exceed a threshold, **TakeList** shows a non-blocking footer with total size used and a route to bulk-delete. Never auto-delete.

F09 Adjusting beauty effects

ACTOR Solo creator

PRECONDITION All effects off. This is the default and it never changes itself

SUCCESS Settings applied to preview and, later, to export

- 1 **USER** Opens the effects control on `Capture`.
- 2 **APP** `EffectsSheet`. Master toggle off. Three sliders at zero. LUT gallery with *None* selected.
- 3 **USER** Turns the master toggle on.
- 4 **APP** Shader attaches to the preview. Nothing visibly changes yet, because every value is still zero. This is deliberate — the user sees exactly what they choose and nothing they did not.
- 5 **USER** Drags Skin smoothing. Preview updates live.
- 6 **USER** Press-and-hold anywhere on the preview shows the unmodified image for comparison.
- 7 **APP** Persists settings per user. They apply at export, not to the recorded file.

BRANCH · ADJUSTING AFTER A TAKE EXISTS

Because effects bake at export rather than at capture, `Edit` exposes the same sheet. A bad choice at capture time never costs a take.

ERROR · DEVICE CANNOT HOLD THE FRAME BUDGET

If measured frame time exceeds 30ms, reduce mask resolution automatically and, if still over, disable live preview of the shader while keeping it at export. Tell the user plainly: *Your phone can't preview this smoothly, so we'll apply it when you export.*

Post-Production

The first flows that touch the network, and therefore the first that need queue, quota and offline states.

F10 Trimming a take

ACTOR	Any
SUCCESS	Trim points set, reflected in preview and export
USER Taps <i>Trim</i> on Edit. APP Timeline with waveform, playhead, and two handles at the extremes. USER Drags the head handle. Preview scrubs frame-accurately to that position while dragging, not on release. USER Drags the tail handle. APP Shows resulting duration live: <i>0:58 → 0:51</i>. USER Taps <i>Done</i>. Trim is stored as an edit, not applied destructively.	
BRANCH · INTERIOR CUT Position the playhead → <i>Split</i> → select the middle segment → <i>Delete section</i>. Undo returns exactly to the previous edit state.	
BRANCH · TRIMMING AFTER CAPTIONS EXIST Caption timings remap automatically. Words falling inside a removed section disappear from the burned-in output but stay in the transcript, greyed, so the user can see what was cut.	

F11 Generating captions

ACTOR	Any
PRECONDITION	A take selected. Caption quota remaining
SUCCESS	Word-level transcript attached, captions visible in preview
COST	Metered. Charged in whole minutes of source audio, rounded up
USER Taps <i>Add captions</i> on Edit. APP Shows exact cost before committing: <i>This will use 1 minute of your 10 free minutes</i>. Actions: <i>Add captions</i>, <i>Cancel</i>. USER Confirms.	

- 4 **APP** Extracts audio, requests a signed upload URL, uploads. Progress is *upload* progress and says so.
- 5 **SERVER** Submits to the ASR provider with a callback URL.
- 6 **APP** State becomes *Transcribing...* — indeterminate is acceptable here because the app genuinely cannot know. The user may leave the screen; work continues.
- 7 **SERVER** Provider calls back with word-level timestamps. Stored against the take.
- 8 **APP** Notifies if backgrounded. Captions render in preview using the default theme.

BRANCH • OFFLINE AT STEP 3

Job is queued locally, not rejected. *Saved. We'll transcribe this when you're back online.* Edit shows a persistent *Queued* chip. Quota is reserved but only charged on success.

ERROR • QUOTA EXHAUSTED

Paywall before upload. *You've used your 10 free caption minutes this month.* Actions: *See plans, Export without captions.* The second action keeps the user moving.

ERROR • UPLOAD FAILS

Retry with backoff, three attempts, resumable. On final failure: *Upload didn't finish. Tap to try again.* Quota not charged.

ERROR • ASR RETURNS EMPTY OR UNUSABLE

Usually silent or inaudible audio. *We couldn't hear speech in this recording. Check the microphone wasn't covered.* **Refund the reserved quota.**

EVENTS `captions_requested{duration_s}`, `captions_queued_offline`, `captions_completed{latency_s}`, `captions_failed{reason}`, `caption_quota_blocked`.

F12 Correcting the transcript

ACTOR Any. Near-universal — names and jargon are always wrong

SUCCESS Corrections reflected in burned-in captions with timings intact

- 1 **USER** Taps a caption in preview, or opens `TranscriptEditor`.
- 2 **APP** Full transcript as editable text with the current word highlighted during playback. Low-confidence words are subtly marked so the eye goes to the likely errors first.
- 3 **USER** Taps a word and corrects it.
- 4 **APP** Replaces the word, preserving its original timestamp span. Preview updates immediately.
- 5 **USER** Optionally nudges timing on a phrase with a two-way control if captions drift.

BRANCH · WORD SPLIT OR MERGE

Editing one word into two divides the original time span proportionally. Merging two words unions their spans. Neither requires re-running ASR.

BRANCH · LEARNED CORRECTIONS

Corrections are stored per org and passed as custom vocabulary on future ASR jobs. The tenth video gets a name right that the first got wrong.

F13 Applying a caption theme and brand

ACTOR Solo creator or writer setting org defaults

SUCCESS Theme and brand applied; inherited by future videos

- 1 **USER** Taps *Captions* → *Style*.
- 2 **APP** `ThemePicker`. Five themes, each rendered on the user's actual footage, not a mock.
- 3 **USER** Selects one.
- 4 **USER** Sets brand colour; the highlight updates live.
- 5 **USER** Uploads a logo, drags to position, pinches to size.
- 6 **APP** Saves to the org brand kit. Applies as the default on every subsequent video for every member.

BRANCH · MULTIPLE ASPECT RATIOS

Logo and caption positions are stored as ratio-relative, and the picker previews all three. A logo placed in 9:16 must not be cropped out in 1:1.

BRANCH · CAPTIONS OFF

A first-class option, not a hidden one. Some users want clean footage.

F14 Importing a music bed

ACTOR Solo creator

SUCCESS Bed mixed under the voice with automatic ducking

- 1 **USER** Taps *Audio* → *Add music*.
- 2 **APP** Shows one line before opening the picker: *Choose a file you own. Streaming apps won't work.*
- 3 **OS** Storage Access Framework picker, `audio/*`.
- 4 **USER** Picks a file.
- 5 **APP** `AudioMixer`. Two level controls, ducking on by default, fade in/out, bed trimmed to video length.
- 6 **APP** Ducking uses caption word timestamps to find speech — no signal processing needed. If no transcript exists, falls back to a fixed level and says so.

ERROR • DRM-PROTECTED OR UNREADABLE FILE

The predictable case — Spotify, Apple Music. *That file is protected and can't be used. Try a file you've downloaded or recorded yourself.* Return to the mixer, not to a crash and not to a generic failure.

ERROR • UNSUPPORTED CODEC

We can't read that audio format. MP3, M4A and WAV all work.

Smart Clipping

Every automated cut must be visible and reversible before export. Silent edits destroy trust faster than no feature at all.

F15 Removing filler words and silences

ACTOR	Any
PRECONDITION	Transcript exists (F11)
SUCCESS	A tighter cut the user reviewed rather than one that happened to them

- 1 **USER** Taps *Clean up* on Edit.
- 2 **APP** Scans word timestamps for fillers and gaps over the threshold. Produces a proposed cut list. **Applies nothing yet.**
- 3 **APP** CleanupReview. Transcript shown with each proposed removal struck through in place. Header: *14 fillers and 6 pauses — saves 11 seconds.*
- 4 **USER** Taps any struck-through item to keep it. Struck-through toggles off; the saving figure updates live.
- 5 **USER** Optionally adjusts the silence threshold; the strike-throughs recompute live.
- 6 **USER** Taps *Apply*.
- 7 **APP** Adds the cuts as a reversible edit layer. A single *Undo cleanup* reverts all of it.

BRANCH · NOTHING FOUND

Nothing to clean up — that was a tidy read. A compliment, not an error.

BRANCH · AGGRESSIVE RESULT

If proposed removals exceed roughly 25% of duration, default to *fillers only* and let the user opt into silence trimming. An over-eager first result reads as broken.

BRANCH · PLAYBACK PREVIEW

A *Preview cleaned* control plays the result before applying. Cheap to build, and it is what converts scepticism into use.

EVENTS `cleanup_proposed{fillers,silences,saved_s}`, `cleanup_items_restored{count}`, `cleanup_applied`, `cleanup_undone`.

F16 Extracting short clips

ACTOR	Solo creator or writer repurposing a long read
PRECONDITION	Transcript exists. Source runs longer than the target clip length
SUCCESS	One or more standalone clips exported separately from the source

- 1 **USER** Taps *Make clips* and picks a target length — 15, 30 or 60 seconds.
- 2 **SERVER** Model analyses the transcript and returns ranked self-contained segments with hooks, snapped to word boundaries.
- 3 **APP** ClipPicker. One card per segment showing the opening line as the hook, duration, and a play control. Ranked, not sorted by time.
- 4 **USER** Plays candidates, selects one or several.
- 5 **USER** Optionally drags a clip's start or end; snapping is to words, never mid-word.
- 6 **USER** Taps *Export clips* → F18, once per clip, queued.

BRANCH · SOURCE TOO SHORT

Under about 45 seconds there is nothing to extract. Hide the entry point entirely rather than showing a disabled control.

BRANCH · CLIPS INHERIT EVERYTHING

Captions, theme, brand, beauty settings and watermark all carry over. A clip is never a stripped-down artifact.

F17 Reframing landscape footage to vertical

ACTOR	Any exporting 16:9 source to 9:16
SUCCESS	Subject centred throughout, no visible jitter

- 1 **USER** Selects a 9:16 output for a 16:9 source at export.
- 2 **APP** Offers *Follow the speaker*, on by default, with *Fixed centre* as the alternative.
- 3 **APP** Runs face tracking, applies a low-pass filter to the centre point, generates the crop path.
- 4 **APP** ReframePreview plays the result with the crop rectangle visible over the full frame.
- 5 **USER** Can drag the crop at any point to override; the override holds from that timestamp forward until the next one.

BRANCH · NO FACE DETECTED

Fall back to fixed centre silently. Do not surface a technical failure for something the user can see is fine.

BRANCH · TWO FACES

Track the larger one. Offer a tap-to-choose control on the preview rather than guessing repeatedly.

Publishing

Export is minutes, not seconds. Every decision here follows from that.

F18 Exporting and sharing

ACTOR	Any
SUCCESS	File in the device gallery, handed to a target app
DURATION	Minutes on mid-range hardware. Must be backgroundable

- 1 **USER** Taps *Export* on *Edit*.
- 2 **APP** `ExportSheet`. Quality (1080p / 720p), aspect ratios as multi-select, and — on the free tier — a watermark line stating it will be applied.
- 3 **USER** Selects 9:16 and 1:1, taps *Export*.
- 4 **APP** Enqueues a `WorkManager` job with a foreground service and posts a notification immediately. Both ratios render in one pass.
- 5 **APP** `ExportProgress`: real percentage, elapsed, estimated remaining, and *Cancel*. Never an indeterminate spinner.
- 6 **USER** Backgrounds the app. Progress continues in the notification.
- 7 **APP** Writes to `MediaStore`. Notification becomes *2 videos saved to your gallery*, tappable.
- 8 **USER** Taps *Share* on `ExportComplete`.
- 9 **OS** System share sheet via `ACTION_SEND` and `FileProvider`. This is the entire "post to Instagram" feature and it is the correct implementation.

BRANCH · CANCEL MID-EXPORT

Stops the job, deletes partial output, returns to *Edit* with all edits intact. Cancelling an export never costs an edit.

BRANCH · RE-EXPORT LATER

`ExportHistory` lists prior exports with their settings. Re-export runs the same job without redoing any edit.

BRANCH · WATERMARK, FREE TIER

Applied as an overlay at composition time, positioned to survive platform crops on 9:16. Shown in preview beforehand, so it is never a surprise in the finished file.

EVENTS `export_started{ratios,quality,duration_s}`, `export_progress_backgrounded`, `export_completed{wall_time_s}`, `export_cancelled`, `share_sheet_opened`.

F19 Export fails on storage

ACTOR Any

SUCCESS User understands what happened and recovers without losing edits

- 1 **APP** Estimates output size before starting and compares it to free space.
- 2 **APP** If insufficient: blocks with *You need about 300 MB free to export this. Free up some space and try again.* Offers a route to bulk-delete old takes.
- 3 **APP** If space runs out mid-export: cancels the job, deletes the partial file, keeps every edit. *Export stopped — the phone ran out of space. Your edits are saved.*
- 4 **USER** Frees space, taps *Try again*. The job restarts from the beginning; nothing needs re-editing.

ERROR • HARDWARE ENCODER FAILURE

Device-specific and not the user's fault. Retry once at 720p automatically. If that fails: *This phone couldn't finish the export. Try 720p, or a shorter clip.* Log the device model — this is exactly what the crash reporter is for.

Account & Monetisation

Account creation is deferred as long as possible. Payment is asked for at the moment of demonstrated value.

F20 Signing up and creating an org

ACTOR	Solo creator becoming a real account
TRIGGER	First action that needs sync — never a launch wall
SUCCESS	Account created, org of one created, local content adopted

- 1 **APP** Context-specific prompt at the triggering action: *Create an account to keep your scripts safe and use Wordglass on another device.*
- 2 **USER** Chooses Google or email.
- 3 **SERVER** Creates the user, creates an org with the user as owner, returns a session.
- 4 **APP** **Adopts all existing local content into the new org.** Nothing recorded before signup is lost — this is the step most implementations get wrong.
- 5 **APP** Syncs scripts and metadata. Video files stay local.
- 6 **APP** Returns the user to exactly where they were.

BRANCH • EMAIL VERIFICATION

Six-digit code, entered in-app. Does not block usage — the app remains fully functional while unverified, with a dismissible reminder.

BRANCH • SIGNING IN ON A SECOND DEVICE

Scripts, brand kit and entitlement sync. Takes and exports do not — they are local by design. Say so once: *Your scripts are here. Videos stay on the device that recorded them.*

F21 Hitting the caption limit and subscribing

ACTOR	Solo creator, engaged, out of free quota
SUCCESS	Active subscription, entitlement reflected, blocked action completed

- 1 **USER** Taps *Add captions* with zero minutes remaining.
- 2 **APP** Paywall, reached from the blocked action rather than shown at launch. States what was blocked, what a plan gives, and offers *Export without captions* as a real alternative.
- 3 **USER** Selects monthly or annual. No weekly plan exists.
- 4 **OS** Google Play purchase sheet. Play Billing Library 8.

- 5 **USER** Completes purchase.
- 6 **SERVER** Verifies the purchase token server-side and writes to the provider-agnostic `subscription` table.
- 7 **APP** Reads entitlement from that table only, never from the billing provider. Watermark off, quotas raised.
- 8 **APP** **Automatically completes the action that was blocked** — caption generation starts without the user tapping again.

BRANCH • PURCHASE CANCELLED

Return to `Edit`, unchanged, no guilt copy. The paywall is reachable again from the same place.

ERROR • PAYMENT DECLINED

Play owns this messaging. The app returns silently to `Edit` and does not editorialise.

ERROR • VERIFICATION FAILS AFTER SUCCESSFUL PAYMENT

The worst case and it must be handled. Grant entitlement optimistically for 24 hours, retry verification in the background, and surface a support route if it still fails. Never leave a paying user blocked.

EVENTS `paywall_shown{trigger}`, `plan_selected{plan}`, `purchase_completed{plan}`, `purchase_cancelled`, `blocked_action_resumed`.

F22 Restoring a purchase on a new device

ACTOR Existing subscriber, new or reset phone

SUCCESS Entitlement active without contacting support

- 1 **USER** Signs in on the new device.
- 2 **APP** Reads entitlement from the `subscription` table. If a Stripe seat or a verified Play purchase exists, it is already active — no restore needed.
- 3 **APP** If nothing is found, queries Play for existing purchases on the signed-in Google account and reconciles.
- 4 **USER** If still nothing, taps *Restore purchases* in settings. This must exist and be findable.

BRANCH • DIFFERENT GOOGLE ACCOUNT THAN THE PURCHASE

The genuinely hard case. Explain plainly: *We couldn't find a subscription for this Google account. Purchases are tied to the account that made them.* Offer a support route rather than a dead end.

Team

Two personas, two devices, one loop. The recorder path must be brutally short.

F23 Writer assigns a script

ACTOR Writer, on the web dashboard

SUCCESS Script assigned; recorder notified on their phone

- 1 **USER** Opens the script in the web `ScriptLibrary`.
- 2 **USER** Clicks *Assign*, picks a recorder, optionally adds a due date and a note.
- 3 **SERVER** Creates the assignment, state `assigned`. Sends FCM to the recorder's devices.
- 4 **APP** Recorder's phone receives *[Writer] assigned you a script: [title]*.
- 5 **USER** Writer sees the assignment in `ReviewInbox` under *Waiting on recording*.

BRANCH • BULK ASSIGN

Multi-select in the library, assign several scripts to one recorder in one action. This is the writer's actual working pattern; single-assign only would make the dashboard unusable at ten scripts a week.

BRANCH • RECORDER HAS NOTIFICATIONS OFF

Assignment still appears in `AssignmentInbox` on next launch. Never depend on push for correctness — only for speed.

F24 Recorder completes an assignment

ACTOR Recorder — a sales rep between meetings, not a video person

SUCCESS Video submitted for review

TARGET Notification to recording started in two taps

- 1 **USER** Taps the push notification. (*Tap 1*)
- 2 **APP** Opens `AssignmentDetail` directly. Script visible, writer's note visible, one primary button: *Record*. No settings, no choices, no theme picker — the brand kit is already applied from the org.
- 3 **USER** Taps *Record*. (*Tap 2*)
- 4 **APP** `Capture` opens with the assigned script loaded and org defaults applied.
- 5 **USER** Records → F06. Re-records if needed.
- 6 **USER** Taps *Submit*.
- 7 **APP** Uploads the take to R2 with visible progress. Continues in the background.

- 8 **SERVER** Assignment state moves to `submitted`. Writer is notified.
- 9 **APP** Confirms: *Sent to [Writer] for review*. Returns to `AssignmentInbox`.

BRANCH · RECORDER WANTS TO CAPTION OR EDIT FIRST

Available, but never on the default path. The primary action is always *Submit*; editing sits behind a secondary control.

BRANCH · OFFLINE RECORDER

Records fine. Submission queues with an explicit chip: *Will send when you're online*. Retries automatically.

ERROR · UPLOAD FAILS

Resumable, retried with backoff. The take is never lost — it remains in `TakeList` and can be resubmitted manually.

EVENTS `assignment_opened{source}`, `assignment_recording_started`, `assignment_submitted{takes_recorded}`. Track `takes_recorded` — a rising average means the script quality or the prompter settings need attention.

F25 Writer requests a retake

ACTOR Writer reviewing on web; recorder responding on mobile

SUCCESS Recorder re-records with the reason visible at the point of action

- 1 **USER** Writer opens the submission in `ReviewInbox`, plays it.
- 2 **USER** Clicks *Request retake* and writes a reason. The reason is required — a bare rejection is a bad experience for a colleague.
- 3 **SERVER** State moves to `retake_requested`. Recorder notified.
- 4 **APP** Recorder taps through to `AssignmentDetail`, now showing the writer's reason above the script.
- 5 **USER** Taps *Record again*. Previous take is kept, not replaced.
- 6 **USER** Submits. State returns to `submitted`.

BRANCH · APPROVE INSTEAD

State moves to `approved`. Writer downloads or exports. Recorder gets a short confirmation — closing the loop matters for whether they respond quickly next time.

BRANCH · COMMENT WITHOUT A DECISION

A comment thread exists separately from the approve/retake decision, so a writer can ask a question without formally rejecting the work.

F26 Inviting a teammate and adding a seat

ACTOR Owner, on the web dashboard

SUCCESS Teammate joined with a role; seat billed via Stripe

- 1 **USER** Opens `Members`, clicks *Invite*.
- 2 **USER** Enters an email and picks a role — writer or recorder.
- 3 **APP** States the billing consequence before sending: *Adding a seat changes your monthly total to \$X, prorated from today.*
- 4 **SERVER** Sends the invite. Stripe subscription quantity updated.
- 5 **USER** Invitee opens the link → web `AcceptInvite` → signs in or signs up.
- 6 **SERVER** Adds them to the org with the assigned role. Brand kit and defaults inherit automatically.
- 7 **APP** A recorder signing in on mobile lands on `AssignmentInbox`, not `ScriptList`. Role determines the home screen.

BRANCH · REMOVING A MEMBER

Seat count decreases at the next billing cycle, not immediately. Their recordings stay with the org; their account does not.

BRANCH · INVITEE ALREADY HAS A PERSONAL ORG

They can belong to both. An org switcher appears once a second org exists, and not before.

F27 Working with no connectivity

ACTOR Any. Common for field recorders and a normal condition in many markets

SUCCESS Everything local still works; everything remote queues visibly

ACTION

OFFLINE BEHAVIOUR

Write / edit a script

Works. Syncs later

Generate a script

Blocked. Offers manual writing instead

Record a take

Works. No degradation of any kind

Trim, reorder, beauty settings

Works

Generate captions

Queues. Quota reserved, charged on success

Correct a transcript

Works if the transcript already exists

Export

Works. Entirely local

Share

Works — the OS share target handles its own connectivity

Submit an assignment

Queues, retries automatically

Subscribe

Blocked by Play

BRANCH · SURFACING STATE

One persistent, non-modal indicator when queued work exists, tappable to a list of what is waiting. Never a blocking dialog and never a full-screen offline state — the app is largely usable without a connection and should not pretend otherwise.

THE RULE THESE FLOWS SHARE

Never lose a take, and never make a change the user did not see coming. Every interruption preserves what was recorded. Every automated edit is proposed before it is applied. Every deletion has an undo.

A user who loses a good 90-second read will not record it again — they will uninstall. Every error path in this document exists to make that outcome impossible.