con-test®
A Pace Analytical® Laboratory

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

August 1, 2023

Toby Wright
Single Projects_2023
226 Peterson St
Fort Collins, CO 80524

Project Location: CH
Client Job Number:
Project Number: Wright Enviromental - Metals
Laboratory Work Order Number: 23G0957

Enclosed are results of analyses for samples as received by the laboratory on July 8, 2023. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Theresa L. Ferrentino
Project Manager

Table of Contents

Sample Summary 3

Case Narrative 4

Sample Results 5

23G0957-01 5

Sample Preparation Information 6

QC Data 7

Metals Analyses (Total) 7

B346283 7

Flag/Qualifier Summary 8

Certifications 9

Chain of Custody/Sample Receipt 10

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Single Projects_2023
226 Peterson St
Fort Collins, CO 80524
ATTN: Toby Wright

REPORT DATE: 8/1/2023

PURCHASE ORDER NUMBER:

PROJECT NUMBER: Wright Enviromental - Metals

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 23G0957

The results of analyses performed on the following samples submitted to CON-TEST, a Pace Analytical Laboratory, are found in this report.

PROJECT LOCATION: CH

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
20230707-1	23G0957-01	Ground Water		EPA 200.8	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

The results of analyses reported only relate to samples submitted to Con-Test, a Pace Analytical Laboratory, for testing.
I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Meghan E. Kelley
Reporting Specialist

con-test® A Pace Analytical® Laboratory

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: CH
Sample Description:
Work Order: 23G0957

Date Received: 7/8/2023

Field Sample #: 20230707-1
Sampled: 7/6/2023 09:00

Sample ID: 23G0957-01

Sample Matrix: Ground Water

Metals Analyses (Total)

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Antimony	ND	1.0	µg/L	1		EPA 200.8	7/18/23	7/19/23 13:38	NC
Arsenic	ND	0.80	µg/L	1		EPA 200.8	7/18/23	7/19/23 13:38	NC
Beryllium	ND	0.40	µg/L	1		EPA 200.8	7/18/23	7/19/23 13:38	NC
Cadmium	ND	0.20	µg/L	1		EPA 200.8	7/18/23	7/19/23 13:38	NC
Chromium	1.1	1.0	µg/L	1		EPA 200.8	7/18/23	7/19/23 13:38	NC
Lead	0.62	0.50	µg/L	1		EPA 200.8	7/18/23	7/19/23 13:38	NC
Manganese	1.7	1.0	µg/L	1		EPA 200.8	7/18/23	7/19/23 13:38	NC
Selenium	ND	5.0	µg/L	1		EPA 200.8	7/18/23	7/19/23 13:38	NC

con-test®
A Pace Analytical® Laboratory

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Sample Extraction Data

Prep Method:EPA 200.8 **Analytical Method:EPA 200.8**

Lab Number [Field ID]	Batch	Initial [mL]	Final [mL]	Date
23G0957-01 [20230707-1]	B346283	50.0	50.0	07/18/23

con-test® A Pace Analytical® Laboratory

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Metals Analyses (Total) - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B346283 - EPA 200.8										
Blank (B346283-BLK1)				Prepared: 07/18/23 Analyzed: 07/19/23						
Antimony	ND	1.0	µg/L							
Arsenic	ND	0.80	µg/L							
Beryllium	ND	0.40	µg/L							
Cadmium	ND	0.20	µg/L							
Chromium	ND	1.0	µg/L							
Lead	ND	0.50	µg/L							
Manganese	ND	1.0	µg/L							
Selenium	ND	5.0	µg/L							
LCS (B346283-BS1)				Prepared: 07/18/23 Analyzed: 07/19/23						
Antimony	563	10	µg/L	500		113	85-115			
Arsenic	502	8.0	µg/L	500		100	85-115			
Beryllium	476	4.0	µg/L	500		95.2	85-115			
Cadmium	504	2.0	µg/L	500		101	85-115			
Chromium	542	10	µg/L	500		108	85-115			
Lead	535	5.0	µg/L	500		107	85-115			
Manganese	542	10	µg/L	500		108	85-115			
Selenium	462	50	µg/L	500		92.3	85-115			
LCS Dup (B346283-BSD1)				Prepared: 07/18/23 Analyzed: 07/19/23						
Antimony	559	10	µg/L	500		112	85-115	0.771	20	
Arsenic	499	8.0	µg/L	500		99.8	85-115	0.628	20	
Beryllium	470	4.0	µg/L	500		94.0	85-115	1.27	20	
Cadmium	497	2.0	µg/L	500		99.3	85-115	1.54	20	
Chromium	546	10	µg/L	500		109	85-115	0.646	20	
Lead	535	5.0	µg/L	500		107	85-115	0.0202	20	
Manganese	546	10	µg/L	500		109	85-115	0.748	20	
Selenium	460	50	µg/L	500		92.0	85-115	0.417	20	

con-test®
A Pace Analytical® Laboratory

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit is at the level of quantitation (LOQ)
DL	Detection Limit is the lower limit of detection determined by the MDL study
MCL	Maximum Contaminant Level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

No results have been blank subtracted unless specified in the case narrative section.

con-test® A Pace Analytical® Laboratory

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
EPA 200.8 in Water	
Antimony	CT,MA,NH,NY,RI,NC,ME,VA
Arsenic	CT,MA,NH,NY,RI,NC,ME,VA
Beryllium	CT,MA,NH,NY,RI,NC,ME,VA
Cadmium	CT,MA,NH,NY,RI,NC,ME,VA
Chromium	CT,MA,NH,NY,RI,NC,ME,VA
Lead	CT,MA,NH,NY,RI,NC,ME,VA
Manganese	CT,MA,NH,NY,RI,NC,ME,VA
Selenium	CT,MA,NH,NY,RI,NC,ME,VA

Con-Test, a Pace Environmental Laboratory, operates under the following certifications and accreditations:

Code	Description	Number	Expires
MA	Massachusetts DEP	M-MA100	06/30/2024
CT	Connecticut Department of Public Health	PH-0821	12/31/2024
NY	New York State Department of Health	10899 NELAP	04/1/2024
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2024
RI	Rhode Island Department of Health	LAO00373	12/30/2023
NC	North Carolina Div. of Water Quality	652	12/31/2023
ME	State of Maine	MA00100	06/9/2025
VA	Commonwealth of Virginia	460217	12/14/2023

2360957

Pace Analytical®

Phone: 413-525-2332
Fax: 413-525-6405
Access COC's and Support Requests

http://www.pacelabs.com

CHAIN OF CUSTODY RECORD

39 Spruce Street
East Longmeadow, MA 01028

Doc # 381 Rev 5_07/13/2021

Page 1 of 1

Company Name:
Address: 226 Peterson St. Ft Collins
Phone: 970-231-1160 CO, 80524
Project Name:
Project Location: CH
Project Number:
Project Manager: TW
Pace Quote Name/Number:
Invoice Recipient:
Sampled By:

Requested Turnaround Time
7-Day ☐ 10-Day ☐
PFAS 10-Day (std) ☐ Due Date:

Rush-Approval Required
1-Day ☐ 3-Day ☐
2-Day ☐ 4-Day ☐

Data Delivery
Format: PDF ☐ EXCEL ☐
Other:
CLP Like Data Pkg Required: ☐
Email To:
Fax To #:

Dissolved Metals Samples
○ Field Filtered
■ Lab to Filter

Orthophosphate Samples
○ Field Filtered
○ Lab to Filter

PCB ONLY
SOXHLET ☐
NON SOXHLET ☐

ANALYSIS REQUESTED

Pace Work Order#	Client Sample ID / Description	Beginning Date/Time	Ending Date/Time	COMP/GRAB	[1]Matrix Code	Conc Code	VIALS	GLASS	PLASTIC	BACTERIA	ENCORE	As, Be, Cd, Cr,	Pb, Se, Mn, Sb	by 200.8
	20230707-1	7/6/23 09:00	7/6/23	Grab	GW	M-L			✓			✓	✓	

[2] Preservation Code

Courier Use Only
Total Number Of:
VIALS
GLASS
PLASTIC
BACTERIA
ENCORE

Glassware in the fridge? Y / N
Glassware in freezer? Y / N
Prepackaged Cooler? Y / N
*Pace Analytical is not responsible for missing samples from prepacked coolers

[1] **Matrix Codes:**
GW = Ground Water
WW = Waste Water
DW = Drinking Water
A = Air
S = Soil
SL = Sludge
SOL = Solid
O = Other (please define)

[2] **Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium Bisulfate
X = Sodium Hydroxide
T = Sodium Thiosulfate
O = Other (please define)

Relinquished by: (signature)	Date/Time:
[signature]	7/7/23 9:30AM
Received by: (signature)	Date/Time:
[signature] 4.8°C	1054 7-8-23
Relinquished by: (signature)	Date/Time:
Received by: (signature)	Date/Time:
Relinquished by: (signature)	Date/Time:
Received by: (signature)	Date/Time:
Relinquished by: (signature)	Date/Time:
Received by: (signature)	Date/Time:

Client Comments:

Detection Limit Requirements
MA ✓
CT
Other:

Special Requirements
☐ MA MCP Required
MCP Certification Form Required
☐ CT RCP Required
RCP Certification Form Required
☐ MA State DW Required
PWSID #

Please use the following codes to indicate possible sample concentration within the Conc Code column above:
H - High; M - Medium; L - Low; C - Clean; U - Unknown

M to L

Project Entity
Government ☐ Municipality ☐ MWRA ☐ WRTA ☐
Federal ☐ 21 J ☐ School ☐
City ☐ Brownfield ☐ MBTA ☐

NELAC and AIHA-LAP, LLC Accredited
Other
☐ Chromatogram
☐ *AIHA-LAP,LLC*

Comments:

Disclaimer: Pace Analytical is not responsible for any omitted information on the Chain of Custody. The Chain of Custody is a legal document that must be complete and accurate and is used to determine what analyses the laboratory will perform. Any missing information is not the laboratory's responsibility. Pace Analytical values your partnership on each project and will try to assist with missing information, but will not be held accountable.

Table of Contents

[redacted]

FedEx® Tracking

DELIVERED

Saturday

7/8/2023 at 10:54 am

Signed for by: A.MALONARY

Obtain proof of delivery

DELIVERY STATUS

Delivered

TRACKING ID

791369913580

FROM
NORTH TRURO, MA US

Label Created
6/27/2023 3:50 PM

PACKAGE RECEIVED BY FEDEX
WEST YARMOUTH, MA
7/7/2023 6:36 PM

IN TRANSIT
WINDSOR LOCKS, CT
7/8/2023 8:24 AM

OUT FOR DELIVERY
WINDSOR LOCKS, CT
7/8/2023 8:41 AM

DELIVERED
East Longmeadow, MA US

Delivered
7/8/2023 at 10:54 AM

View travel history

Want updates on this shipment? Enter your email and we will do the rest!

YOUR EMAIL

SUBMIT

MORE OPTIONS

Manage Delivery

39 Spruce St.
East Longmeadow, MA. 01028
P: 413-525-2332
F:413-525-6405
www.pacelabs.com

ENV-FRM-ELON-0001 V05__Sample Receiving Checklist

Log In Back-Sheet

Login Sample Receipt Checklist – (Rejection Criteria Listing – Using Acceptance Policy) Any False statement will be brought to the attention of the Client – True or False

Pace
PEOPLE ADVANCING SCIENCE

Client Leonard Wright
Project N/A
MCP/RCP Required N/A
Deliverable Package Requirement N/A
Location ~~ONCH~~
PWSID# (When Applicable)
Arrival Method:

Courier ☐ Fed Ex ☑ Walk In ☐ Other ☐

Received By / Date / Time AM 7/8/23 1054
Back-Sheet By / Date / Time LA 7/10/23 1155
Temperature Method Gun #5
Temp ☑ < 6° C Actual Temperature 4.8
Rush Samples: Yes / ~~No~~ Notify
Short Hold: Yes / ~~No~~ Notify

	True	False
Received on Ice	☑	☐
Received in Cooler	☑	☐
Custody Seal: DATE TIME	☐	☑
COC Relinquished	☑	☐
COC/Samples Labels Agree	☑	☐
All Samples in Good Condition	☑	☐
Samples Received within Holding Time	☑	☐
Is there enough Volume	☑	☐
Proper Media/Container Used	☑	☐
Splitting Samples Required	☐	☑
MS/MSD	☐	☑
Trip Blanks	☐	☑
Lab to Filters	☐	☑
COC Legible	☑	☐

COC Included: (Check all included)

Client	☑	Analysis	☑	Sampler Name	☒
Project	☑	IDs	☐	Collection Date/Time	☑

All Samples Proper pH: N/A ☐ ☐

Notes regarding Samples/COC outside of SOP:

Additional Container Notes

Sample	Soils Jars (Circle Amb/Clear)				Ambers							Plastics										VOA Vials					Other / Fill in					
					1 Liter			250mL			100mL	1 Liter		500mL		250mL																
	16oz Amb/Clear	8oz Amb/Clear	4oz Amb/Clear	2oz Amb/Clear	Unpreserved	HCL	Sulfuric	Sulfuric	Phosphoric	HCl	Unpreserved	Unpreserved	Sulfuric	Unpreserved	Sulfuric	Unpreserved	Trizma	Sulfuric	Nitric	NaOH	NaOH/Zinc	Unpreserved	HCl	MeOH	D.I. Water	BiSulfate	Col/Bact					
1																																
2																																
3																																
4																																
5																																
6																																
7																																
8																																
9																																
10																																
11																																
12																																
13																																
14																																
15																																
16																																
17																																
18																																
19																																
20																																