



BTC ETICKET

TICKET NUMBER

7012940223

CUSTOMER / JOB INFORMATION

Customer / Job Name: Murray-Ward
Address: 2132 Revere Drive Irving, Tx
Job Number: 12
PO / Reference: -
Date: 05/08/2026
Load Time: 12:39 PM

MIX / TRUCK INFORMATION

Mix #: 6017
Truck: B-70
Description: 4500 PSI 6.0SK SLAG AIR
Strength (ASTM C31): 4500 PSI in 28 Days
Slump (ASTM C143): 4.5 in $\pm$ 1.5 in
Air Content (ASTM C231): 4.5% $\pm$ 1.5%

LOAD SIZE
10.0 cys

QTY DELIVERED TOTAL
10.0 cys

ORDER TOTAL
10.0 cys

WEATHER CONDITIONS

Temp: 76.9°F | Feels Like: 76.9°F | Conditions: Partially cloudy | Humidity: 58.12% | Wind: 6.9 mph @ 180.0° | Precip: 0.0 in | Rain
Chance: 9.0% | Clouds: 41.0% | Coords: (32.8901, -96.97404)

WATER ALLOWED
25.0 gal

WATER ADDED
10.0 gal


BATCH WEIGHTS

Description	Design	Target	Actual	UOM	% Var	Moisture (%)	Water (gal)
01-Cement	388	3,880	3,940	lb	1.6	-	-
04-Slag	129	1,290	1,310	lb	1.6	-	-
06-Natural Sand	1,400	14,263	14,230	lb	-0.2	3.00	31.46
09-Water	28	230	226	gal	-1.6	-	-
10-#57 Crushed Rock	1,885	18,794	18,760	lb	-0.2	0.50	-6.71
36-SIKA 686 (MRWR)	41	414	414	floz	0.1	0.00	0.00
37-SIKA Air	2	21	21	floz	-0.9	0.00	0.00


CURB LINE SIGNATURE - 05/08/2026 01:03 PM

Driver signed - no one available

FINAL SIGNATURE PHOTO



BTC TERMS & CONDITIONS



Scan for terms

FINAL SIGNATURE - 05/08/2026 01:03 PM

Accepted Delivery