

File replace pack — outdated project overlay

Give this folder to a developer whose `asecoph/` + `mobile/` tree is behind this work.

How to apply: copy each file onto the **same path** in their project (overwrite). Do **not** copy `.env` (secrets). Merge env keys from the notes below.

Copies here keep the original folder names and file names:

```
file-replace-pack/  
  asecoph/...  
  mobile/...
```

Date: August 2026
Scope: Onboarding splash, Home dashboard ledger totals, Billing Ledger (cache + refresh), Profile service info.

Action legend

Action	Meaning
ADD	File does not exist in the old project — copy it in
REPLACE	File exists but is outdated — overwrite with this copy
MERGE	Do not blindly overwrite — copy the new bits into their file

asecoph/ — Laravel API

ADD

Path
asecoph/app/Http/Controllers/Api/V1/DashboardController.php
asecoph/app/Http/Controllers/Api/V1/LedgerController.php
asecoph/config/cors.php

REPLACE

Path
asecoph/routes/api.php

MERGE (keep their other config; add these pieces)

Path	What
asecoph/config/services.php	aselco_ledger array (url + timeout)
asecoph/app/Providers/AppServiceProvider.php	RateLimiter::for('api-ledger', ...) (20/
asecoph/.env and .env.example	ASELCO_LEDGER_URL=https://coop.eduisbots and ASELCO_LEDGER_TIMEOUT=20

.env.example is copied here as a reference. **Do not replace their live .env** . Only append the two ledger keys if missing.

mobile/ — Ionic app

ADD

Path
mobile/src/api/dashboard.ts
mobile/src/api/ledger.ts
mobile/src/api/ledgerStorage.ts
mobile/src/components/ServiceInfoCard.tsx
mobile/src/utils/serviceAccount.ts
mobile/src/onboarding/OnboardingContext.tsx
mobile/src/onboarding/haptics.ts
mobile/src/onboarding/storage.ts
mobile/src/pages/onboarding/Splash.tsx
mobile/src/pages/onboarding/Welcome.tsx
mobile/src/pages/onboarding/Walkthrough.tsx
mobile/src/pages/onboarding/Onboarding.css

```
mobile/src/data/walkthroughSlides.ts
```

If their project is missing auth/membership API clients, also ADD:

Path
mobile/src/api/auth.ts
mobile/src/api/client.ts
mobile/src/api/membership.ts
mobile/src/api/tokenStorage.ts
mobile/src/api/types.ts
mobile/src/auth/AuthContext.tsx
mobile/src/membership/MembershipContext.tsx
mobile/src/pages/Login.tsx
mobile/src/pages/Register.tsx
mobile/src/pages/Auth.css
mobile/src/pages/membership/MembershipSetup.tsx
mobile/src/pages/membership/MembershipSetup.css

REPLACE

Path	Why
mobile/src/App.tsx	Onboarding / splash gates
mobile/src/pages/Home.tsx	Dashboard: AST + one ledger card (total + per-account list)
mobile/src/pages/Ledger.tsx	Cache-first ledger, refresh, account cards, pager icons
mobile/src/pages/Profile.tsx	Service Information moved here
mobile/src/components/BalanceCard.tsx	Total current balance + account breakdown
mobile/src/components/AppHeader.tsx	Home logo
mobile/src/theme/global.css	Ledger, dashboard cards, splash-related layout
mobile/src/data/mockData.ts	AST wallet default <code>0</code>
mobile/src/setupTests.ts	Capacitor mocks

<code>mobile/src/vite-env.d.ts</code>	Vite env types
<code>mobile/src/api/types.ts</code>	Ledger + dashboard types (if they already have this file)
<code>mobile/src/auth/AuthContext.tsx</code>	Clears ledger <code>localStorage</code> on sign out
<code>mobile/src/utils/serviceAccount.ts</code>	Shared <code>listMemberAccounts</code> for Home + Ledger

Folder tree (this pack)

```

file-replace-pack/
├── README.md
├── asecoph/
│   ├── .env.example
│   ├── app/
│   │   ├── Http/Controllers/Api/V1/
│   │   │   ├── DashboardController.php
│   │   │   └── LedgerController.php
│   │   └── Providers/AppServiceProvider.php
│   ├── config/
│   │   ├── cors.php
│   │   └── services.php
│   └── routes/api.php
└── mobile/src/
    ├── App.tsx
    ├── api/
    │   ├── auth.ts
    │   ├── client.ts
    │   ├── dashboard.ts
    │   ├── ledger.ts
    │   ├── ledgerStorage.ts
    │   ├── membership.ts
    │   ├── tokenStorage.ts
    │   └── types.ts
    ├── auth/AuthContext.tsx
    ├── components/
    │   ├── AppHeader.tsx
    │   ├── BalanceCard.tsx
    │   └── ServiceInfoCard.tsx
    ├── data/
    │   ├── mockData.ts
    │   └── walkthroughSlides.ts
    ├── membership/MembershipContext.tsx
    ├── onboarding/
    │   ├── OnboardingContext.tsx
    │   ├── haptics.ts
    │   └── storage.ts
    ├── pages/
    │   └── Auth.css

```

```
├── Home.tsx
├── Ledger.tsx
├── Login.tsx
├── Profile.tsx
├── Register.tsx
├── membership/
├── onboarding/
├── setupTests.ts
├── theme/global.css
├── utils/serviceAccount.ts
└── vite-env.d.ts
```

After copy

1. In their `asecoph/.env` , add `ASELCO_LEDGER_URL` and `ASELCO_LEDGER_TIMEOUT` if missing.
2. Point `mobile/.env` `VITE_API_BASE_URL` at their running `asecoph` API (`/api/v1`).
3. Restart Vite after `.env` changes.
4. On the device/app: open Ledger → Refresh once so Home can show cached current balances.

Do not copy

Path	Reason
<code>asecoph/.env</code>	Secrets / local machine
<code>mobile/.env</code>	Local API URL
<code>asecoph/vendor/</code>	Composer install on their machine
<code>mobile/node_modules/</code>	npm install on their machine