1. Static HTML Website (Nginx)

```
# Use the lightweight Nginx Alpine image
FROM nginx:alpine

# Copy your local index.html to the Nginx web root
COPY index.html /usr/share/nginx/html/index.html

# Nginx starts automatically, no CMD needed
```

2. Python Script (Basic)

```
# Use a slim Python image to keep the size down
FROM python:3.11-slim

# Set the working directory inside the container
WORKDIR /app

# Copy your script into the container
COPY script.py .

# Run the script when the container starts
CMD ["python", "script.py"]
```

© 2026 corporealsoul. All rights reserved.

3. Node.js Application (Express)

```
FROM node:20-slim

WORKDIR /usr/src/app

# Copy dependency files first (optimizes Docker build cache)
COPY package*.json ./

# Install only production dependencies
RUN npm install --only=production

# Copy the rest of the application code
COPY . .

# Expose the port the app runs on
EXPOSE 3000

CMD ["node", "app.js"]
```

© 2026 corporealsoul. All rights reserved.

4. Hello World in C (Compiled Language)

```
FROM gcc:latest

WORKDIR /usr/src/myapp

# Copy the source code
COPY hello.c .

# Compile the program
RUN gcc -o myapp hello.c

# Execute the compiled binary
CMD ["./myapp"]
```

5. Simple Task Runner (Alpine Linux)

```
# Alpine is incredibly small (~5MB)
FROM alpine:latest

# Install a package (like curl) for utility
RUN apk add --no-cache curl

# Run a simple command as the default
CMD ["echo", "Container Research Lab Environment Ready!"]
```

© 2026 corporealsoul. All rights reserved.