

Engineered PTFE & PEEK for the toughest environments.

The image displays a 3D exploded view of a mechanical assembly, likely a pump or engine component, set against a dark blue background. The assembly is shown in a disassembled state, revealing the internal structure and the arrangement of the rings and plates. The components are labeled as follows:

- Oil scraper rings:** Two rings located at the top left of the assembly.
- Packing rings:** A series of rings located in the middle of the assembly.
- Piston rings:** A series of rings located below the packing rings.
- Rider ring:** A single ring located below the piston rings.
- Valve plate:** A circular plate with a central hole, located to the right of the rings.

The assembly is shown in a disassembled state, revealing the internal structure and the arrangement of the rings and plates. The components are labeled as follows:

- Oil scraper rings:** Two rings located at the top left of the assembly.
- Packing rings:** A series of rings located in the middle of the assembly.
- Piston rings:** A series of rings located below the packing rings.
- Rider ring:** A single ring located below the piston rings.
- Valve plate:** A circular plate with a central hole, located to the right of the rings.

AHMEDABAD · INDIA

Six decades of polymer know-how, one global brand.

Since 1963, **Corrosion Engineers** has manufactured PTFE and filled-PTFE products — and today PEEK — from Ahmedabad for India's most demanding industries — railways, defence, atomic energy, power, petrochemicals and heavy engineering.

Corvex is the new brand name for that expertise. Every rod, tube, ring, seal and bellows now ships as Corvex — the same materials, the same craftsmanship, the same people, presented for a global market by **Corrosion Engineers**.



Wherever parts slide, rotate or oscillate — or wherever corrosive chemicals, friction or extreme temperatures destroy other materials — there is a job for Corvex.

1963 Established in Ahmedabad	13 Generic PTFE & PEEK grades	7 Proprietary compressor grades	28 Industries served	50+ Institutional & PSU customers
---	---	---	--------------------------------	---



Piston rings



Packing rings



PEEK valve plates



Filled bushes



Rods, virgin & filled

Made to drawing

Standard sizes from stock, plus non-standard sizes and filled compositions made to your specification.

Proven in the field

Registered vendor to Indian Railways, BHEL, ONGC, DAE, SAIL and the Ministry of Defence — and supplier to Burckhardt Compression.

One partner

From raw rods and tubes to finished seals, bellows and bearing pads — machined in-house.

How an order works

01

Send

A drawing, a sample, an OEM part number — or just the operating conditions.

02

We recommend

The grade and design for your medium, temperature, pressure and motion.

03

Quote

A clear quote on WhatsApp or email.

04

Make

Moulded and machined in-house in Narol, Ahmedabad.

05






Deliver

Packed and dispatched to your plant, anywhere.



What's inside — find it in seconds.

Compressor spares come first — they are the heart of our business. Every product is shown in **virgin** and **filled** grades. Scan the code at the foot of any page to see those parts in 3D on our website.

 Compressor spares Piston, rider & packing rings, valve plates, guides, scrapers p. 04	 Ring compounds Same ring, five compounds — pick by gas, pressure & duty p. 05
 PTFE — the material Eleven reasons engineers specify it p. 06	 PTFE grades Virgin and filled: glass, carbon, graphite, bronze, MoS₂ p. 07
 Rods & tubes Extruded, moulded, paste-extruded p. 08	 Sheets, pads & specials Skived, moulded, etched, anti-static, bearing pads p. 09
 PEEK Virgin, glass, carbon & bearing grades p. 10	 FEP, PFA, PCTFE, PVDF The wider fluoropolymer family p. 11

Which grade? Start with what the part must do.

Resist the harshest chemicals	—		Virgin PTFE
Run dry with the lowest friction	—		Graphite / carbon-filled PTFE
Carry load without creep	—		Glass-filled PTFE
Shed heat & resist wear	—		Bronze-filled PTFE
Insulate electrically	—		Electrical-grade PTFE
Hold its shape at high load & heat	—		PEEK (virgin / glass / carbon)

Talk to an engineer



WhatsApp

+91 73508 08899



Call

+91 85116 44445



Email

corrosionengineers@yahoo.com




Scan to WhatsApp us from your phone



Compressor spares — where Corvex is strongest.

Compressor components are the heart of our business. We make PTFE, filled-PTFE and PEEK wear parts for reciprocating air, gas and refrigeration compressors — for OEMs, and for maintenance teams who need a reliable replacement for any make, made to sample or drawing.

Gas-specific & high-pressure specialists. For gas-specific and high-pressure compressors, we engineer the best solution using our **proprietary filler compositions**, delivering extraordinary efficiency and long service life with minimal wear.



Runs oil-free

Self-lubricating rings end oil carry-over and line contamination.

Protects the cylinder

PTFE absorbs stray particles instead of scoring the liner.

Any make, any size

Machined to your sample, drawing or OEM part number.

7 proprietary grades

In-house compressor compounds, plus 13 generic grades, matched to the gas, pressure and duty.

Supplier of compressor rings since 2024."

— Burckhardt Compression

1963

Making compressor rings since

Replacement spares for leading makes

Chicago Pneumatic Tool

Kirloskar Pneumatic Company

K.G. Khosla Compressors

Ingersoll Rand

Dresser-Rand

Brand names belong to their respective owners; Corvex supplies compatible replacement parts.




Compressor oil

Lubricating oils for reciprocating and screw compressors, supplied alongside your spares.



Eight parts that keep your compressor running.

Send a sample, a drawing or the OEM part number. WhatsApp **+91 73508 08899** with the part name for a quick quote.



Same ring. Our compound.

Every compressor part is made in a Corvex compound matched to your gas, pressure and duty — from 13 generic grades and 7 proprietary compressor grades.

○ Virgin PTFE ● Carbon ● Bronze ● Glass ● Graphite ● MoS₂ ● PEEK



Piston rings

Carbon- and graphite-filled PTFE and PEEK rings for non-lubricated and lubricated cylinders.


● Carbon ● Graphite ● MoS₂
● PEEK



Rider rings & wear bands

Bronze- and carbon-filled bands that carry the piston and protect the liner.


● Bronze ● Carbon



Packing rings

Segmental rod packing, with or without garter springs, packing cups and PEEK pressure breakers.

● Carbon ● Graphite ● PEEK



Valve plates & discs

PEEK and filled-PTFE valve plates, discs and seats for suction and delivery valves.


● PEEK ● Carbon ● Glass



Guide rings

LP / HP guide rings, L-type pressure rings and twin pressure rings.


● Glass ● PEEK ● Bronze



Oil wiper & scraper rings

Bronze scraper rings keep oil out of the compression chamber and off the rod.


● Bronze



Bushes & liners

Unloader bushes, sliding bushes, gear-set bushes and Rulon-type liners.

● Bronze ● Carbon
● Rulon-type



Valve guides

Valve guides, valve disc guides, wear strips and unloader piston rings.

○ Virgin PTFE ● PEEK



Corvex PTFE — the self-lubricating engineering material.

Corvex PTFE markedly improves the performance and service life of wear elements, seals and other key components in hydraulic, pneumatic and mechanical systems. In its virgin state it offers a coefficient of friction lower than graphite, outstanding temperature resistance, and corrosion and chemical resistance equal to or better than glass.

Compounded with inorganic fillers, it gains wear resistance comparable to many soft-metal alloys — superior to most self-lubricating materials. Freedom from stick-slip, excellent plastic memory and the ability to absorb contaminants make it the answer where hostile environments rule out lubricants or conventional parts.

-268 to +260 °C

Service temperature

0.05

Dynamic friction coefficient

55 kV/mm

Dielectric strength

<0.01 %

Water absorption

Eleven reasons engineers specify Corvex



Chemical inertness 01

Resists practically every industrial chemical.



High dielectric strength 02

~55 kV/mm; excellent insulator.



Heat resistance 03

Service from -268 °C to +260 °C.



Toughness & flexibility 04

Tough, with excellent plastic memory.



Low coefficient of friction 05

Lower than graphite; no stick-slip.



Noise damping 06

Quiet running in sliding assemblies.



Weather resistance 07

Unaffected by sun, rain and ageing.



Light weight 08

SG 2.14–2.18 — far lighter than metals.



High impact strength 09

Izod: no break at room temperature.



Long life 10

Years of service, reusable parts.



Self-lubricating 11

Runs dry — no oil, no contamination.

One material, many functions.

Standardise materials and simplify designs by eliminating lubrication altogether.



Moulding a better tomorrow — PTFE grades we offer.

Virgin PTFE is the starting point. Fillers tune it for load, wear, conductivity and heat. Every product in this catalogue can be supplied in the grade your application needs.

 Pure (virgin) Maximum chemical resistance and lowest friction. The all-round grade.	 Pure — electrical grade High-purity for insulators, bushes and electronic components.	 Carbon filled Higher compressive strength and hardness; good thermal conductivity.	 Glass filled Better wear and creep resistance with retained chemical resistance.	 Graphite filled Very low friction and wear; suits dry-running and soft mating surfaces.
 Bronze filled High wear resistance and heat dissipation for bearings and guide rings.	 MoS₂ + glass filled Harder, low-friction surface for dynamic seals and piston rings.	 Rulon-type (red) Bearing-grade compound for bushes, liners and guides.	 Turcite-type Low-friction slideway material for guide strips and wear bands.	

PTFE compounds at a glance Test methods: ASTM D792, D638, D2240, D621, D149

COMPOUND	DENSITY G/CM ³	TENSILE KGF/CM ²	ELONGATION %	HARDNESS SHORE D	DEFORMATION 24 H, 23 °C %	DIELECTRIC KV/MM
Virgin PTFE	2.1 – 2.2	210 – 375	250 – 400	52 – 58	10	22 – 24
Chemically modified	2.15 – 2.2	300 – 325	350 – 450	55 – 62	5	30 – 35
25% glass	2.22 – 2.25	125 – 200	200 – 300	58 – 63	11	11 – 12
15% glass + 5% MoS ₂	2.2 – 2.24	150 – 220	220 – 320	60 – 65	13	15 – 16
25% carbon / 23% carbon + 2% graphite	2.0 – 2.2	125 – 200	80 – 150	60 – 65	7	1 – 2
15% graphite	2.1 – 2.16	150 – 200	150 – 250	60 – 65	8	1 – 2
40% bronze	3.0 – 3.2	125 – 225	200 – 350	62 – 66	6	Conductive
40% bronze + 5% MoS ₂	3.0 – 3.2	125 – 225	200 – 350	62 – 66	6	Conductive
60% bronze	3.8 – 4.0	100 – 200	150 – 300	64 – 68	5	Conductive

All grades: melting point 335 °C, continuous service to +260 °C, water absorption ≈ 0 %. Typical average values for guidance only — not for design limits. Filled compositions are available for rods, tubes and machined components. Trade names are used only to describe equivalent compound types.



PTFE rods & tubes.

Extruded and moulded stock shapes in virgin and filled PTFE, ready for machining.
Any size outside these ranges is made to order.

VIRGIN

FILLED

01
Extruded rods

Diameter	3 – 100 mm
Length	1000 & 2000 mm
Made to order	Custom length & diameter

Also in filled compounds — glass, carbon, graphite, bronze, MoS₂.

VIRGIN

FILLED

02
Moulded rods

Diameter 16 – 400 mm	Length 300 mm
Diameter 105 – 300 mm	Length 1000 mm
Made to order	Custom length & diameter

Also in filled compounds — glass, carbon, graphite, bronze, MoS₂.

VIRGIN

FILLED

03
Paste-extruded tubes

OUTER DIAMETER (MM)	WALL (MM)
3.2, 4.8, 6.4, 8, 9.5, 11.1, 12.7, 14.3	0.8
3, 4, 6, 8, 10, 12, 14	1.0
6.35, 8, 9.5, 11.1, 12.5, 16, 19, 22.2, 25, 28	1.5

Custom length, OD and ID on request.

VIRGIN

FILLED

04
Moulded tubes & bushes

OD / ID range	12.5 – 1500 mm
Note	OD and ID are co-related
Made to order	Custom length, OD & ID

Also in filled compounds — glass, carbon, graphite, bronze, MoS₂.

Machined components to drawing

Valve seat rings, wedge rings, plug-valve sleeves, O-rings, washers, bushes, balls, insulators, pipe joints, guides, hydraulic seals — and every PTFE part for non-lubricated compressors — machined from any grade to your sample, specification or drawing.




PTFE sheets, pads & special-purpose grades.

VIRGIN



FILLED




05

Moulded sheets


Thickness **3 – 100 mm**

Sizes **300², 450², 600², 900², 1000², 1200², 1500², 1000**
(mm) **× 2000**

VIRGIN



FILLED




06

Skived sheets & film


Thickness **0.2 – 6 mm**

Width **300, 450, 600, 1000, 1200, 1500, 2000 mm**

VIRGIN



FILLED



07

Modified PTFE (TFM-type)

Chemically modified PTFE: lower creep, less porosity and smoother surfaces than virgin grade.

Rods **Ø 12 – 400 × 300 mm**

Moulded bushes **OD / ID 12.5 – 1500 mm**

Skived sheets **300 – 1500 wide · 0.2 – 6 mm**

Moulded sheets **300² – 1500², 1000 × 2000 · 8 – 100 mm**

08

Chemically etched (bondable) PTFE

Etched on one or both sides so PTFE bonds to steel, wood, glass and plastics with standard adhesives. Only the surface changes (turns brown).

Forms **Sheets, film, rods, tubes, pads**

Uses **Linings for chutes, hoppers, tanks, rollers**

Storage **Keep wrapped, away from UV light**

09

Bridge & structural bearing pads

Plain or dimpled PTFE sliding pads between deck and pier — high load capacity, low friction, corrosion- and weather-proof, self-lubricating.

Multi-span bridges

Steel & concrete structures

Pipe supports

Tank & vessel bases

10

Anti-static PTFE

Conductive PTFE rods, spacers and sheets for lined pipes and fittings where static build-up must be dissipated.

Specific gravity **2.14 – 2.20**

Tensile strength **20 – 30 MPa**

Hardness **Shore D 55 – 65**


Volume / surface resistivity **< 10⁶ Ω·cm / < 10⁶ Ω**




Corvex PEEK — strength where PTFE gives way.

PEEK (polyetheretherketone) keeps its strength, stiffness and shape at temperatures that soften most plastics. Where PTFE would creep or cold-flow under high load and pressure, Corvex PEEK holds its dimensions — making it the material of choice for compressor valve plates, high-pressure rings and precision structural parts.

VIRGIN PEEK



FILLED PEEK



PEEK sheets, rods & bushes

Supplied in virgin PEEK and filled PEEK grades, in sizes as per customer needs.

Where PEEK earns its place

When parts must stay strong and stable under load, heat and chemicals

Compressors

Valve plates, poppets, piston & rider rings, back-up rings, pressure breakers

Oil & gas

Back-up & seal rings, valve seats, insulating bushes, connectors

Pumps

Wear & case rings, sleeve bearings, thrust washers

Valves

High-pressure / high-temperature seats, stem seals

Chemical & process

Pump parts, fittings, seals, filter parts

Electrical

Insulators, connectors, coil formers, terminal blocks

Semiconductor & instruments

Wafer-handling & test-socket parts, precision parts

Food & pharma

Valve seats, scraper blades, filling-machine parts

Automotive & machinery

Thrust washers, bushes, gears, seal rings

PEEK grades

Virgin PEEK



Tough, strong and chemically resistant. The standard grade for most parts.

[Ask for this grade →](#)

Glass-filled PEEK



30% glass for higher stiffness, dimensional stability and heat deflection.

[Ask for this grade →](#)

Carbon-filled PEEK



30% carbon fibre: highest strength and stiffness, better wear and thermal conductivity.

[Ask for this grade →](#)

Bearing-grade PEEK



Carbon, graphite and PTFE modified for the lowest friction and wear in dry running.

[Ask for this grade →](#)

Typical properties — virgin PEEK

Density	1.30 – 1.32 g/cm ³
Tensile strength	95 – 110 N/mm ²
Elongation at break	20 – 45 %
Flexural modulus	≈ 4,000 N/mm ²
Hardness	Shore D 85 – 88
Melting point	343 °C
Continuous service temperature	up to 250 °C
Heat deflection, 1.8 N/mm ²	≈ 152 °C (filled: ≈ 315 °C)
Dielectric strength	≈ 20 kV/mm


	PTFE	PEEK
Continuous service temperature	260 °C	250 °C
Tensile strength	20 – 35 N/mm ²	95 – 110 N/mm ²
Creep / cold flow under load	High	Very low
Friction	Lowest of any solid	Low (bearing grades lower)
Chemical resistance	Virtually universal	Excellent (not conc. sulphuric / nitric acid)
Best for	Seals, gaskets, bellows, low-load sliding	High-load rings, valve plates, structural parts



FEP, PFA, PCTFE & PVDF.

Beyond PTFE and PEEK, Corvex supplies the full family of melt-processable fluoropolymers in rods, sheets and tubing.

ROD · TUBING · SHEET



FEP

–196 to +200 °C

Transparent, non-stick, excellent electrical insulation.


Rods $\varnothing 6 - 135 \text{ mm} \cdot L \leq 200 \text{ mm}$

Sheets $3 - 60 \text{ mm} \cdot 120 \times 200 \text{ to } 645 \times 560 \text{ mm}$

Skived sheets $1 - 4 \text{ mm} \cdot 1000 / 1200 \text{ mm wide}$

Tubing $ID 1 - 50 \text{ mm} \cdot \text{wall } 0.1 - 4 \text{ mm} \cdot L \leq 6 \text{ m}$

ROD · TUBING · SHEET



PFA

–200 to +260 °C

Melt-processable with PTFE-like heat and chemical resistance; UV-stable.


Rods $\varnothing 5 - 100 \text{ mm} \cdot L 1000 \text{ mm}$

Sheets $3 - 60 \text{ mm} \cdot 120 \times 200 \text{ to } 645 \times 560 \text{ mm}$

Skived sheets $1 - 4 \text{ mm} \cdot 1000 / 1200 \text{ mm wide}$

Tubing $OD 2 - 43 \text{ mm} \cdot \text{wall } 0.5 - 2.5 \text{ mm}$

ROD · SEAT RINGS · DISC



PCTFE

–196 to +120 °C


Hard, dimensionally stable, gas-tight — for cryogenic and high-pressure seals.

Rods $\varnothing 3 - 100 \text{ mm} \cdot L 1000 \text{ mm}$

Sheets $3 - 60 \text{ mm} \cdot 120 \times 200 \text{ to } 500 \times 500 \text{ mm}$

Tubes $OD \times ID 34 \times 16 \text{ to } 640 \times 610 \text{ mm} \cdot L 25 - 170 \text{ mm}$

ROD · PIPE · SHEET



PVDF

–30 to +150 °C

Strong, abrasion-resistant and flame-retardant — for tank linings, fittings and water treatment.

Rods $\varnothing 10 - 200 \text{ mm} \cdot L 1000 \text{ mm}$

Sheets $2 - 50 \text{ mm} \cdot 1000 \times 2000, 1500 \times 3000 \text{ mm}$

TYPICAL PROPERTY	UNIT	FEP	PFA	PCTFE	PVDF
Density	g/cm ³	2.12 – 2.17	2.12 – 2.17	2.10 – 2.20	1.75 – 1.78
Tensile strength	MPa	18 – 25	25 – 35	38 – 48	42 – 55
Elongation at break	%	150 – 350	200 – 380	40 – 100	20 – 50
Hardness	Shore D	56	60	85	80
Melting point	°C	275	310	220	166
Dielectric strength	kV/mm	20 – 24	20	20 – 24	10

Typical values for guidance only; not to be used as specification limits. Custom sizes on request.



Trusted across 28 industries.

Aeronautical

- Insulating rings
- Sealing rings
- Spacers
- Thread seal tape

Battery manufacturers

- Ejection tips
- Plungers

Chemical plants

- Compressor components
- Crescent rings, QVF
- Envelope gaskets
- Gaskets
- Line bellows, QVF
- Rope gaskets
- Sheets
- Stirrer bellows
- Valve bellows
- Valve components
- Washers
- Thread seal tape

Civil engineering

- Bearing pads for bridges
- Pipeline sheets
- O-rings
- Packings

Compressor manufacturers & users

- Piston, rider & packing rings
- Valve plates, discs & guides
- Guide, wear & pressure rings
- Oil wiper & scraper rings
- Bushes, liners & wear strips
- Replacement spares for Chicago Pneumatic Tool, Kirloskar Pneumatic, K.G. Khosla, Ingersoll Rand & Dresser-Rand
- Compressor oil

Dairy

- Compressor components
- Pump seats for milk pumps
- Thread seal tape

Diesel engines

- Seals in special PTFE compositions

Duplicating machines

- PTFE coatings
- Rollers
- Fuser rollers
- Ejection guides
- Metal components
- Tapes
- Thread seal tape

Electrical & electronics

- Balls
- Cementable / etched bands
- Insulating bushes
- Carbon-filled bushes
- Compressor components
- Fixing covers
- Guide covers
- Nozzles
- O-rings
- Sealing rings
- Sheets
- Tapes
- Rods
- Relay plungers
- PTFE-coated thermistor bushes

Engineering

- Bearings, bushes & collars (pure & filled)
- O-rings
- PTFE coating of metal rollers
- Packings
- Rings & rods (pure & filled)
- Sheets
- Supporting rings
- Tubes / hollow bars
- Washers & gaskets
- V-seals

Fertilizer

- Bushes
- Compressor components
- O-rings
- Pump components
- Rods
- Seals & seal rings
- Sheets
- Valve components

Hydraulic

- Back-up rings
- Cup seals
- O-rings
- Rubber-PTFE coated O-rings
- Rod seals
- Sealing rings
- Shaft seals
- U-seals
- V-seals
- Washers
- Wiper seals

Instrumentation

- Bushes
- Compressor components
- Gaskets
- O-rings
- Packings
- Plates
- Rods
- Seals & seats
- Valve seats
- V-rings
- Washers
- PTFE-coated R.O. rings

Offshore

- Bearing pads
- Bushes
- Compressor components
- Gaskets
- Packing
- Rods
- Sheets
- Thread seal tape
- Greezee (PTFE-based)
- O-rings

Oxygen & industrial gas

- Bearing rings
- Compressor components
- Gaskets
- Gland packing rings
- Guide rings
- Greezee (fully fluorinated)
- Heat-sealing rings
- O-rings
- Packing with springs
- Expansion-engine piston rings
- Journal bearings
- Ring gaskets
- Thrust bearing pads



Petrochemical

- Bushes
- O-rings
- Packing
- Compressor components
- Valve components
- Fully fluorinated grease
- Sheets

Pharmaceutical

- Bushes
- Crescent rings, QVF
- Compressor parts
- Envelope gaskets
- Line bellows, QVF
- Pump seals
- Stirrer bellows
- Valve bellows

Pulp & paper

- Bushes
- Compressor components
- Thread seal tape
- Journal bearings

Pumps

- Bearings
- Glass-filled PTFE bushes
- Diaphragms

Railways

- Insulation sleeves & bushes
- Bearing pads for bogies, locomotives & bridges
- Sheets
- Tapes

Scientific instruments

- Bellow stirrers
- Crescent rings, QVF
- Discs
- Envelope gaskets
- Line bellows, QVF
- Valve bellows

Spare-parts dealers

- PTFE / filled PTFE
- Components for hydraulics, pumps & valves
- Electrical applications
- Tapes
- Thread seal tape

Steel plants

- Compressor components
- Gaskets
- Shaft seals
- Sheets
- Tape

Sugar

- Bushes
- Crescent rings, QVF
- Compressor components
- Line bellows, QVF
- Rods
- Sheets
- Tape

Tools

- Carbon-filled bushes

Tractors

- Hydraulic equipment components
- PTFE-coated O-rings
- Tape

Tyres

- Belts
- Piston rings for Bagomatic / bomb presses
- Tape

Valve manufacturers


- Balls
- Bushes
- Diaphragms
- Discs
- Gaskets
- O-rings
- Packing
- Seal rings
- Valve seats
- Washers
- Tape

Industry not listed?


Tell us the medium, temperature, pressure and motion. We will suggest the grade and make the part to your drawing.

[+91 73508 08899](https://api.whatsapp.com/message/3155-2383-2383-2383)

From the Corvex range




PEEK valve plates



FEP rods & tubing



Carbon packing rings



Bridge bearing pads



Bronze & carbon rider bands



In good company.

For more than sixty years, India's leading manufacturers, public-sector undertakings and defence establishments have relied on our PTFE components.

Supplier of compressor rings since 2024."

— Burckhardt Compression

1963

Making compressor rings since

LATEST CUSTOMERS

BC

Burckhardt Compression

RECENT CUSTOMER

JA

Jairaj Ancillaries Pvt. Ltd.

RECENT CUSTOMER

POWER & ELECTRICAL

5

- ABB** **Asea Brown Boveri Ltd.**
NASIK
- BHE** **Bharat Heavy Electricals**
BHOPAL · BENGALURU
- BHE** **Bharat Heavy Electricals Ltd.**
HYDERABAD
- CG** **Crompton Greaves Ltd.**
NASIK
- ECI** **Electronics Corporation of India Ltd.**
KERALA

COMPRESSORS, PUMPS & ENGINEERING

7

- AL** **Alfa Laval Ltd.**
PUNE
- CPI** **Chicago Pneumatic India Ltd.**
NASIK
- DM** **Dewrance Macneill & Co. Ltd.**
GHAZIABAD
- CP** **Calama Pumps Pvt. Ltd.**
AHMEDABAD
- KKC** **K.G. Khosla Compressors Ltd.**
FARIDABAD
- VH** **Veljan Hydrair Ltd.**
HYDERABAD
- M** **Midco Pvt. Ltd.**
MUMBAI

AUTO, STEEL & RUBBER

6

- RBL** **Rane Brake Lining Ltd.**
HOSUR
- ET** **Escorts Tractors Ltd.**
FARIDABAD
- TIS** **Tata Iron & Steel Co. Ltd.**
TATANAGAR
- MR** **Modi Rubber Ltd.**
MODINAGAR
- TEL** **Tata Engineering & Locomotive Co. Ltd.**
PUNE
- TELCO** **TELCO**
JAMSHEDPUR

DEFENCE, AEROSPACE & ATOMIC

4

- AFS** **Air Force Station**
CHANDIGARH
- AE** **Atomic Energy**
ANUSHAKTINAGAR
- HA** **Hindustan Aeronautics Ltd.**
HYDERABAD
- HA** **Hindustan Aeronautics Ltd.**
LUCKNOW

PROCESS INDUSTRIES

10

- ACW** **Alembic Chemical Works**
VADODARA

CPF Calico Polyester Fibre

VADODARA

DSW Daurala Sugar Works

MEERUT

DC Diamines & Chemicals Ltd.

VADODARA

GSF Gujarat State Fertilizers Co. Ltd.

VADODARA

IP Indian Petrochemicals Corp. Ltd.

VADODARA

LN Lakhanpal National Ltd.

VADODARA

S Synbiotics Ltd.

VADODARA

UO Universal Oxygen Ltd.

NEW DELHI

ONGC Oil & Natural Gas Commission

DEHRADUN

RAILWAYS

3

CLW Chittaranjan Locomotive Works

CHITTARANJAN

WR Western Railway

MUMBAI

CR Central Railway

MUMBAI

Names as recorded in our reference list and vendor registrations; some organisations have since been renamed. Names and trademarks belong to their respective owners and are shown for reference only.



Don't take our word for it — check every claim.

Everything you need to verify Corrosion Engineers yourself — in a minute, from public sources.

GSTIN 24AKDPJ6708R1ZQ Check at services.gst.gov.in	OUR WORKS 7-B, Anjani Industrial Estate, Narol, Ahmedabad 382405 Scan the Maps code on the back cover	VISIT US See our moulding & machining in person Book on WhatsApp +91 73508 08899	REFERENCES Talk to a customer in your industry Ask on WhatsApp +91 73508 08899
--	---	--	--

1963 Manufacturing PTFE in Ahmedabad	29 Vendor registrations on record	59 Organisations served or registered with	10 Sectors, from railways to atomic energy
--	---	--	--

01 Sample first First order? We machine a sample part to your drawing so you can trial the fit before you commit.	02 Checked before dispatch Every part is checked for dimensions, hardness and density. Test certificates on request.	03 Delivered at the earliest We work to deliver every order at the earliest possible date — breakdowns included.
---	--	--

Registered vendor — with registration numbers you can quote

RAILWAYS 6	GRSE Garden Reach Shipbuilders & Engineers Ltd. KOLKATA · Regn. 11373	EG Essar Gujarat Ltd. HAZIRA · Regn. W-C-007
NR Northern Railway NEW DELHI · Regn. C-0147	CVRA Ministry of Defence — Combat Vehicles R&D Estt., Avadi CHENNAI · Regular supplier	BHE Bharat Heavy Electricals Ltd. BHOPAL · Regn. C-4564
SCR South Central Railway SECUNDERABAD · Regn. 17590	OF Ministry of Defence — Ordnance Factory BHANDARA · Regn. C-58	CHEMICALS & FERTILISERS 6
WR Western Railway MUMBAI · Regn. 59407	DAE Department of Atomic Energy MUMBAI · Regn. XII/GEN/22487/6321/401	CF Coromandel Fertilizer Corpn. Ltd. VISAKHAPATNAM · Regular supplier
CR Central Railway MUMBAI · Regn. S-280 A 8807/c 0387	DGQA Directorate General of Quality Assurance, Ministry of Defence DELHI · Regn. 720/95-Grade SS-P-GR-II	GHC Gujarat Heavy Chemicals Ltd. VERAVAL · Regular supplier
ICF Integral Coach Factory CHENNAI · Regn. C-114/413007	DAE Department of Atomic Energy MUMBAI · Regn. 22487	GSF Gujarat State Fertilizers Co. Ltd. SIKKA / VADODARA · Regular supplier
ER Eastern Railway — · Regn. 66278	OIL, GAS & POWER 6	GAC Gujarat Alkalies & Chemicals Ltd. VADODARA · Regular supplier
STEEL 2	HP Hindustan Petroleum Corpn. Ltd. MUMBAI · Regn. 051	SAP Shree Ambuja Petrochemicals Ltd. MEDAK · Regular supplier
BSP Bhilai Steel Plant BHILAI · Regn. 93125060	NTP National Thermal Power Corpn. JYOTINAGAR · Regular supplier	KB Krishak Bharati Co-operative Ltd. SURAT · Regn. 0156
SAIL SAIL — Rourkela Steel Plant ROURKELA · Regn. Purchase/Regn/4833/2535	ONGC Oil & Natural Gas Corporation DEHRADUN · Regn. MAT/PMC-78/1648/NSIC	ELECTRICAL & INDUSTRIAL 2
DEFENCE, AEROSPACE & ATOMIC 7	ONGC ONGC (Import Substitution Group) DEHRADUN · Regn. INDEG/Regn./5/25/F010	HB Hyderabad Batteries Ltd. HYDERABAD · Regular supplier
NPOR Naval Physical & Oceanographic Lab. (R&D Organisation) KOCHI · Regn. NPOL/Regn.CG/8990		IC Indian Cable Co. Ltd. JAMSHEDPUR · Regular supplier



Tell us what you need to seal, slide, insulate or protect.

Send a drawing, a sample or just the operating conditions. We'll recommend the right grade and supply standard or custom Corvex components.



Jolin Javia

SALES & ENQUIRIES



+91 85116 44445

MOBILE



+91 73508 08899

WHATSAPP



corrosionengineers@yahoo.com

EMAIL



www.corvex.co.in

WEBSITE




7-B, Anjani Industrial Estate, Nr. Old Narol Court, Narol, Ahmedabad 382405, Gujarat, India

WORKS



WhatsApp a quote

Opens a chat with us



See every part in 3D

www.corvex.co.in



Find our works

Narol, Ahmedabad