Alabama Liquid Snake

University of Pretoria

Epi-Use

Botic - Privacy aware chatbot Coding Standards

Justin Grenfell - u16028440 Peter Msimanga - u13042352 Alicia Mulder - u14283124 Kyle Gaunt - u15330967 Lesego Mabe - u15055214

Contents

1	Introduction			2
	1.1	Requir	ed and optional Items	2
		1.1.1	Naming Conventions	2
		1.1.2	Layout Rules	2

1 Introduction

This document is meant to contain all details regarding the coding standards used in the development of all subsystems.

1.1 Required and optional Items

1.1.1 Naming Conventions

1.1.2 Layout Rules

We will be using Standardjs as the JavaScript standard style for the frontend. Here are a few of our standards:

- 1. 2 spaces for indentation
- 2. Single quotes for strings except to avoid escaping
- 3. No unused variables this one catches tons of bugs!
- 4. No semicolons It's fine. Really!
- 5. More details
- 6. Space after keywords if (condition) ...
- 7. Space after function name function name (arg) ...
- 8. Always use === instead of == but obj == null is allowed to check null || undefined.
- 9. Always handle the node is err function parameter
- 10. Declare browser globals with /* global */ comment at top of file. Prevents accidental use of vaguely-named browser globals like open, length, event, and name. Example: /* global alert, prompt */ Exceptions are: window, document, and navigator