THE UNIVERSITY OF
TENNESSEE
KNOXVILLE

exercise.and.assignment.M.4

Codebook and data files

a. = article (news, journal)	c. = cheatsheet code. = .py or .ipynb	g = graphic
howTo. = explanandum	py.M. exercise or assignment python file	r = reading

File Name	Purpose\Description
https://github.com/cosc-526/cosc.526.home.page/blob/main/code_notebook_cosc_526.ipynb	• Codebook in Jupyter Notebook • name = code.notebook.cosc.526.ipynb • **save your own copy!**
	Source data

Note.1: The codebook is formatted differently, and below highlights expected outcomes.

Note.2: The instructions below are an overview with additional details in the Notebook.

Note.3: Perform your work in your Notebook and generate outcomes for each code block. Export the Notebook as a .pdf for submission. If issues, submit an .ipynb file at the very minimum.

=> exercise.M.x

Problem summary

Objectives:
1. Import and manipula

   Mean Imputation with Pandas:
   - Use the fillna() method in Pandas to replace missing values with the mean of the column: df.fillna(df.mean(), inplace=True).
   - This method replaces missing values with the mean of the corresponding column, providing a simple imputation strategy.

   K-Nearest Neighbors (KNN) Imputation with scikit-learn:
   - Utilize the KNNImputer class from scikit-learn to impute missing values based on the values of the nearest neighbors: imputer = KNNImputer(n_neighbors=5); imputed_data = imputer.fit_transform(data).
   - This approach imputes missing values by considering the values of the k nearest neighbors in the feature space.

   Logistic Regression with scikit-learn:
   - Import the necessary modules: from sklearn.linear_model import LogisticRegression.
   - Create an instance of the LogisticRegression class: logreg = LogisticRegression().

——

=> <u>assignment.M.x</u>

Problem summary

Objectives:
   2. Import and manipula

a2.Problem 0 - Import, inspect, and view descriptive statistics

   Import data and view descriptive statistics with the pandas library.
   ● grab data from **Github** URL, .csv. or kaggle api

a2.Problem.1 - Description =>

   The United S

   `Task.0 - Expected outcome:`

a2.Problem.2 - Description =>

   Which v

   `Task.0 - Expected outcome:`

a2.Problem.3 - Description =>

   Which cou

   `Task.0 - Expected outcome:`

a2.Problem.4 - Description =>

   `Task.0 - Expected outcome:`

a2.Problem.5 - Description =>

   Determine e

   `Task.0 - Expected outcome:`

a2.Problem.6 - Description =>

   Determine

——

Task.0 - Expected outcome:

Additional resources

- Jupyter Community Forum
- Jupyter Notebook documentation (including get started guides).
- Install scientific packages.
- Python Package Index (pypi)

——