

KRO - PROJECT

Pizza Shop 2.0

Cosimo Damiano Persia
cpersia@unibz.it

June 18, 2018

Domain of choice

The domain of choice of this project is a pizza shop 2.0 . The software is aimed to a new kind of pizza shop completely automated by machines. The users creates its own pizza by selecting the ingredients from an user interface. The software, using the information of the ingredients inserted by the user, simulates the pizza, recognizes the class which the pizza belongs to and it outputs the result. In this way, customers have a direct feedback and maybe a suggestion of the food they will be eating. If the users do not like the classification of the pizza they have chosen, they can modify the ingredients. The owner of the restaurant can ask additional queries. The software supports the query that asks what pizzas a specific class of user bought. In this way the owner (or the machine) can understand what are the best pizzas to propose in a specific period of the year and buy the correct ingredient in order to make the expected pizzas.

Database

The database contains the information of users who have bought a pizza. The software uses information from a database with the schema shown in figure 1.

For each user the username, email, full name, country, name, and id are stored and for the pizza only its name is stored. Each pizza has a type of dough that can be "deep pan" or "thin and crispy". Moreover each pizza can have unrestricted numbers of vegetable, spicy, herb, seafood, sauce, nut, meat, fruit or cheese toppings.

The database contains a wide variety of ingredients of every kind; on average the size of each table representing the type of an ingredient is 1 MB. The size of the database on the whole is 29 MB. The data of the ingredients has been downloaded from multiple websites which had food and health as their primary domain.

For a comprehensive schema of the database you can look at the "create.sql" file in the "database" folder.



Figure 1: Database ER diagram




Figure 2: Ontology graphical representation

Ontology

The ontology was designed using Protege ¹, and it represents the hierarchy of classes of pizza and topping. Starting from the basic pizzas distinguished by the raw ingredients in bottom, new classes of pizza are stated. The ontology contains more or less 50 concepts and 12 roles. The mapping between the ontology and the database are 23. One for each type of ingredient and one for the corresponding pizza with that ingredient. For example a pizza for carnivores (CarnivorePizza in the ontology) is a pizza that contains meat (MeatyPizza) or Fish (SeaFood). The database does not know anything about the hierarchy of pizza and the database stores only the raw information.

A graphical representation of the ontology is shown in figure 2 .

Mappings

The connection between the ontology and the database is made by writing mappings. As an example the following mapping links the concept "CheeseTopping" with the information stored in the database in the table "cheese_topping".

```
target :{name} a :pizza#CheeseTopping .
source select name from cheese_topping
```

The following mapping links the relation in the database "has_cheese" with the relation in the ontology "hasCheese".

¹<https://protege.stanford.edu/>

```
target :{name_pizza} :pizza#hasCheese :{name} .  
source select name_pizza, name from has_cheese
```

SOFTWARE

The software is written in Java and uses maven as a software project management tool. In order to provide a graphical user interface, the javafx library has been chosen² and in order to supply autocompletion, during the insertion of ingredients, the controlfx library has been used. Moreover, the software uses the framework ONTOP³ to link the information of the database and the ontology.

The software needs to connect to a Postgresql database⁴ and in order to do so it needs the corresponding driver⁵ to establish a connection.

Building and Usage

The software can be found on <https://github.com/cosimodpersia/KRO-Project> as a maven project. Every Java IDE can be used to run the code. Before running the software, it is necessary to create the database that the software will use. Create a database with name "pizzadb" and import the database from the dump that can be found in "database" folder. The detailed information for completing this process is written in postgres documentation (<https://www.postgresql.org/docs/8.1/static/backup.html>). After having created the database, you need to modify the url, user and password in database.properties file in src/main/resources in accordance to your machine.

After running the software you will see a GUI that has a lot of tabs. By clicking on the "query" button in the first two tabs the software will output the answers to the asked query at the bottom of the window. The remaining tabs are used to add ingredients to the pizza. It suffices to start inserting the text and you will receive a suggestion based on the present text. You can click on the ingredients added in order to remove them.

²<http://www.oracle.com/technetwork/java/javase/overview/javafx-overview-2158620.html>

³<https://github.com/ontop/ontop>

⁴<https://www.postgresql.org/>

⁵<https://jdbc.postgresql.org/>