Experiment 10

Student Name: Mohit Sengar **UID:** 23BCS10331
Branch: CSE **Section/Group: KRG 3-A**
Semester: 6th **Date of Performance:22/04/2026**
Subject Name: System Design **Subject Code: 23CSH-314**

1. **Aim**: To design a **Food Delivery Platform (similar to Swiggy, Zomato)** that enables users to browse restaurants, place orders, track deliveries in real-time, and make secure payments with high availability and low latency.

2. **Objective**:

   - To design a scalable architecture for a food delivery system.
   - To enable real-time order tracking using location services.
   - To support order placement, cancellation, and status updates.
   - To ensure reliability in order processing and payment handling.
   - To implement delivery partner assignment and tracking.
   - To optimize performance using caching and asynchronous processing.

3. **Tools Used:**
   - **Frontend (ReactJS, HTML, CSS, JavaScript)** o Built responsive UI for browsing restaurants and placing orders o Integrated APIs for dynamic menu and order tracking
   - **Backend (Node.js / Java / Spring Boot)** o Developed REST APIs for users, orders, delivery, and payments o Implemented business logic for order lifecycle
   - **Database (PostgreSQL / MySQL)** o Managed transactional data (orders, users, payments) o Ensured ACID properties for order consistency
   - **Redis**.
     o Cached frequently accessed data (menus, restaurant list) o Reduced latency for read-heavy operations
   - **Message Queue (Kafka / RabbitMQ)** o Used for asynchronous processing (order → delivery assignment) o Improved scalability and fault tolerance
   - **Maps API (Google Maps / Mapbox)** o Used for real-time delivery tracking and ETA calculation
   - **Deployment (AWS / GCP, Docker, Load Balancer)** o Cloud-based scalable infrastructure o Containerized services for easy deployment

4. System Requirements:

A. Functional Requirements

- Users should be able to register and login
- Users should be able to browse restaurants and menus
- Users should be able to add items to cart and place orders
- The system should assign a delivery partner automatically
- Users should be able to track order status in real-time
- Users should be able to make payments (online / COD)
- Users should be able to cancel orders (before preparation stage)
- Restaurants should be able to accept/reject orders
- Delivery partners should be able to accept/decline delivery requests
- Users should be able to rate and review orders.

B. Non-Functional Requirements

- **Scalability**
  System should support **millions of users and thousands of concurrent orders**, especially during peak hours. **CAP Theorem**
- **Consistency + Availability**
  - Strong consistency → Order &
  Payment Eventual consistency →
  Tracking & notifications **Latency:**
  - Order placement: **< 200 ms**
  - Menu fetch: **< 100 ms**
  - Tracking updates: **real-time (~1–2 sec delay)**

  Reliability:
  - No duplicate orders
  - Payment must be processed exactly once

5. HLD:



6. Scalability Solution

- Use **WebSockets** for real-time stock price updates.
- Use **API Gateway + Load Balancer** to distribute traffic Use **Redis caching** for menu and restaurant data.
  Use **Kafka (event-driven architecture)** for order processing Use **microservices architecture**:
- Order Service.
- Delivery Service.
- Payment Service.
- Restaurant Service.
- Use **database sharding** for large-scale data Use **horizontal scaling** for services
  Optimize read-heavy operations via caching.
- Optimize read-heavy operations using caching.

7. Learning Outcomes (What I Have Learnt)

- Understood architecture of large-scale food delivery systems.
- Learned how to design microservices-based applications.
- Understood importance of **asynchronous processing (Kafka)**.
- Learned real-time tracking using location services.
- Understood trade-offs between **consistency vs availability**.
- Gained knowledge of scaling techniques (cache, queue, load balancing).
- Learned how real-world systems handle peak traffic efficiently.