

JOURNEY RISK MANAGEMENT REPORT




IndianOil

WELCOME TO JOURNEY
RISK MANAGEMENT (JRM)
STUDY USING ARTIFICIAL
INTELLIGENCE (AI)
FOR IOCL TRICHY
TERMINAL

ALARP/JRM/TNSO/VINAYAKA


JOURNEY RISK MANAGEMENT REPORT

IOCL TIRUCHY TERMINAL (10.7753, 78.8368) TO RDR FUELS
(10.805468, 78.727243) TOTAL DISTANCE – 16.9 KM



ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



Welcome to the Journey Risk Management Study for RDR FUELS

Total distance: 16.9 km; Start with: (10.7753 , 78.8368), End with: (10.805468 , 78.727243)

- **Route Safety Analysis Report**
- 1. Overview of the Route Map**

The route from Trichy Terminal (T.N)- Take SIDCO to Indian oil Storage to NH 83 in Thuvakudi, At Studios, continue onto Thuvakudi to SIDCO& Indian oil Storage, Turn Right at TNSTC Trichy RE Conditioning UNIT (RC) Onto NH-83 Then Left From Jailani Weighbridge Bypass and Continue on Kalkandar Kottai Main Rd to Destination and Total distance from Trichy Terminal To RDR FUELS IS 16.9 KM.

JOURNEY RISK MANAGEMENT REPORT

Typical Weather Conditions and Potential Weather-Related Hazards

Weather Conditions: Trichy Terminal (T.N) To RDR FUELS experiences a tropical climate with heavy monsoon rains from June to September, high humidity, and moderate temperatures throughout the year ,The summers are short and sweltering; the winters are short, cool, and dry; and it is mostly clear year-round. Over the course of the year, the temperature typically varies from 60.8°F to 110°F and is rarely below 60.8°F to 110°F.

Month	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Nov	Oct	Dec	Year
Record high °C (°F)	33.0 (91.4)	38.0 (100.4)	41.0 (105.8)	43.0 (109.4)	43.0 (109.4)	42.0 (107.6)	40.0 (104.0)	39.0 (102.2)	38.0 (100.4)	37.0 (98.6)	34.0 (93.2)	33.0 (91.4)	43.0 (109.4)
Average high °C (°F)	30.27 (86.49)	32.88 (91.18)	36.0 (96.8)	38.27 (100.89)	38.79 (101.82)	36.78 (98.2)	36.17 (97.11)	35.4 (95.72)	35.03 (95.05)	32.9 (91.22)	30.38 (86.68)	29.34 (84.81)	34.35 (93.83)
Daily mean °C (°F)	26.57 (79.83)	28.67 (83.61)	31.87 (89.37)	34.46 (94.03)	35.18 (95.32)	33.45 (92.21)	32.92 (91.26)	32.18 (89.92)	31.78 (89.2)	29.86 (85.75)	27.44 (81.39)	26.32 (79.38)	30.89 (87.6)
Average low °C (°F)	19.88 (67.78)	20.93 (69.67)	24.04 (75.27)	27.62 (81.72)	28.89 (84.0)	27.59 (81.66)	27.04 (80.67)	26.45 (79.61)	25.95 (78.71)	24.64 (76.35)	22.43 (72.37)	20.93 (69.67)	24.7 (76.46)
Record low °C (°F)	16.0 (60.8)	17.0 (62.6)	19.0 (66.2)	22.0 (71.6)	25.0 (77.0)	25.0 (77.0)	24.0 (75.2)	23.0 (73.4)	22.0 (71.6)	21.0 (69.8)	18.0 (64.4)	17.0 (62.6)	16.0 (60.8)
Average precipitation mm (inches)	12.32 (0.49)	20.82 (0.82)	26.34 (1.04)	57.63 (2.27)	102.32 (4.03)	61.68 (2.43)	63.88 (2.51)	124.75 (4.91)	141.74 (5.58)	231.04 (9.1)	159.62 (6.28)	71.08 (2.8)	89.44 (3.52)
Average precipitation days (≥ 1.0 mm)	3.09	3.27	5.36	7.36	16.73	12.36	13.55	18.91	19.64	22.73	17.55	9.73	12.52
Average relative humidity (%)	72.01	65.19	58.27	53.97	51.56	50.59	51.14	56.11	60.33	70.18	77.39	76.61	61.95
Mean monthly sunshine hours	11.19	11.34	11.34	11.63	12.65	12.68	11.83	11.24	11.05	9.11	7.68	8.29	10.84


Weather-Related Hazards: Trichy Terminal (T.N) To RDR FUELS Providing a local hourly weather forecast of rain, sun, wind, humidity and temperature.

The Long-range 12 day forecast also includes detail for weather today. Live weather reports from Trichy Terminal (T.N) To RDR FUELS weather stations and weather warnings that include risk of thunder, high UV index and forecast gales.

JOURNEY RISK MANAGEMENT REPORT

Climate Graph

The chart below shows the mean monthly temperature and precipitation of Tiruchirappalli in recent years.



Analysis of Traffic Patterns

Peak Hours:

Typically, Trichy Terminal (T.N) To RDR FUELS peak traffic hours are from 8:00 AM to 11:00 AM and 4:00 PM to 8:00 PM on weekdays.

Congestion-Prone Areas:

- Old Burma Colony
- RECT Nagar
- BMR Garden
- NIT Trichirappalli
- SSTP GATE
- MALAI KOLVI TEMPLE

JOURNEY RISK MANAGEMENT REPORT

- **Assessment of Road Quality and Infrastructure**

Road Quality: Generally, the roads are well-maintained but can suffer from potholes and waterlogging on State Highway during the monsoon season.

Infrastructure: Adequate signage, street lighting, and traffic signals are present, but some areas may lack proper drainage systems, leading to waterlogging.

- **Suggestions for Alternative Routes for Emergencies**

Alternative Route 1-). Take SIDCO to Indian oil Storage to NH 83 in Thuvakudi, At Studios, continue onto Thuvakudi to SIDCO& Indian oil Storage, Turn Right at TNSTC Trichy RE Conditioning UNIT (RC) Onto NH-83 Then Left From Jailani Weighbridge Bypass and Continue on Kalkandar Kottai Main Rd to Destination

Alternative Route 2 :-) Take SIDCO to Indian oil Storage to NH 83 in Thuvakudi, At Studios, continue onto Thuvakudi to SIDCO& Indian oil Storage, Turn Right at TNSTC Trichy RE Conditioning UNIT (RC) Onto NH-83 Then Left From Jailani Weighbridge Bypass and Continue on Kalkandar Kottai Main Rd to Destination

Summary of Local Regulations Affecting Hazardous Material Transport

Regulations: Transport of hazardous materials is regulated by the Petroleum and Explosives Safety Organization (PESO) and the Motor Vehicles Act. Specific routes and timings may be restricted for hazardous material transport.

Permits: Ensure all necessary permits and documentation are in place.

- **Overview of Historical Incidents**

Historical Incidents: There have been occasional incidents involving heavy vehicles, particularly during the monsoon season due to waterlogging and poor visibility. No major incidents involving hazardous materials have been reported recently.

JOURNEY RISK MANAGEMENT REPORT

❖ Environmental Considerations and Sensitive Areas

Sensitive Areas: Old Burma Colony, RECT Nagar ,BMR Garden ,
NIT Trichirappalli , SSTP GATE , MALAI KOLVI TEMPLE

-
- **Educational institutions:** Himalayan Access Pvt.Ltd, Arasu Education - Jcb Institute in Trichy, Gnanam School of Business, NIT College.
- **Hospital:** - Dr Kamali's Home Clinic, Viveganandha Hospital, AYUSH MULTISPECIALITY HOSPITAL.
- **Gas Station:** ESSAR petrol pump, SP Petroleum (HPCL), HP PETROL PUMP - M/S. A.V.R. PETROL BUNK, IndianOil, IndianOil.
- **Environmental Impact:** Minimize noise and air pollution, especially in residential and sensitive areas.
- **Air pollution:** Volatile chemicals evaporate during the filling and discharge process, or from leaks.
- **Loss of habitats:** Oil and gas operations can degrade animal habitats and disrupt migratory pathways.
- **Oil spills:** Oil spills can be devastating for animals and humans.
- **Greenhouse gas emissions:** Oil and gas operations can emit greenhouse gases like methane.
- **Analysis of Communication Coverage**

Communication Coverage: Generally good throughout the route, but potential dead zones may exist densely built-up areas or underpasses.

Dead Zones: Monitor for any communication blackouts, especially in underpasses or near large buildings.

- **Estimated Emergency Response Times:** Old Burma Colony, RECT Nagar ,BMR Garden , NIT Trichirappalli , SSTP GATE , MALAI KOLVI TEMPLE.areas like,have quicker response times (15- 20 minutes). Congested areas may experience delays (up to 30-40 minutes).

JOURNEY RISK MANAGEMENT REPORT

- **Overall Summary of Risk Assessment**
- **Risk Level:** Moderate to High, especially during monsoon season.
- **Key Risks:** Waterlogging, traffic congestion, and potential communication dead zones.
- **Mitigation Measures:** Plan travel during non-peak hours, ensure proper vehicle maintenance, and have alternative routes and emergency contacts ready and control on the speed limit of the vehicle.













- **Road Signage for TT/PT Driver**

Road Traffic Signs in India

Mandatory/Regulatory Signs
















 Stop	 Give way	 No entry	 Straight prohibited
 One way	 One way	 Vehicles prohibited in both directions	 Horn prohibited
 Pedestrians prohibited	 Cycles prohibited	 Right turn prohibited	 Left turn prohibited
 U-turn prohibited	 Overtaking prohibited	 Trucks prohibited	 Tonga prohibited

JOURNEY RISK MANAGEMENT REPORT

 <p>All motor vehicles prohibited</p>	 <p>Hand cart prohibited</p>	 <p>Bullock cart prohibited</p>	 <p>Bullock and hand carts prohibited</p>
 <p>No parking</p>	 <p>No parking or stopping</p>	 <p>Speed limit</p>	 <p>Axle load limit</p>
 <p>Width limit</p>	 <p>Weight limit</p>	 <p>Length limit</p>	 <p>Load limit</p>
 <p>Restriction ands</p>			





















JOURNEY RISK MANAGEMENT REPORT

Cautionary signs

 <p>Right hand curve</p>	 <p>Left hand curve</p>	 <p>Right hand pin bend</p>	 <p>Left hand pin bend</p>
 <p>Right reverse bend</p>	 <p>Narrow bridge</p>	 <p>Gap in median</p>	 <p>Cycle crossing</p>
 <p>Pedestrian crossing</p>	 <p>School</p>	 <p>Men at work</p>	 <p>Roundabout</p>
 <p>Narrow road</p>	 <p>Road widens</p>	 <p>Side road left</p>	 <p>Side road right</p>

JOURNEY RISK MANAGEMENT REPORT

Information signs

			
Advance direction	Map type advance direction	Rotary intersection	Reassurance
			
Direction	Direction	Place identification	Truck lay bay
			
Toll booth ahead	Parking this side	Parking both sides	Cycle stand
			
Scooter and motor cycle stand	Taxi stand	Auto-rickshaw stand	Cycle-rickshaw stand
			
Public telephone	Filling station	Hospital	First aid post

Conclusion

The route for Trichy Terminal (T.N) To RDR FUELS is generally manageable but poses several risks, particularly during the monsoon season. Proper planning, adherence to regulations, and awareness of potential hazards can significantly mitigate these risks.

JOURNEY RISK MANAGEMENT REPORT

• Risk Assessment - Sharp Turns

Risk Type	Risk Level	Coordination	Distance From Start	Recommendation Speed
Sharp turn	Medium	10.769517372474736, 78.83735063199906	650 M	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.76584461192607, 78.8361700257199	1.1 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.764182189802032, 78.83459588401435	1.3 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.75826698538096, 78.83349398474651	2 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.756372549032195, 78.83034570133539	2.4 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.751346435623256, 78.8252297405902	3.2 KM	10km/hr TO 15 Km/Hr
Sharp turn	High	10.749451955814655, 78.83046376176118	3.8 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.741610640579689, 78.82718594844422	4.8 km	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.734287918634735, 78.82046183804047	5.9 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.713512709090521, 78.80911996491783	8.5 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.706666925588681, 78.80782375086409	9.3 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.699582172344776, 78.80004646577926	10.5 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.691462364523247, 78.79064891388968	11.9 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.6638374704095, 78.78862357927507	14.9 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.660732498370965, 78.78635520468103	15.4 KM	20km/hr TO 30 Km/Hr

JOURNEY RISK MANAGEMENT REPORT

IOCL TIRCHY TERMINAL (10.7753, 78.8368) TO RDR FUELS(10.805468, 78.727243) TOTAL DISTANCE – 16.9 KM



10.769073692604486, 78.83720120889187

ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



10.764113439530249, 78.83446118711721



10.758209570013967, 78.83344387884853

ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



10.75739191738154, 78.83409461405188

ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



10.75126610223314, 78.82518044583597



10.75028318292191, 78.82795244340517

ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



10.749185832475025, 78.8304590222586

ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



10.66061597511672, 78.78654572646798



10.642196979947212, 78.78752451242383

ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



10.605815072546143, 78.78221028938971



ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT

10.59057338373165, 78.7823247876881



10.586671064628458, 78.77752261226252

ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



10.389384108854301, 78.7984169777083



10.389316629105315, 78.79939517326633

ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



10.388820068070517, 78.8016322386129

ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



10.79660898053216, 78.75527739774856

ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



10.801948756017982, 78.74318062150455

ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



10.80732460904114, 78.72723998286041

ALARP/JRM/TNSO/VINAYAKA

JOURNEY RISK MANAGEMENT REPORT



10.804697063475844, 78.72724167142752

ALARP/JRM/TNSO/VINAYAKA