





IndianOil

WELCOME TO JOURNEY
RISK MANAGEMENT (JRM)
STUDY USING ARTIFICIAL
INTELLIGENCE (AI)
FOR IOCL TRICHY
TERMINAL

JOURNEY RISK MANAGEMENT REPORT

**IOCL TIRCHY TERMINAL (10.7753, 78.8368) MOON LIGHT AGENCIES
(10.884277 , 79.645192) TOTAL DISTANCE – 112 KM**



ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT

Welcome to the Journey Risk Management Study for MOON LIGHT AGENCIES

Total distance: 112 KM; Start with: (10.7753 , 78.8368), End with: (10.884277 , 79.645192)

❖ Route Safety Analysis Report

1. Overview of the Route Map

The route from Trichy Terminal (T.N) TO MOON LIGHT AGENCIES IS Take SIDCO to Indian oil Storage to NH 83 in Thuvakudi, Follow NH 83 to Mayiladuthurai - Thiruthuraipoondi Rd/Panagal Rd in Santhamangalam, Thiruvarur, Continue on Mayiladuthurai - Thiruthuraipoondi Rd/Panagal Rd to your destination, and Total distance from Trichy Terminal MOON LIGHT AGENCIES IS 112 KM.

Typical Weather Conditions and Potential Weather-Related Hazards

Weather Conditions: Trichy Terminal (T.N) MOON LIGHT AGENCIES experiences a tropical climate with heavy monsoon rains from June to September, high humidity, and moderate temperatures throughout the year, The summers are short and sweltering; the winters are short, cool, and dry; and it is mostly clear year-round. Over the course of the year, the temperature typically varies from 60.8°F to 110°F and is rarely below 60.8°F to 110°F.

Month	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Nov	Oct	Dec	Year
Record high °C (°F)	33.0 (91.4)	38.0 (100.4)	41.0 (105.8)	43.0 (109.4)	43.0 (109.4)	42.0 (107.6)	40.0 (104.0)	39.0 (102.2)	38.0 (100.4)	37.0 (98.6)	34.0 (93.2)	33.0 (91.4)	43.0 (109.4)
Average high °C (°F)	30.27 (86.49)	32.88 (91.18)	36.0 (96.8)	38.27 (100.89)	38.79 (101.82)	36.78 (98.2)	36.17 (97.11)	35.4 (95.72)	35.03 (95.05)	32.9 (91.22)	30.38 (86.68)	29.34 (84.81)	34.35 (93.83)
Daily mean °C (°F)	26.57 (79.83)	28.67 (83.61)	31.87 (89.37)	34.46 (94.03)	35.18 (95.32)	33.45 (92.21)	32.92 (91.26)	32.18 (89.92)	31.78 (89.2)	29.86 (85.75)	27.44 (81.39)	26.32 (79.38)	30.89 (87.6)
Average low °C (°F)	19.88 (67.78)	20.93 (69.67)	24.04 (75.27)	27.62 (81.72)	28.89 (84.0)	27.59 (81.66)	27.04 (80.67)	26.45 (79.61)	25.95 (78.71)	24.64 (76.35)	22.43 (72.37)	20.93 (69.67)	24.7 (76.46)
Record low °C (°F)	16.0 (60.8)	17.0 (62.6)	19.0 (66.2)	22.0 (71.6)	25.0 (77.0)	25.0 (77.0)	24.0 (75.2)	23.0 (73.4)	22.0 (71.6)	21.0 (69.8)	18.0 (64.4)	17.0 (62.6)	16.0 (60.8)
Average precipitation mm (inches)	12.32 (0.49)	20.82 (0.82)	26.34 (1.04)	57.63 (2.27)	102.32 (4.03)	61.68 (2.43)	63.88 (2.51)	124.75 (4.91)	141.74 (5.58)	231.04 (9.1)	159.62 (6.28)	71.08 (2.8)	89.44 (3.52)
Average precipitation days (≥ 1.0 mm)	3.09	3.27	5.36	7.36	16.73	12.36	13.55	18.91	19.64	22.73	17.55	9.73	12.52
Average relative humidity (%)	72.01	65.19	58.27	53.97	51.56	50.59	51.14	56.11	60.33	70.18	77.39	76.61	61.95
Mean monthly sunshine hours	11.19	11.34	11.34	11.63	12.65	12.68	11.83	11.24	11.05	9.11	7.68	8.29	10.84

ALARP/JRM/TNSO/MOONLIGHT


JOURNEY RISK MANAGEMENT REPORT

Weather-Related Hazards: Trichy Terminal (T.N) MOON LIGHT AGENCIES Providing a local hourly weather forecast of rain, sun, wind, humidity and temperature.

The Long-range 12 day forecast also includes detail for weather today. Live weather reports from Trichy Terminal (T.N) MOON LIGHT AGENCIES weather stations and weather warnings that include risk of thunder, high UV index and forecast gales.

Climate Graph

The chart below shows the mean monthly temperature and precipitation of Tiruchirappalli in recent years.



Analysis of Traffic Patterns

Peak Hours:

Typically, Trichy Terminal (T.N) MOON LIGHT AGENCIES peak traffic hours are from 8:00 AM to 11:00 AM and 4:00 PM to 8:00 PM on weekdays.

Congestion-Prone Areas:

- Old Burma Colony
- TIRUCHY PUBLIC SCHOOL
- Himalayan Access Pvt.Ltd
- Tool Fab Engineering Industries Ltd. (Unit 2)
- Gnanam School of Business
- SASTRA Deemed University
- K.R.P Samy residency

JOURNEY RISK MANAGEMENT REPORT

- Veterinary University Training & Research Centre (VUTRC)
- RTO Thanjavur
- HOTEL GREEN PALACE
- Fathima Matriculation higher secondary School, Kovilur
- Bharath College of Nursing

❖ Assessment of Road Quality and Infrastructure

Road Quality: Generally, the roads are well-maintained but can suffer from potholes and water logging on State Highway during the monsoon season.

Infrastructure: Adequate signage, street lighting, and traffic signals are present, but some areas may lack proper drainage systems, leading to water logging.

❖ Suggestions for Alternative Routes for Emergencies

Alternative Route 1-). Take SIDCO to Indian oil Storage to NH 83 in Thuvakudi At Jude Digital Studios, continue onto Thuvakudi to SIDCO & Indian oil Storage, Follow NH 83 to Mayiladuthurai - Thiruthuraipoondi Rd/ Panagal Rd in Santhamangalam, Thiruvavur, Continue on Mayiladuthurai - Thiruthuraipoondi Rd/Panagal Rd to your destination.

Alternative Route 2 -) Take SIDCO to Indian oil Storage to NH 83 in Thuvakudi, At Jude Digital Studios, continue onto Thuvakudi to SIDCO & Indian oil Storage, Follow NH 83 and NH 36 to Chinnammal Kallarai/Kallanai - Poombhuhar Rd/Poompuhar Rd in Kumbakonam, Keep right to stay on NH 83, At the roundabout, take the 2nd exit and stay on NH 36, Slight right at Pugazendi Car AC & Electrician Works onto NH 136B, Follow Chinnammal Kallarai/Poompuhar Rd to NH 136B in Aduthurai, Turn right at M.S.K Fish Farm onto NH 136B, Continue on Aduthurai - Porayar Rd. Drive to Main Rd in Nallathur.

Summary of Local Regulations Affecting Hazardous Material Transport

Regulations: Transport of hazardous materials is regulated by the Petroleum and Explosives Safety Organization (PESO) and the Motor Vehicles Act. Specific routes and timings may be restricted for hazardous material transport.

Permits: Ensure all necessary permits and documentation are in place.

❖ Overview of Historical Incidents

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT

Historical Incidents: There have been occasional incidents involving heavy vehicles, particularly during the monsoon season due to waterlogging and poor visibility. No major incidents involving hazardous materials have been reported recently.

❖ Environmental Considerations and Sensitive Areas

- **Sensitive Areas:** State Institute Of Hotel Management and Catering Technology, Valavanthankottai Toll Plaza, SPOT ON 42969 Royal Residency, Anand Engineering Products Pvt. Ltd. (Unit 2), The Urban Coffee House | coffee shop | Cafe | restaurant, GNR Marriage Hall, Tool Fab Engineering Industries Ltd. (Unit 2), Anandam Law college, School of Law, SASTRA University, Masjidul Aqsa vallam, Maruti Suzuki ARENA (PLA Motors, Thanjavur, Nangikkottai Road), Hotel Anitha Parthiban, Bon Secours College of Education, Best Matriculation Higher Secondary School, Vembukudi Toll Plaza, Sri Saravana Balaji Marriage Mahal.
- **Educational institutions:** Chanakya share market training Institute, Indian Institute of Catering Technology and Hotel Management, Samiyappa Institute Of Co Operative Management, Premier Institute, S.K Institute of Arts & Education, Dr S R J Group of Educational Institutions, DEEPA INSTITUTE FOR VEDIC MATHS.
- **Hospital:** - Dr Kamali's Home Clinic, Meenakshi Hospital, Rohini Hospital, Government Raja Mirasudar Hospital, Anbu Hospital.
- **Gas Station:** ESSAR petrol pump, SP Petroleum (HPCL), HP PETROL PUMP - M/S. A.V.R. PETROL BUNK, IndianOil, IndianOil.
- **Environmental Impact:** Minimize noise and air pollution, especially in residential and sensitive areas.
- **Air pollution:** Volatile chemicals evaporate during the filling and discharge process, or from leaks.
- **Loss of habitats:** Oil and gas operations can degrade animal habitats and disrupt migratory pathways.
- **Oil spills:** Oil spills can be devastating for animals and humans.
- **Greenhouse gas emissions:** Oil and gas operations can emit greenhouse gases like methane.
- **Analysis of Communication Coverage**

Communication Coverage: Generally good throughout the route, but potential dead zones may exist densely built-up areas or underpasses.

JOURNEY RISK MANAGEMENT REPORT

Dead Zones: Monitor for any communication blackouts, especially in underpasses or near large buildings.

- **Estimated Emergency Response Times:** State Institute Of Hotel Management and Catering Technology, Valavanthankottai Toll Plaza, SPOT ON 42969 Royal Residency, Anand Engineering Products Pvt. Ltd. (Unit 2), The Urban Coffee House | coffee shop | Cafe | restaurant, GNR Marriage Hall, Tool Fab Engineering Industries Ltd. (Unit 2), Anandam Law college, School of Law, SASTRA University, Masjidul Aqsa vallam, Maruti Suzuki ARENA (PLA Motors, Thanjavur, Nangikkottai Road), Hotel Anitha Parthiban, Bon Secours College of Education, Best Matriculation Higher Secondary School, Vembukudi Toll Plaza, Sri Saravana Balaji Marriage Mahal, areas like have quicker response times (15- 20 minutes). Congested areas may experience delays (up to 30-40 minutes).

Overall Summary of Risk Assessment

- **Risk Level:** Moderate to High, especially during monsoon season.
- **Key Risks:** Waterlogging, traffic congestion, and potential communication dead zones.
- **Mitigation Measures:** Plan travel during non-peak hours, ensure proper vehicle maintenance, and have alternative routes and emergency contacts ready and control on the speed limit of the vehicle.
- **Road Signage for TT/PT Driver**














JOURNEY RISK MANAGEMENT REPORT

Road Traffic Signs in India

Mandatory/Regulatory Signs

 Stop	 Give way	 No entry	 Straight prohibited
 One way	 One way	 Vehicles prohibited in both directions	 Horn prohibited
 Pedestrians prohibited	 Cycles prohibited	 Right turn prohibited	 Left turn prohibited
 U-turn prohibited	 Overtaking prohibited	 Trucks prohibited	 Tonga prohibited

JOURNEY RISK MANAGEMENT REPORT

 <p>All motor vehicles prohibited</p>	 <p>Hand cart prohibited</p>	 <p>Bullock cart prohibited</p>	 <p>Bullock and hand carts prohibited</p>
 <p>No parking</p>	 <p>No parking or stopping</p>	 <p>Speed limit</p>	 <p>Axle load limit</p>
 <p>Width limit</p>	 <p>Weight limit</p>	 <p>Length limit</p>	 <p>Load limit</p>
 <p>Restriction ands</p>			

JOURNEY RISK MANAGEMENT REPORT

Cautionary signs

			
Right hand curve	Left hand curve	Right hand pin bend	Left hand pin bend
			
Right reverse bend	Narrow bridge	Gap in median	Cycle crossing
			
Pedestrian crossing	School	Men at work	Roundabout
			
Narrow road	Road widens	Side road left	Side road right

JOURNEY RISK MANAGEMENT REPORT

Information signs

Advance direction	Map type advance direction	Rotary intersection	Reassurance
Direction	Direction	Place identification	Truck lay bay
Toll booth ahead	Parking this side	Parking both sides	Cycle stand
Scooter and motor cycle stand	Taxi stand	Auto-rickshaw stand	Cycle-rickshaw stand
Public telephone	Filling station	Hospital	First aid post

Conclusion

The route for Trichy Terminal (T.N) MOON LIGHT AGENCIES is generally manageable but poses several risks, particularly during the monsoon season. Proper planning, adherence to regulations, and awareness of potential hazards can significantly mitigate these risks.

JOURNEY RISK MANAGEMENT REPORT

- **Risk Assessment - Sharp Turns**

Risk Type	Risk Level	Coordination	Distance From Start	Recommendation Speed
Sharp turn	Medium	10.769517372474736, 78.83735063199906	650 M	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.76584461192607, 78.8361700257199	1.1 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.764182189802032, 78.83459588401435	1.3 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.75826698538096, 78.83349398474651	2 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.756372549032195, 78.83034570133539	2.4 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.751346435623256, 78.8252297405902	3.2 KM	10km/hr TO 15 Km/Hr
Sharp turn	High	10.749451955814655, 78.83046376176118	3.8 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.739326461561383, 78.83800479151158	5.3 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.73642740628165, 78.85764863813984	7.4 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.733604466438722, 78.87281181707364	9.1 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.73080526998016, 78.90617767628218	12.8 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.730477923035412, 78.90801389404626	13 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.724463035027611, 78.92577296721807	15 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.723788382097183, 78.92890578732897	15.4 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.721500875854746, 78.93682366832411	16.3 KM	20km/hr TO 30 Km/Hr

JOURNEY RISK MANAGEMENT REPORT

Sharp turn	Medium	10.720994881360893, 78.93834716298483	16.5 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.71915010256302, 78.9411152027286	16.8 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.71843327121256, 78.94211298444303	17 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.717263145760954, 78.94670492633878	17.5 KM	10km/hr TO 15 Km/Hr
Sharp turn	High	10.716985075928461, 78.95102478766644	18 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.71809195248243, 78.95607806951443	18.5 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.725197170776585, 78.97692607372574	21 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.730780555846192, 79.01656126512937	25.3 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.730190246964545, 79.02046656130192	25.8 KM	10km/hr TO 15 Km/Hr
Sharp turn	High	10.730401071697452, 79.02480101090002	26.2 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.727139512814995, 79.03926391834526	27.9 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.726633527742022, 79.06514187050024	30.7 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.723049442647225, 79.07037754229201	31.4 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.736837396359547, 79.10561104002268	35.6 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.73612060698111, 79.11058922045575	36.2 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.742782466810393, 79.13346309881189	38.8 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.7432462617802, 79.14376278157714	39.9 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.761628831100811, 79.15891189809322	42.6 KM	20km/hr TO 30 Km/Hr

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT

Sharp turn	High	10.769386276465765, 79.16457672365718	43.6 KM	10km/hr TO 15 Km/Hr
Sharp turn	High	10.777523785773456, 79.16605658817572	44.5 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.778298856573569, 79.166124866062	44.6 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.780199262033587, 79.16753594256141	44.9 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.7806315094395, 79.1679076777507	45 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.79007090118994, 79.17526904315943	46.3 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.838732864147495, 79.19203106952445	52.1 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.841627556326298, 79.19288590968536	52.4KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.864382116006672, 79.19247970116858	55 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.865459704381829, 79.19283694778355	55.1 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.86958207059273, 79.19625630830366	55.7 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.874421776457657, 79.20945572418708	57.2 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.874948023326985, 79.21073160495483	57.4 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.892892468546385, 79.2699895159846	64.2 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.906466254501833, 79.29083725124362	66.9 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.916839547699407, 79.29961531121639	68.4 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.92707467639872, 79.30628816788477	69.8 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.932649353273062, 79.3106134039501	70.6 KM	20km/hr TO 30 Km/Hr

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT

Sharp turn	Medium	10.935079628994828, 79.31465794598385	71.1 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.935881809725412, 79.32846053023889	72.6 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.939258924057162, 79.34295919658322	74.2 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.940185918176494, 79.34528129965602	74.5 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.941250705135284, 79.34595751650197	74.6 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.947263547752911, 79.34723339730526	75.3 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.947639346359221, 79.34734822657435	75.4 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.951359726957488, 79.34788409653387	75.8 KM	10km/hr TO 15 Km/Hr
Sharp turn	High	10.954090481533097, 79.3478713377262	76.1 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.955480901997275, 79.34833065485216	76.2 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.966303410639958, 79.3521710560902	77.5 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.969722940404145, 79.3542890182272	78 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.97156420928446, 79.35704492074562	78.3 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.974244675466208, 79.36227603209447	79 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.980554084386217, 79.37598180044225	80.6 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.98099246669875, 79.37766596305566	80.8 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.98218952078963, 79.38795972392433	82 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.982640425804044, 79.3888273228464	82.1 KM	10km/hr TO 15 Km/Hr

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT

Sharp turn	Medium	10.983366882411035, 79.39262944775143	82.5 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.981650938874413, 79.39447947486467	82.8 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.98558381666939, 79.39865160526288	83.5 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.98891544919475, 79.40207096583704	84 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.991407886549627, 79.40846312864453	84.7 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.991996549570876, 79.40934348637427	84.9 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.994401288511858, 79.41132110176441	85.2 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.998571961052205, 79.41860638109635	86.1 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.999598964467538, 79.42000985011298	86.3 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.000388001231217, 79.42383749269939	86.8 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.00311830263473, 79.43131415417443	87.7 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.00507208079757, 79.43547352563432	88.2 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.006487309414123, 79.43631560694104	88.3 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.007864959118875, 79.4382804634414	88.6 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.00829077679642, 79.43949255017075	88.7 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.009455510263674, 79.44302674003897	89.2 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.011597104967523, 79.4519068706572	90.2 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.0243962523845, 79.47167026450096	92.2 KM	20km/hr TO 30 Km/Hr

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT

Sharp turn	Medium	11.025423165698344, 79.47270372792285	92.9 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	11.026951005699203, 79.4765186114184	93.4 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	11.024070644939572, 79.4784324327326	93.8 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.023557186369509, 79.47919796119325	93.9 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.02231736807814, 79.47914692596254	94 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.019424438352559, 79.48134144096412	94.4 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	11.018159555404297, 79.4812904057334	94.6 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	11.01849769296255, 79.48245145723206	94.7 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.021536838841904, 79.49363026592134	96 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.022601332462624, 79.50214039095387	96.9 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.022263199620792, 79.50313557795272	97 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.024905634862868, 79.5124239902946	98.1 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.025757220292181, 79.51474609329189	98.4 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.025293857941637, 79.52009203404697	99 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.025869929947271, 79.5218782671218	99.2 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	11.02555684747551, 79.52288621292833	99.3 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.81949628701639, 79.60266123972823	99.7 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.81789037429091, 79.605522441766	100 KM	20km/hr TO 30 Km/Hr

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT

Sharp turn	Medium	10.81902789669332, 79.60947362553243	101 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.815973762248408, 79.62008219743629	102 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.815855474510208, 79.62593495508557	102 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.814452588612937, 79.63366541441539	103 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.81549352399008, 79.6366038357763	104 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.827724244273083, 79.63633889610855	105 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.83834587659332, 79.63549590646075	106 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.84357375756303, 79.63715780050913	107 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.856087183235303, 79.64134866385223	108 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.860179361760176, 79.64464836652799	109 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.864791865879676, 79.64527458752951	110 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.875696015018582, 79.64688831081429	111 KM	10km/hr TO 15 Km/Hr
Sharp turn	High	10.881538204278133, 79.64609349186489	112 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.884196619093123, 79.64552748446215	112 KM	20km/hr TO 30 Km/Hr

• Risk Assessment - Elevation Changes

Risk Type	Specific Risk	Risk Level	Coordination	Elevation Change	Gradient	Recommendation Speed

JOURNEY RISK MANAGEMENT REPORT

Elevation Change	Descent	Low	10.7753, 78.8368	-3.02m	-2.96 %	40 km/hr to 50 km/hr
Elevation Change	Descent	Low	10.993921 , 78.326323	-9.28m	-6.28%	40 km/hr to 50 km/hr

IOCL TIRCHY TERMINAL (10.7753, 78.8368) MOON LIGHT AGENCIES (10.884277 , 79.645192) TOTAL DISTANCE – 112 KM



10.769073692604486, 78.83720120889187

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT



10.764113439530249, 78.83446118711721



10.758209570013967, 78.83344387884853

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT



10.751314343624747, 78.82530656733346



10.75126610223314, 78.82518044583597

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT



10.749591316479634, 78.83018387464983



10.739318685033433, 78.8379420178455

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT



10.735064036857814, 78.86553394452655



ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT

10.731428224715632, 78.90834087863155



10.7204752733678, 78.94043095175968

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT



10.730470193011778, 79.02491837645792



10.73562703051417, 79.10914681274313

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT



10.74239869421108, 79.13924228433945



10.762835880662, 79.15885726520942

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT



10.86508872374555, 79.19199892851083



10.983050192850786, 79.38667088419274

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT



10.982396440646552, 79.39381342050322



10.864463315859473, 79.64519717963427

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT



10.875363562624612, 79.64669654363813



10.877920194622497, 79.6465278202017

ALARP/JRM/TNSO/MOONLIGHT

JOURNEY RISK MANAGEMENT REPORT



10.881566353235424, 79.64541798976025



10.884354471765532, 79.64536204148347

ALARP/JRM/TNSO/MOONLIGHT