





IndianOil

WELCOME TO JOURNEY
RISK MANAGEMENT (JRM)
STUDY USING ARTIFICIAL
INTELLIGENCE (AI)
FOR IOCL TRICHY
TERMINAL

JOURNEY RISK MANAGEMENT REPORT

IOCL TIRCHY TERMINAL (10.7753, 78.8368) TO AMARAVATHI CONSUMER COOP(10.823727 , 78.692279) TOTAL DISTANCE – 21.4 KM



ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT

Welcome to the Journey Risk Management Study for AMARAVATHI CONSUMER COOP

Total distance: 21.4 KM; Start with: (10.7753 , 78.8368), End with: (10.823727 , 78.692279)

❖ Route Safety Analysis Report

1. Overview of the Route Map

The route from Trichy Terminal (T.N). Take SIDCO to Indian oil Storage to NH 83 in Thuvakudi, At Jude Digital Studios, continue onto Thuvakudi to SIDCO & Indian oil Storage, Continue on NH 83 to A.I.B.E.A. Colony, Tiruchirappalli, Drive to Kallanai Rd/NH 45 - North Bank Kallanai Rd in Panayakurichy, and Total distance from Trichy Terminal To AMARAVATHI CONSUMER COOP IS 21.4 KM.

Typical Weather Conditions and Potential Weather-Related Hazards

Weather Conditions: Trichy Terminal (T.N) To AMARAVATHI CONSUMER COOP experiences a tropical climate with heavy monsoon rains from June to September, high humidity, and moderate temperatures throughout the year. The summers are short and sweltering; the winters are short, cool, and dry; and it is mostly clear year-round. Over the course of the year, the temperature typically varies from 60.8°F to 110°F and is rarely below 60.8°F to 110°F.

JOURNEY RISK MANAGEMENT REPORT


Month	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Nov	Oct	Dec	Year
Record high °C (°F)	33.0 (91.4)	38.0 (100.4)	41.0 (105.8)	43.0 (109.4)	43.0 (109.4)	42.0 (107.6)	40.0 (104.0)	39.0 (102.2)	38.0 (100.4)	37.0 (98.6)	34.0 (93.2)	33.0 (91.4)	43.0 (109.4)
Average high °C (°F)	30.27 (86.49)	32.88 (91.18)	36.0 (96.8)	38.27 (100.89)	38.79 (101.82)	36.78 (98.2)	36.17 (97.11)	35.4 (95.72)	35.03 (95.05)	32.9 (91.22)	30.38 (86.68)	29.34 (84.81)	34.35 (93.83)
Daily mean °C (°F)	26.57 (79.83)	28.67 (83.61)	31.87 (89.37)	34.46 (94.03)	35.18 (95.32)	33.45 (92.21)	32.92 (91.26)	32.18 (89.92)	31.78 (89.2)	29.86 (85.75)	27.44 (81.39)	26.32 (79.38)	30.89 (87.6)
Average low °C (°F)	19.88 (67.78)	20.93 (69.67)	24.04 (75.27)	27.62 (81.72)	28.89 (84.0)	27.59 (81.66)	27.04 (80.67)	26.45 (79.61)	25.95 (78.71)	24.64 (76.35)	22.43 (72.37)	20.93 (69.67)	24.7 (76.46)
Record low °C (°F)	16.0 (60.8)	17.0 (62.6)	19.0 (66.2)	22.0 (71.6)	25.0 (77.0)	25.0 (77.0)	24.0 (75.2)	23.0 (73.4)	22.0 (71.6)	21.0 (69.8)	18.0 (64.4)	17.0 (62.6)	16.0 (60.8)
Average precipitation mm (inches)	12.32 (0.49)	20.82 (0.82)	26.34 (1.04)	57.63 (2.27)	102.32 (4.03)	61.68 (2.43)	63.88 (2.51)	124.75 (4.91)	141.74 (5.58)	231.04 (9.1)	159.62 (6.28)	71.08 (2.8)	89.44 (3.52)
Average precipitation days (≥ 1.0 mm)	3.09	3.27	5.36	7.36	16.73	12.36	13.55	18.91	19.64	22.73	17.55	9.73	12.52
Average relative humidity (%)	72.01	65.19	58.27	53.97	51.56	50.59	51.14	56.11	60.33	70.18	77.39	76.61	61.95
Mean monthly sunshine hours	11.19	11.34	11.34	11.63	12.65	12.68	11.83	11.24	11.05	9.11	7.68	8.29	10.84

Weather-Related Hazards: Trichy Terminal (T.N) To AMARAVATHI CONSUMER COOP Providing a local hourly weather forecast of rain, sun, wind, humidity and temperature.

The Long-range 12 day forecast also includes detail for weather today. Live weather reports from Trichy Terminal (T.N) To AMARAVATHI CONSUMER COOP weather stations and weather warnings that include risk of thunder, high UV index and forecast gales.

Climate Graph

The chart below shows the mean monthly temperature and precipitation of Tiruchirappalli in recent years.



Analysis of Traffic Patterns

Peak Hours:

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT

Typically, Trichy Terminal (T.N) To AMARAVATHI CONSUMER COOP peak traffic hours are from 8:00 AM to 11:00 AM and 4:00 PM to 8:00 PM on weekdays.

Congestion-Prone Areas:

- Malar Mahal
- Old Burma Colony
- Government Branch Press, Tiruchirappalli
- National Institute of Technology Tiruchirappalli
- AGN InfoSystems & AGN INFOTECH
- NIT Trichy
- BHELEC CINEMA 4K Dolby 7.1
- MedPlus Trichy Rail Nagar

❖ Assessment of Road Quality and Infrastructure

Road Quality: Generally, the roads are well-maintained but can suffer from potholes and waterlogging on State Highway during the monsoon season.

Infrastructure: Adequate signage, street lighting, and traffic signals are present, but some areas may lack proper drainage systems, leading to waterlogging.

❖ Suggestions for Alternative Routes for Emergencies

Alternative Route 1-). Take SIDCO to Indian oil Storage to NH 83 in Thuvakudi, At Jude Digital Studios, continue onto Thuvakudi to SIDCO & Indian oil Storage, Continue on NH 83 to A.I.B.E.A. Colony, Tiruchirappalli, Drive to Kallanai Rd/NH 45 - North Bank Kallanai Rd in Panayakurichy, and Total distance from Trichy Terminal To AMARAVATHI CONSUMER COOPIS 24 KM.

Alternative Route 2- Take SIDCO to Indian oil Storage to NH 83 in Thuvakudi, At Jude Digital Studios, continue onto Thuvakudi to SIDCO & Indian oil Storage, Continue on NH 83 to A.I.B.E.A. Colony, Tiruchirappalli, Turn right at TNSTC TRICHY RE CONDITIONING UNIT(RC) onto NH 83, Drive to Kallanai Rd/NH 45 - North Bank Kallanai Rd in Panayakurichy, At VARSHA POWER WEEDER -

JOURNEY RISK MANAGEMENT REPORT

TRACTOR OPERATED SEEDDRILL - VENUS CORPORATION, continue onto MDR822, Slight left at Shafi Juice Shop onto Kallanai Rd/NH 45 - North Bank Kallanai Rd.

Summary of Local Regulations Affecting Hazardous Material Transport

Regulations: Transport of hazardous materials is regulated by the Petroleum and Explosives Safety Organization (PESO) and the Motor Vehicles Act. Specific routes and timings may be restricted for hazardous material transport.

Permits: Ensure all necessary permits and documentation are in place.

❖ Overview of Historical Incidents

Historical Incidents: There have been occasional incidents involving heavy vehicles, particularly during the monsoon season due to waterlogging and poor visibility. No major incidents involving hazardous materials have been reported recently.

❖ Environmental Considerations and Sensitive Areas

- **Sensitive Areas:** Malar Mahal, Old Burma Colony, Government Branch Press, Tiruchirappalli, National Institute of Technology Tiruchirappalli, AGN InfoSystems & AGN INFOTECH, NIT Trichy, BHELEC CINEMA 4K Dolby 7.1, MedPlus Trichy Rail Nagar.
- **Educational institutions:** State Institute Of Hotel Management and Catering Technology, National Institute of Technology Tiruchirappalli, AGN InfoSystems & AGN INFOTECH, NIT Trichy.
- **Hospital:** - Dr Kamali's Home Clinic, Muthammal Medical Foundation Hospital, Times Hospital - (Trichy Institute of Medical and Educational Services), Apollo Speciality Hospitals – Trichy. GVN Hospital (P) Ltd. - Multispecialty Hospital Trichy.
- **Gas Station:** IndianOil, Bharat Petroleum - Sri Vela Fuels, IndianOil, Reliance Petrol Bunk.
- **Environmental Impact:** Minimize noise and air pollution, especially in residential and sensitive areas.
- **Air pollution:** Volatile chemicals evaporate during the filling and discharge process, or from leaks.
- **Loss of habitats:** Oil and gas operations can degrade animal habitats and disrupt migratory pathways.

JOURNEY RISK MANAGEMENT REPORT

- **Oil spills:** Oil spills can be devastating for animals and humans.
- **Greenhouse gas emissions:** Oil and gas operations can emit greenhouse gases like methane.
- **Analysis of Communication Coverage**

Communication Coverage: Generally good throughout the route, but potential dead zones may exist densely built-up areas or underpasses.

Dead Zones: Monitor for any communication blackouts, especially in underpasses or near large buildings.

- **Estimated Emergency Response Times-**Malar Mahal,Old Burma Colony,Government Branch Press, Tiruchirappalli,National Institute of Technology Tiruchirappalli,AGN InfoSystems & AGN INFOTECH,NIT Trichy,BHELEC CINEMA 4K Dolby 7.1,MedPlus Trichy Rail Nagar, areas like have quicker response times (15- 20 minutes). Congested areas may experience delays (up to 30-40 minutes).
- **Overall Summary of Risk Assessment**
- **Risk Level:** Moderate to High, especially during monsoon season.
- **Key Risks:** Waterlogging, traffic congestion, and potential communication dead zones.
- **Mitigation Measures:** Plan travel during non-peak hours, ensure proper vehicle maintenance, and have alternative routes and emergency contacts ready and control on the speed limit of the vehicle.
- **Road Signage for TT/PT Driver**














JOURNEY RISK MANAGEMENT REPORT

Road Traffic Signs in India

Mandatory/Regulatory Signs

 Stop	 Give way	 No entry	 Straight prohibited
 One way	 One way	 Vehicles prohibited in both directions	 Horn prohibited
 Pedestrians prohibited	 Cycles prohibited	 Right turn prohibited	 Left turn prohibited
 U-turn prohibited	 Overtaking prohibited	 Trucks prohibited	 Tonga prohibited

JOURNEY RISK MANAGEMENT REPORT

 <p>All motor vehicles prohibited</p>	 <p>Hand cart prohibited</p>	 <p>Bullock cart prohibited</p>	 <p>Bullock and hand carts prohibited</p>
 <p>No parking</p>	 <p>No parking or stopping</p>	 <p>Speed limit</p>	 <p>Axle load limit</p>
 <p>Width limit</p>	 <p>Weight limit</p>	 <p>Length limit</p>	 <p>Load limit</p>
 <p>Restriction and</p>			





















JOURNEY RISK MANAGEMENT REPORT

Cautionary signs

			
Right hand curve	Left hand curve	Right hand pin bend	Left hand pin bend
			
Right reverse bend	Narrow bridge	Gap in median	Cycle crossing
			
Pedestrian crossing	School	Men at work	Roundabout
			
Narrow road	Road widens	Side road left	Side road right

JOURNEY RISK MANAGEMENT REPORT

Information signs

 <p>Advance direction</p>	 <p>Map type advance direction</p>	 <p>Rotary intersection</p>	 <p>Reassurance</p>
 <p>Direction</p>	 <p>Direction</p>	 <p>Place identification</p>	 <p>Truck lay bay</p>
 <p>Toll booth ahead</p>	 <p>Parking this side</p>	 <p>Parking both sides</p>	 <p>Cycle stand</p>
 <p>Scooter and motor cycle stand</p>	 <p>Taxi stand</p>	 <p>Auto-rickshaw stand</p>	 <p>Cycle-rickshaw stand</p>
 <p>Public telephone</p>	 <p>Filling station</p>	 <p>Hospital</p>	 <p>First aid post</p>

Conclusion

The route for Trichy Terminal (T.N) To AMARAVATHI CONSUMER COOP is generally manageable but poses several risks, particularly during the monsoon season. Proper planning, adherence to regulations, and awareness of potential hazards can significantly mitigate these risks.

JOURNEY RISK MANAGEMENT REPORT

- Risk Assessment - Sharp Turns**

Risk Type	Risk Level	Coordination	Distance From Start	Recommendation Speed
Sharp turn	Medium	10.769517372474736, 78.83735063199906	650 M	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.76584461192607, 78.8361700257199	1.1 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.764182189802032, 78.83459588401435	1.3 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.75826698538096, 78.83349398474651	2 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.756372549032195, 78.83034570133539	2.4 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.751346435623256, 78.8252297405902	3.2 KM	10km/hr TO 15 Km/Hr
Sharp turn	High	10.757906942798716, 78.81117677157785	6.2 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.787358384509025, 78.77401388280337	10.8 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.807926793454792, 78.72541718894573	16.7 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.812858780584483, 78.71601872869049	17.8 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.813153854161522, 78.7123280092307	18.2 KM	10km/hr TO 15 Km/Hr
Sharp turn	High	10.8132381608445, 78.71189885580515	18.3 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.817664228587676, 78.7119846864179	18.8 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.813836937486855, 78.70235089120746	19 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.815147437998915, 78.69918217560522	19.4 KM	20km/hr TO 30 Km/Hr

JOURNEY RISK MANAGEMENT REPORT

Sharp turn	High	10.815081023774637, 78.69648185115776	19.7 KM	10km/hr TO 15 Km/Hr
Sharp turn	High	10.816278382257092, 78.69603874539386	19.8 KM	10km/hr TO 15 Km/Hr
Sharp turn	Medium	10.816328510791369, 78.69330836055089	20.1 KM	20km/hr TO 30 Km/Hr
Sharp turn	Medium	10.818584286160473, 78.69236420878275	20.4 KM	20km/hr TO 30 Km/Hr
Sharp turn	High	10.823856323047355, 78.69293731804046	21 KM	10km/hr TO 15 Km/Hr
Sharp turn	High	10.82389758231795, 78.69227291287392	21.1 KM	10km/hr TO 15 Km/Hr

• Risk Assessment - Elevation Changes

Risk Type	Specific Risk	Risk Level	Coordination	Elevation Change	Gradient	Recommendation Speed
Elevation Change	Descent	Low	10.7753, 78.8368	-3.02m	-2.96 %	40 km/hr to 50 km/hr
Elevation Change	Descent	Low	10.993921, 78.326323	-9.28m	-6.28%	40 km/hr to 50 km/hr

**IOCL TIRCHY TERMINAL (10.7753, 78.8368) TO AMARAVATHI
CONSUMER COOP(10.823727, 78.692279) TOTAL DISTANCE – 21.4 KM**

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.769073692604486, 78.83720120889187



10.764113439530249, 78.83446118711721

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.758209570013967, 78.83344387884853



10.751314343624747, 78.82530656733346

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.75126610223314, 78.82518044583597



10.759296455409434, 78.80954749245673

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.787270680907813, 78.77433315009567



10.801869769228155, 78.74289067038384

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.807212761783093, 78.727384388977

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.813070768754649, 78.71358087620345



10.813158210442325, 78.7124472790252

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.817454621921845, 78.71214828336923



10.829944696187399, 78.71262765817357

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.834312487172522, 78.71279030656987



10.841088803407287, 78.71312538305449

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.844717051819696, 78.71311369720765



10.844989438989616, 78.71307770835966

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.848759612169568, 78.71316949993573

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.841673273379309, 78.71325860622025

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.841157935597444, 78.71579386442048



10.816286139505321, 78.69325687852015

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.816122193452555, 78.69583184859697




10.815297043378536, 78.6988768512013

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.813195752165065, 78.71160696068088



10.823632657201856, 78.69297954478584

ALARP/JRM/TNSO/AMARAVATHI

JOURNEY RISK MANAGEMENT REPORT



10.823760493105446, 78.6922379635329

ALARP/JRM/TNSO/AMARAVATHI