



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal TO DHANALAKSHMI FUEL STATION

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations

The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 175.53 km
Estimated Duration: 3.5 hours
Adjusted Duration (Heavy Vehicle): 4.4 hours
Start: (11.4381, 77.8734)
End: (12.542867, 77.788816)



Welcome to the Journey Risk Management Study

Route Safety Analysis Report

1. Overview of the Route Map

The route from CVQF+23W, Sangagiri to GQVQ+4G Chinna Bennangur, Tamil Nadu spans approximately 175.53 kilometers. The journey primarily involves National Highways and some state roads, traversing

through urban, semi-urban, and rural landscapes. Key waypoints include major towns such as Salem, Dharmapuri, and Krishnagiri.

2. Typical Weather Conditions and Weather-related Hazards

Tamil Nadu generally experiences a tropical climate. Key weather concerns include:

- **Summer (March to June):** High temperatures can lead to vehicle overheating, with increased risks of tire blowouts.
- **Monsoon (July to September):** Heavy rains can cause flooding and slippery roads, reducing visibility.
- **Winter (November to February):** Mild conditions but fog can occur, especially in early morning hours, affecting visibility.

3. Analysis of Traffic Patterns

- **Peak Hours:** Typically, traffic congestion peaks during morning (7 AM - 10 AM) and evening (5 PM - 8 PM) rush hours.
- **Congestion-prone Areas:** Salem and Krishnagiri towns often face heavy traffic. NH44 and NH544 can experience traffic jams, especially near urban settlements.

4. Assessment of Road Quality and Infrastructure

- **National Highways:** Generally in good condition with regular maintenance. Multiple lanes facilitate smooth heavy vehicle transport.
- **State Roads:** Variable quality; some areas may have potholes or narrower lanes.
- **Signage and Lighting:** Well-marked routes with sufficient traffic signage, but rural sections may have limited lighting.

5. Suggestions for Alternative Routes for Emergencies

In case of roadblocks or emergencies:

- Use NH44 to divert around major congested or blocked areas.
- Local detours through nearby smaller towns might offer temporary relief but check current road conditions.

6. Summary of Local Regulations Affecting Hazardous Material Transport

Transport of hazardous materials is regulated with specific permissions required. Compliance with The Motor Vehicles Act, 1988, and hazardous cargo marking is mandatory. Transport restricted in dense urban areas during peak hours.

7. Overview of Historical Incidents

- Historical records show occasional accidents involving heavy vehicles, primarily due to loss of control in rainy conditions or mechanical failures.
- No significant incidents involving hazardous materials have been recorded recently, but the risk remains for typical hazards like spills or fires.

8. Environmental Considerations and Sensitive Areas

- **Forested Areas:** Some segments pass through ecological zones that must be protected from contamination.
- **Water Bodies:** Bridges over rivers and streams where spills could significantly impact local ecosystems.

9. Communication Coverage Analysis

- **Network Coverage:** Generally good along National Highways.
- **Potential Dead Zones:** Some rural areas and stretches between towns may have reduced mobile network coverage.

10. Estimated Emergency Response Times

- Near urban centers like Salem and Krishnagiri: Approx. 30-45 minutes.
- Rural areas: Can extend to 1-2 hours depending on the distance from emergency services.

12. Overall Summary of Risk Assessment

- **Risk Level:** Moderate
- **Key Hazards:** Weather conditions, road condition variability, and traffic congestion.
- **Recommendations:** Ensure vehicles are well-maintained, consider alternate routes during adverse weather or traffic, and maintain communication equipment for emergencies.

This route requires diligent monitoring and compliance with safety regulations to ensure the safe transport of heavy vehicles carrying hazardous materials.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Turn	High	11.43968, 77.87345	15 KM/Hr
1	Turn	High	11.44029, 77.87544	15 KM/Hr
2	Turn	High	11.44900, 77.87406	15 KM/Hr
3	Turn	High	11.45028, 77.87202	15 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
4	Turn	Medium	11.46400, 77.87323	30 KM/Hr
5	Turn	Medium	11.46765, 77.87037	30 KM/Hr
6	Turn	High	11.47403, 77.86841	15 KM/Hr
7	Turn	Medium	11.47986, 77.88397	30 KM/Hr
8	Turn	High	11.49149, 77.89601	15 KM/Hr
9	Turn	High	11.49224, 77.89601	15 KM/Hr
10	Turn	High	11.53601, 77.95856	15 KM/Hr
11	Turn	Medium	11.62403, 78.10893	30 KM/Hr
12	Turn	Medium	11.62917, 78.11648	30 KM/Hr
13	Turn	High	11.64180, 78.11808	15 KM/Hr
14	Turn	High	11.64325, 78.11993	15 KM/Hr
15	Turn	Medium	11.67865, 78.12803	30 KM/Hr
16	Turn	Medium	11.68201, 78.12639	30 KM/Hr
17	Turn	Medium	11.69519, 78.10775	30 KM/Hr
18	Turn	Medium	11.73958, 78.05105	30 KM/Hr
19	Turn	Medium	11.75835, 78.05016	30 KM/Hr
20	Turn	Medium	11.77934, 78.05765	30 KM/Hr
21	Turn	Medium	11.86847, 78.08367	30 KM/Hr
22	Turn	Medium	11.87942, 78.08197	30 KM/Hr
23	Turn	Medium	11.91177, 78.05854	30 KM/Hr
24	Turn	Medium	11.92585, 78.06507	30 KM/Hr
25	Turn	Medium	11.93319, 78.06419	30 KM/Hr
26	Turn	Medium	11.93557, 78.06103	30 KM/Hr
27	Turn	Medium	11.93704, 78.05402	30 KM/Hr
28	Turn	Medium	11.95664, 78.04781	30 KM/Hr
29	Turn	High	11.95818, 78.04978	15 KM/Hr
30	Turn	Medium	11.96090, 78.04976	30 KM/Hr
31	Turn	High	11.96399, 78.05135	15 KM/Hr
32	Turn	Medium	11.96496, 78.04988	30 KM/Hr
33	Turn	High	11.96675, 78.04939	15 KM/Hr
34	Turn	Medium	12.11983, 78.13276	30 KM/Hr
35	Turn	Medium	12.20409, 78.12245	30 KM/Hr
36	Turn	Medium	12.37029, 78.05618	30 KM/Hr
37	Turn	Medium	12.37119, 78.05545	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
38	Turn	Medium	12.39379, 77.99112	30 KM/Hr
39	Turn	Medium	12.39761, 77.98765	30 KM/Hr
40	Turn	Medium	12.40303, 77.98652	30 KM/Hr
41	Turn	Medium	12.40606, 77.98268	30 KM/Hr
42	Turn	Medium	12.42057, 77.97518	30 KM/Hr
43	Turn	High	12.43034, 77.96700	15 KM/Hr
44	Turn	Medium	12.43124, 77.96307	30 KM/Hr
45	Turn	Medium	12.46166, 77.94295	30 KM/Hr
46	Turn	Medium	12.46780, 77.94014	30 KM/Hr
47	Turn	Medium	12.49001, 77.92156	30 KM/Hr
48	Turn	Medium	12.49041, 77.91993	30 KM/Hr
49	Turn	Medium	12.48965, 77.91779	30 KM/Hr
50	Turn	Medium	12.48920, 77.90574	30 KM/Hr
51	Turn	Medium	12.48581, 77.90168	30 KM/Hr
52	Turn	Medium	12.47412, 77.88122	30 KM/Hr
53	Turn	Medium	12.47107, 77.87604	30 KM/Hr
54	Turn	High	12.47171, 77.85467	15 KM/Hr
55	Turn	High	12.47288, 77.85403	15 KM/Hr
56	Turn	Medium	12.47327, 77.85208	30 KM/Hr
57	Turn	High	12.47456, 77.85022	15 KM/Hr
58	Turn	High	12.47655, 77.85014	15 KM/Hr
59	Turn	Medium	12.48049, 77.84421	30 KM/Hr
60	Turn	Medium	12.48524, 77.84283	30 KM/Hr
61	Turn	Medium	12.49468, 77.82310	30 KM/Hr
62	Turn	Medium	12.49926, 77.81890	30 KM/Hr
63	Turn	High	12.49944, 77.81530	15 KM/Hr
64	Turn	Medium	12.50044, 77.81475	30 KM/Hr
65	Turn	Medium	12.50128, 77.81251	30 KM/Hr
66	Turn	Medium	12.50522, 77.81021	30 KM/Hr
67	Turn	High	12.51030, 77.80171	15 KM/Hr
68	Turn	Medium	12.51394, 77.80055	30 KM/Hr
69	Turn	High	12.51480, 77.79935	15 KM/Hr
70	Turn	High	12.51656, 77.79965	15 KM/Hr
71	Turn	Medium	12.52176, 77.79148	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
72	Turn	Medium	12.52347, 77.79152	30 KM/Hr
73	Turn	Medium	12.53454, 77.78772	30 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
0	hospital	Thilagam Hospital	11.4753573, 77.8685829	30 km/h	Medium
1	clinic	Meyyazhagan Clinic	11.4752254, 77.8685671	30 km/h	Medium
2	hospital	Dr. Jaganathan Hospital	11.4752717, 77.8709312	30 km/h	Medium
3	hospital	Kathir Eye Hospital	11.4740976, 77.8681591	30 km/h	Medium
4	police	Police Quarters	11.4741243, 77.8673495	30 km/h	Medium
5	clinic	Dr. Dhanasekar Clinic	11.4793113, 77.8829247	30 km/h	Medium
6	hospital	Sri Vellaiyan Hospital	11.4798876, 77.8831394	30 km/h	Medium
8	hospital	C. N. Hospital	11.55724, 78.0096	30 km/h	Medium
9	hospital	Vinayaka Mission's Homeopathic Medical College & Hospital	11.583617, 78.059145	30 km/h	Medium
11	hospital	Vinayaka Mission’s Kirupananda Variyar Medical College	11.5977669, 78.0850992	30 km/h	Medium
16	hospital	Bharathi Hospital, Salem	11.6492647, 78.1204131	30 km/h	Medium
17	hospital	Sisu Hospital Inida Ltd	11.6505276, 78.1205003	30 km/h	Medium
18	hospital	Aishwarya Hospital	11.6716291, 78.1267807	30 km/h	Medium
20	hospital	C.M. Hospital	11.6747345, 78.1255034	30 km/h	Medium
21	pharmacy	Healthy Pharmacy	11.6762714, 78.127744	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
22	pharmacy	Thulasi Pharmacy	11.6761991, 78.1277377	30 km/h	Medium
23	hospital	Sri Gokulam Speciality Hospital	11.6788724, 78.1274258	30 km/h	Medium
24	hospital	Global Medical Center	11.6867049, 78.1186697	30 km/h	Medium
25	hospital	Manipal Hospital	11.703072, 78.1026612	30 km/h	Medium
28	clinic	Manimuthu Skin Clinic	11.7521189, 78.0484058	30 km/h	Medium
29	hospital	St. Joseph's Speciality Hospital	11.761611, 78.0522344	30 km/h	Medium
30	hospital	Anugraha Multi Speciality Hospital	11.773549, 78.0546408	30 km/h	Medium
31	hospital	L.R. Hospital	11.8703354, 78.0844554	30 km/h	Medium
32	clinic	JSA Clinic	11.8700619, 78.0844982	30 km/h	Medium
34	hospital	Government Hospital Panchapalli	12.4587955, 77.9429947	30 km/h	Medium
35	hospital	Government Hospital, Thenkanikottai	12.51961, 77.793121	30 km/h	Medium
36	hospital	Govt Hospital	12.5185717, 77.7938205	30 km/h	Medium
37	police	Denkanikottai Police Station	12.5208971, 77.7903372	30 km/h	Medium
38	hospital	Mythri Hospital, Krishnagiri	12.5264111, 77.7897745	30 km/h	Medium
39	pharmacy	Sri Venkateshwara Pharmacy	12.5319785, 77.7884257	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
10	school	Vinayaka Missions Annapoorani Matric School	11.5971662, 78.0839876	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
12	university	Vinayaka Missions Vinayaka Missions Research Foundation	11.5974056, 78.0843617	30 km/h	Medium
13	school	Dist Education Training	11.6133799, 78.1022409	30 km/h	Medium
14	school	DIET - Salem	11.6144158, 78.1025078	30 km/h	Medium
15	school	Diamond Rays Matric HR Sec School	11.6385629, 78.1206259	30 km/h	Medium
19	college	Sona College	11.6768, 78.1257052	30 km/h	Medium
26	university	Periyar University	11.7186758, 78.0771089	30 km/h	Medium
27	school	Fathima Hr Sec School	11.7410508, 78.0479272	30 km/h	Medium
33	college	Laxminarayana Polytechnic College	12.0421277, 78.103203	30 km/h	Medium
40	school	Vellankani Hr. Sec. School	12.5336092, 77.7899878	30 km/h	Medium
41	school	Play Ground	12.5324778, 77.7897856	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44029, 77.87544



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44900, 77.87406



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45028, 77.87202



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46400, 77.87323



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46765, 77.87037



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.47403, 77.86841



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.47986, 77.88397



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.49149, 77.89601



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.49224, 77.89601



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.53601, 77.95856



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.62403, 78.10893



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.62917, 78.11648



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.64180, 78.11808



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.64325, 78.11993



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.67865, 78.12803



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.68201, 78.12639



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.69519, 78.10775



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.73958, 78.05105



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.75835, 78.05016



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.77934, 78.05765



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.86847, 78.08367



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.87942, 78.08197



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91177, 78.05854



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92585, 78.06507



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93319, 78.06419



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93557, 78.06103



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.93704, 78.05402



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.95664, 78.04781



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.95818, 78.04978



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96090, 78.04976



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96399, 78.05135



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96496, 78.04988



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96675, 78.04939



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.11983, 78.13276



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.37029, 78.05618



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.37119, 78.05545



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.39379, 77.99112



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.39761, 77.98765



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.40303, 77.98652



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.40606, 77.98268



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.42057, 77.97518



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.43034, 77.96700



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.43124, 77.96307



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.46166, 77.94295



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.46780, 77.94014



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.49001, 77.92156



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.49041, 77.91993



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48965, 77.91779



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48920, 77.90574



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48581, 77.90168



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.47412, 77.88122



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.47107, 77.87604



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.47171, 77.85467



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.47288, 77.85403



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.47327, 77.85208



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.47456, 77.85022



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.47655, 77.85014



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48049, 77.84421



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48524, 77.84283



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.49468, 77.82310



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.49926, 77.81890



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.49944, 77.81530



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50044, 77.81475



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50128, 77.81251



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50522, 77.81021



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.51030, 77.80171



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.51394, 77.80055



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.51480, 77.79935



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.51656, 77.79965



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.52176, 77.79148



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.52347, 77.79152



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.53454, 77.78772