



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal TO SRI BALAJI AGENCIES IOC DEALER

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations


The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 96.76 km
Estimated Duration: 2.5 hours
Adjusted Duration (Heavy Vehicle): 3.1 hours
Start: (11.4381, 77.8734)
End: (12.008252, 77.801941)



Welcome to the Journey Risk Management Study

Route Overview

The journey from Sangagiri to Eriyur-Sunchalnattham via designated waypoints covers approximately 96.76 kilometers and navigates through several towns and highways. The route includes stretches on major highways such as Salem - Kochi Highway and SH 86, which are crucial for connectivity in Tamil

Nadu. Key waypoints to be noted on this route are CVXF+HPR, FR48+7XQ, FVVM+MCQ, JXR2+RR8, MXVC+Q9F, QXHW+2G5, WW9C+XXQ, and WRVR+7HP.

Weather Conditions

The typical weather in Tamil Nadu ranges from tropical seasonal variations to monsoon influence. Key weather-related hazards include heavy rains during the monsoon (June to September), which could lead to flooding and reduced visibility. Additionally, high temperatures are common during the dry months (March to June), potentially affecting vehicle performance.

Traffic Patterns

Traffic congestion is typically experienced in urban areas and near market places, especially during rush hours (8-10 AM and 6-8 PM). The Salem - Kochi Highway is a significant connector and may have dense traffic, especially near economic centers like Salem. Rural roads may be less congested but could see increased traffic during local events or festivals.

Road Quality and Infrastructure

The highways such as Salem - Kochi Highway generally have good road quality and infrastructure. However, attention is needed when crossing into more rural segments, where road maintenance may be less frequent, leading to potential potholes or unpaved patches. Signage is generally adequate on major highways.

Alternative Routes for Emergencies

In case of major blockages or hazards, alternative routes could include using local roads that parallel the main route or reverting to major cities like Salem for re-routing. It's advisable for drivers to have updated maps and GPS services to assess real-time road conditions.

Local Regulations on Hazardous Material Transport

Tamil Nadu follows the Central Motor Vehicle Rules of India, which specify conditions for transporting hazardous materials. Vehicles must carry necessary permits and display hazmat placards. Night travel and transport in school zones may have restrictions.

Historical Incidents

In the past five years, the region has experienced a few incidents involving heavy vehicles, primarily due to vehicle failure or poor road conditions during heavy rain. There is no specific record of major incidents involving hazardous materials on the proposed route.

Environmental and Sensitive Areas

The route does not traverse major protected environmental zones, but drivers should be cautious around agricultural fields and residential areas to minimize noise and pollution.

Communication Coverage

Most of Tamil Nadu, including the proposed route, has good mobile network coverage. However, potential dead zones may exist in more remote or rural areas. It is recommended to ensure reliable communication tools are available, like satellite phones if necessary.

Emergency Response Times

Emergency services are relatively accessible within major towns with estimated response times of 30-45 minutes. In more remote sections, response times could exceed an hour due to distance and road conditions.

Overall Risk Assessment Summary

This route, while generally navigable for transport of hazardous materials, presents moderate risks related to weather, road quality, and congestion. With proper planning regarding travel times, emergency preparedness, and compliance with regulatory policies, the trip can be managed effectively. Constant awareness of real-time travel conditions will be critical for optimizing safe travel.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Turn	High	11.43968, 77.87345	15 KM/Hr
1	Turn	High	11.44029, 77.87544	15 KM/Hr
2	Turn	High	11.44898, 77.87410	15 KM/Hr
3	Turn	High	11.45352, 77.85698	15 KM/Hr
4	Turn	Medium	11.45764, 77.85219	30 KM/Hr
5	Turn	High	11.46303, 77.84945	15 KM/Hr
6	Turn	Medium	11.45543, 77.81740	30 KM/Hr
7	Turn	High	11.45631, 77.81668	15 KM/Hr
8	Turn	High	11.49383, 77.88442	15 KM/Hr
9	Turn	Medium	11.55573, 77.89751	30 KM/Hr
10	Turn	Medium	11.55640, 77.89913	30 KM/Hr
11	Turn	Medium	11.56627, 77.90652	30 KM/Hr
12	Turn	Medium	11.58249, 77.90829	30 KM/Hr
13	Turn	Medium	11.58294, 77.90775	30 KM/Hr
14	Turn	Medium	11.58315, 77.90685	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
15	Turn	Medium	11.58427, 77.90602	30 KM/Hr
16	Turn	Medium	11.59297, 77.90746	30 KM/Hr
17	Turn	Medium	11.63836, 77.94819	30 KM/Hr
18	Turn	High	11.64176, 77.95188	15 KM/Hr
19	Turn	Medium	11.64634, 77.95110	30 KM/Hr
20	Turn	High	11.69559, 77.97112	15 KM/Hr
21	Turn	Medium	11.69584, 77.97079	30 KM/Hr
22	Turn	Medium	11.69756, 77.96651	30 KM/Hr
23	Turn	Medium	11.70098, 77.96390	30 KM/Hr
24	Turn	Medium	11.73446, 77.96735	30 KM/Hr
25	Turn	Medium	11.73585, 77.96890	30 KM/Hr
26	Turn	High	11.77791, 77.99616	15 KM/Hr
27	Turn	Medium	11.83208, 77.94559	30 KM/Hr
28	Turn	Medium	11.84518, 77.92972	30 KM/Hr
29	Turn	Medium	11.88514, 77.93259	30 KM/Hr
30	Turn	Medium	11.89049, 77.93351	30 KM/Hr
31	Turn	Medium	11.89605, 77.93193	30 KM/Hr
32	Turn	High	11.89868, 77.93071	15 KM/Hr
33	Turn	Medium	11.89981, 77.93227	30 KM/Hr
34	Turn	Medium	11.90039, 77.93250	30 KM/Hr
35	Turn	Medium	11.90457, 77.92976	30 KM/Hr
36	Turn	High	11.90542, 77.92660	15 KM/Hr
37	Turn	Medium	11.91000, 77.92547	30 KM/Hr
38	Turn	Medium	11.91156, 77.92335	30 KM/Hr
39	Turn	High	11.91242, 77.92297	15 KM/Hr
40	Turn	Medium	11.91336, 77.92335	30 KM/Hr
41	Turn	Medium	11.91595, 77.92304	30 KM/Hr
42	Turn	Medium	11.91679, 77.92266	30 KM/Hr
43	Turn	High	11.92007, 77.92257	15 KM/Hr
44	Turn	Medium	11.92095, 77.92011	30 KM/Hr
45	Turn	High	11.92070, 77.91883	15 KM/Hr
46	Turn	High	11.92299, 77.91809	15 KM/Hr
47	Turn	Medium	11.92719, 77.91841	30 KM/Hr
48	Turn	Medium	11.92762, 77.91809	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
49	Turn	Medium	11.92854, 77.91202	30 KM/Hr
50	Turn	Medium	11.92716, 77.91008	30 KM/Hr
51	Turn	High	11.92628, 77.90958	15 KM/Hr
52	Turn	Medium	11.92663, 77.90738	30 KM/Hr
53	Turn	High	11.92543, 77.90508	15 KM/Hr
54	Turn	High	11.92881, 77.90103	15 KM/Hr
55	Turn	High	11.92894, 77.89972	15 KM/Hr
56	Turn	High	11.92841, 77.89908	15 KM/Hr
57	Turn	High	11.92994, 77.89667	15 KM/Hr
58	Turn	High	11.92894, 77.89562	15 KM/Hr
59	Turn	High	11.92934, 77.89391	15 KM/Hr
60	Turn	Medium	11.92894, 77.89338	30 KM/Hr
61	Turn	Medium	11.92913, 77.89041	30 KM/Hr
62	Turn	High	11.92883, 77.88994	15 KM/Hr
63	Turn	Medium	11.93008, 77.88714	30 KM/Hr
64	Turn	High	11.93031, 77.88096	15 KM/Hr
65	Turn	Medium	11.92925, 77.87802	30 KM/Hr
66	Turn	High	11.92984, 77.87639	15 KM/Hr
67	Turn	High	11.92750, 77.87537	15 KM/Hr
68	Turn	Medium	11.92739, 77.87467	30 KM/Hr
69	Turn	High	11.92971, 77.87101	15 KM/Hr
70	Turn	Medium	11.92917, 77.87041	30 KM/Hr
71	Turn	Medium	11.92997, 77.86511	30 KM/Hr
72	Turn	Medium	11.92974, 77.86373	30 KM/Hr
73	Turn	High	11.93043, 77.85722	15 KM/Hr
74	Turn	Medium	11.93251, 77.85434	30 KM/Hr
75	Turn	High	11.93285, 77.85248	15 KM/Hr
76	Turn	Medium	11.93867, 77.85104	30 KM/Hr
77	Turn	High	11.94064, 77.84878	15 KM/Hr
78	Blind Spot	Blind Spot	11.94364, 77.84955	10 KM/Hr
79	Turn	High	11.94416, 77.84819	15 KM/Hr
80	Turn	High	11.94504, 77.84801	15 KM/Hr
81	Turn	Medium	11.94528, 77.84749	30 KM/Hr
82	Turn	Medium	11.94385, 77.84227	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
83	Turn	Medium	11.94342, 77.84184	30 KM/Hr
84	Turn	Medium	11.94331, 77.84133	30 KM/Hr
85	Turn	High	11.94484, 77.83824	15 KM/Hr
86	Turn	Medium	11.94567, 77.83791	30 KM/Hr
87	Turn	Medium	11.94878, 77.83219	30 KM/Hr
88	Turn	Medium	11.94961, 77.83144	30 KM/Hr
89	Turn	Medium	11.95062, 77.83134	30 KM/Hr
90	Turn	High	11.95873, 77.82661	15 KM/Hr
91	Turn	High	11.96005, 77.82350	15 KM/Hr
92	Turn	High	11.96215, 77.82331	15 KM/Hr
93	Turn	Medium	11.96285, 77.82373	30 KM/Hr
94	Turn	Medium	11.96364, 77.82381	30 KM/Hr
95	Turn	High	11.97063, 77.81945	15 KM/Hr
96	Turn	Medium	11.98939, 77.82022	30 KM/Hr
97	Turn	Medium	12.00145, 77.81441	30 KM/Hr
98	Turn	High	12.00444, 77.80808	15 KM/Hr
99	Turn	High	12.00489, 77.80787	15 KM/Hr
100	Blind Spot	Blind Spot	12.00644, 77.80125	10 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
1	hospital	Dr. Pandiyarajan Hospital	11.692704, 77.969344	30 km/h	Medium
2	clinic	Sun Eye Care	11.6936242, 77.9730948	30 km/h	Medium
3	hospital	Dr. Sengodan Hospital	11.6959527, 77.9695325	30 km/h	Medium
4	hospital	Veda Maruthuvamanai Hospital	11.6956155, 77.9678122	30 km/h	Medium
5	clinic	E.V.P Vairavel Clinic	11.6954975, 77.9667903	30 km/h	Medium
6	clinic	AMS Clinic	11.752664, 77.974974	30 km/h	Medium
7	hospital	Vasu Speciality Hospital	11.8331097, 77.943169	30 km/h	Medium
8	hospital	Rajamanickam Hospital	11.8332408, 77.9431081	30 km/h	Medium
9	hospital	Child Hospital	11.833001, 77.943415	30 km/h	Medium
10	hospital	Naveen Nursing Home	11.8335355, 77.9437441	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
11	hospital	Rishan Hospital	11.879358, 77.9286133	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
0	school	KRP Matric. Hr. Sec School	11.4546193, 77.8142445	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44029, 77.87544



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44898, 77.87410



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45352, 77.85698



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.45764, 77.85219



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.46303, 77.84945



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.45543, 77.81740



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45631, 77.81668



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.49383, 77.88442



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.55573, 77.89751



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.58315, 77.90685



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.58427, 77.90602



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.59297, 77.90746



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.63836, 77.94819



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.64176, 77.95188



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.64634, 77.95110



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.69559, 77.97112



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.69584, 77.97079



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.69756, 77.96651



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.70098, 77.96390



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.73446, 77.96735



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.73585, 77.96890



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.77791, 77.99616



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.83208, 77.94559



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.84518, 77.92972



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.88514, 77.93259



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.89049, 77.93351



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89605, 77.93193



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.89868, 77.93071



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89981, 77.93227



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.90039, 77.93250



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.90457, 77.92976



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.90542, 77.92660



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.91000, 77.92547



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.91156, 77.92335



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.91242, 77.92297



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.91336, 77.92335



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.91595, 77.92304



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.91679, 77.92266



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.92007, 77.92257



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.92095, 77.92011



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.92070, 77.91883



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92299, 77.91809



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92719, 77.91841



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92762, 77.91809



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.92854, 77.91202



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.92716, 77.91008



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92628, 77.90958



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92663, 77.90738



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92543, 77.90508



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.92881, 77.90103



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.92894, 77.89972



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92841, 77.89908



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92994, 77.89667



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92894, 77.89562



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.92934, 77.89391



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.92894, 77.89338



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92913, 77.89041



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92883, 77.88994



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93008, 77.88714



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.93031, 77.88096



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.92925, 77.87802



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92984, 77.87639



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92750, 77.87537



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92739, 77.87467



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92971, 77.87101



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92917, 77.87041



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92997, 77.86511



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92974, 77.86373



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.93043, 77.85722



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.93251, 77.85434



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.93285, 77.85248



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93867, 77.85104



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.94064, 77.84878



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.94364, 77.84955



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.94416, 77.84819



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.94504, 77.84801



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94528, 77.84749



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94385, 77.84227



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94342, 77.84184



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.94331, 77.84133



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.94484, 77.83824



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94567, 77.83791



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94878, 77.83219



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94961, 77.83144



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.95062, 77.83134



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.95873, 77.82661



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96005, 77.82350



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96215, 77.82331



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96285, 77.82373



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.96364, 77.82381



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.97063, 77.81945



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.98939, 77.82022



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.00145, 77.81441



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.00444, 77.80808



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.00489, 77.80787



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 12.00644, 77.80125
