



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal to N.V.S. TRADERS

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations


The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation

The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 122.62 km
Estimated Duration: 2.8 hours
Adjusted Duration (Heavy Vehicle): 3.5 hours

Start: (11.4381, 77.8734)
End: (11.558573, 78.789276)



Welcome to the Journey Risk Management Study

1. Overview of the Route Map

The route from CVQF+23W in Sangagiri to HQ5Q+RRX in Aragalur travels through several key areas including 9WG6+MPJ, SH 79 in Agaram, the Attur-Rasipuram Road, and Attur itself. The total distance of approximately 122.62 kilometers is traversed over state highways and local roads. This route primarily passes through rural and semi-urban areas, featuring diverse landscapes such as agricultural fields and small towns.

2. Typical Weather Conditions and Potential Weather-Related Hazards

The region generally experiences a tropical climate with high humidity and temperatures. Monsoon season spans from June to September, which can result in heavy rainfall and potential flooding, leading to slippery roads and reduced visibility. Summers can be extremely hot, potentially affecting vehicles and causing heat-related stress on drivers.

3. Analysis of Traffic Patterns

Traffic is typically heavier in the mornings (7:00 AM - 9:00 AM) and evenings (5:00 PM - 7:00 PM), particularly around Rasipuram and Attur due to local commuting patterns. Congestion is likely near market areas and town centers, where roads may narrow, and pedestrian activity is increased.

4. Assessment of Road Quality and Infrastructure

State highways such as SH 79 are generally well-maintained, although local roads may have varying conditions from potholes to uneven surfaces. Infrastructure like signage and lighting is better on highways but may be lacking in rural areas, particularly affecting night travel safety.

5. Suggestions for Alternative Routes for Emergencies

In case of roadblocks or incidents, an alternative route could include taking the NH 44 (Salem-Krishnagiri-Hosur Highway) if feasible, although this would involve a significant detour. Checking real-time navigation tools for local detours is recommended.

6. Summary of Local Regulations Affecting Hazardous Material Transport

Local regulations require that vehicles transporting hazardous materials adhere to specific speed limits and have proper signage. Transport at night is generally discouraged unless absolutely necessary. Routes and timing should comply with local authority guidelines to minimize risk.

7. Overview of Historical Incidents Involving Heavy Vehicles or Hazardous Materials

There have been occasional reports of accidents involving heavy vehicles on major highways, often attributed to speeding or poor road conditions. Specific incidents involving hazardous materials are rare but emphasize the need for caution near populated areas and busy intersections.

8. Environmental Considerations and Sensitive Areas

The route passes through agricultural zones where careful handling of hazardous materials is essential to prevent accidental spills. Protecting water sources and soil integrity in these areas is a critical consideration.

9. Analysis of Communication Coverage

Mobile network coverage is fairly reliable in town areas like Rasipuram and Attur but may drop in rural stretches. It is advisable to have offline maps and maintain alternative communication methods if possible.

10. Estimated Emergency Response Times

Emergency response times can vary. In urban and semi-urban areas such as Rasipuram and Attur, response times may be under 30 minutes. In more rural sections, help could take up to an hour due to distance and road conditions.

12. Overall Summary of Risk Assessment

This route presents several challenges typical of rural highways, including variable road conditions and local congestion. Weather-related hazards during the monsoon can exacerbate these issues. While traffic regulations and infrastructure for hazardous materials are in place, drivers should remain vigilant of environmental sensitivities and maintain proper communication devices. Continuous monitoring of traffic and weather updates is crucial for ensuring safety, alongside adherence to all safety protocols and emergency preparedness measures.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Roundabout	High	11.38395, 77.89480	15 KM/Hr
1	Turn	High	11.43968, 77.87345	15 KM/Hr
2	Turn	High	11.44019, 77.87547	15 KM/Hr
3	Turn	Medium	11.39685, 77.88861	30 KM/Hr
4	Turn	Medium	11.38376, 77.89914	30 KM/Hr
5	Turn	High	11.38186, 77.90258	15 KM/Hr
6	Turn	High	11.37828, 77.90171	15 KM/Hr
7	Turn	Medium	11.36754, 77.93919	30 KM/Hr
8	Turn	Medium	11.41361, 78.08073	30 KM/Hr
9	Blind Spot	Blind Spot	11.41453, 78.08062	10 KM/Hr
10	Turn	High	11.42956, 78.11590	15 KM/Hr
11	Turn	Medium	11.42185, 78.13013	30 KM/Hr
12	Turn	Medium	11.42450, 78.15278	30 KM/Hr
13	Turn	High	11.42619, 78.15552	15 KM/Hr
14	Turn	High	11.44538, 78.15836	15 KM/Hr
15	Turn	Medium	11.45569, 78.17379	30 KM/Hr
16	Turn	High	11.45592, 78.18065	15 KM/Hr
17	Turn	Medium	11.46004, 78.18427	30 KM/Hr
18	Turn	High	11.46019, 78.18533	15 KM/Hr
19	Turn	High	11.45914, 78.18551	15 KM/Hr
20	Turn	High	11.44934, 78.22284	15 KM/Hr
21	Turn	High	11.44781, 78.22338	15 KM/Hr
22	Turn	Medium	11.44754, 78.22474	30 KM/Hr
23	Turn	Medium	11.45372, 78.23624	30 KM/Hr
24	Turn	Medium	11.49655, 78.32351	30 KM/Hr
25	Turn	Medium	11.49794, 78.32388	30 KM/Hr
26	Turn	Medium	11.50769, 78.33290	30 KM/Hr
27	Turn	Medium	11.50882, 78.33991	30 KM/Hr
28	Turn	Medium	11.51233, 78.34440	30 KM/Hr
29	Turn	Medium	11.51831, 78.34789	30 KM/Hr
30	Turn	Medium	11.56726, 78.37837	30 KM/Hr
31	Turn	Medium	11.56948, 78.39897	30 KM/Hr
32	Turn	Medium	11.57484, 78.49425	30 KM/Hr
33	Turn	Medium	11.57097, 78.49953	30 KM/Hr
34	Turn	Medium	11.57844, 78.51285	30 KM/Hr
35	Turn	Medium	11.58683, 78.54570	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
36	Turn	Medium	11.59013, 78.55156	30 KM/Hr
37	Turn	Medium	11.59208, 78.55711	30 KM/Hr
38	Turn	High	11.59744, 78.57347	15 KM/Hr
39	Turn	Medium	11.59582, 78.57444	30 KM/Hr
40	Turn	High	11.59533, 78.57596	15 KM/Hr
41	Turn	High	11.59860, 78.57703	15 KM/Hr
42	Turn	Medium	11.60134, 78.58276	30 KM/Hr
43	Turn	High	11.59937, 78.59648	15 KM/Hr
44	Turn	Medium	11.59852, 78.59670	30 KM/Hr
45	Turn	Medium	11.59384, 78.60581	30 KM/Hr
46	Turn	Medium	11.59382, 78.61017	30 KM/Hr
47	Turn	High	11.59503, 78.61074	15 KM/Hr
48	Turn	High	11.58562, 78.74218	15 KM/Hr
49	Turn	High	11.58529, 78.74248	15 KM/Hr
50	Blind Spot	Blind Spot	11.58552, 78.74964	10 KM/Hr
51	Turn	High	11.57887, 78.74919	15 KM/Hr
52	Turn	Medium	11.57435, 78.77084	30 KM/Hr
53	Turn	High	11.57305, 78.77238	15 KM/Hr
54	Turn	High	11.57250, 78.77230	15 KM/Hr
55	Turn	High	11.57071, 78.77487	15 KM/Hr
56	Turn	High	11.57003, 78.77454	15 KM/Hr
57	Turn	High	11.56787, 78.77784	15 KM/Hr
58	Turn	High	11.56644, 78.77807	15 KM/Hr
59	Turn	Medium	11.56573, 78.77908	30 KM/Hr
60	Turn	Medium	11.56521, 78.77919	30 KM/Hr
61	Turn	High	11.56285, 78.77815	15 KM/Hr
62	Turn	High	11.56101, 78.77967	15 KM/Hr
63	Turn	High	11.56078, 78.78385	15 KM/Hr
64	Turn	High	11.56129, 78.78407	15 KM/Hr
65	Turn	High	11.56064, 78.78890	15 KM/Hr
66	Turn	Medium	11.55975, 78.78939	30 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
0	hospital	Tiruchengode, Goverment Hospital	11.3903328, 77.8920627	30 km/h	Medium
1	hospital	SPM Medical Centre,Tiruchengode	11.3881331, 77.8931963	30 km/h	Medium
5	hospital	Jayaa Hospital	11.3848223, 77.9021886	30 km/h	Medium
14	hospital	Sudha Hospital	11.4555773, 78.1760125	30 km/h	Medium
15	hospital	Government Hospital Blood Bank, Rasipuram	11.4612082, 78.1849249	30 km/h	Medium
16	hospital	M.R. Hospital, Namakkal	11.4613462, 78.1861702	30 km/h	Medium
17	hospital	dr.thangavel dch hospital	11.4619955, 78.1849181	30 km/h	Medium
18	police	Police Station Rasipuram	11.4617825, 78.1847411	30 km/h	Medium
19	hospital	surya hospital	11.4622163, 78.1840544	30 km/h	Medium
20	hospital	Government Hospital, Rasipuram	11.4612987, 78.1851369	30 km/h	Medium
21	hospital	Rasi Hospital	11.4618368, 78.1855695	30 km/h	Medium
22	hospital	R K Eye Care Center	11.4589079, 78.1913596	30 km/h	Medium
23	hospital	Manickkam Hospital	11.4568944, 78.1926061	30 km/h	Medium
24	hospital	Snathi Hospital	11.4564245, 78.1932485	30 km/h	Medium
26	hospital	Sugam Hospital,Rasipuram	11.4553007, 78.1936221	30 km/h	Medium
27	hospital	Government Hospital, Namagiripettai	11.4569484, 78.265263	30 km/h	Medium
28	clinic	Dr. Saravanakumar Clinic	11.5842002, 78.4441223	30 km/h	Medium
29	hospital	Government Hospital	11.572472, 78.497407	30 km/h	Medium
31	hospital	Abi Hospital	11.59319, 78.560129	30 km/h	Medium
34	clinic	RK Clinic	11.59969, 78.5941386	30 km/h	Medium
35	clinic	Mother's Ortho Clinic	11.6002438, 78.594053	30 km/h	Medium
36	hospital	Sundaram Multi Speciality Hospital	11.600633, 78.5948143	30 km/h	Medium
37	clinic	Sri Vinayaga Physiotherapy Clinic	11.598134, 78.597401	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
38	hospital	Sri Andavhar Nursing Home	11.6010351, 78.5974614	30 km/h	Medium
39	clinic	Attur ENT and Dental Care Centre	11.5991073, 78.5962503	30 km/h	Medium
40	hospital	Kalyani Memorial Hospital	11.599983, 78.596223	30 km/h	Medium
41	hospital	Arun Hospital	11.599848, 78.596343	30 km/h	Medium
42	clinic	Bawaa Clinic	11.597934, 78.597143	30 km/h	Medium
43	hospital	Chiranjeevi Hospital	11.5998283, 78.594309	30 km/h	Medium
44	clinic	SS Clinic	11.5975084, 78.5979036	30 km/h	Medium
45	hospital	Gokulam Hospital	11.597356, 78.598403	30 km/h	Medium
46	hospital	Kumar Eye Hospital	11.5978065, 78.5984006	30 km/h	Medium
47	clinic	Ramakrishna Nursing Home	11.5988349, 78.5988615	30 km/h	Medium
48	hospital	Rk Memorial Hospital	11.5975972, 78.5993824	30 km/h	Medium
49	hospital	Anugraha Hospital	11.5963566, 78.5941161	30 km/h	Medium
50	hospital	Sakthi Sivam Hospital	11.5959889, 78.5941723	30 km/h	Medium
51	hospital	Geeth Ragunath Hospital	11.5954889, 78.5955383	30 km/h	Medium
52	hospital	N.S. Kumudham Hospital	11.59626, 78.599512	30 km/h	Medium
53	hospital	Panneerselvam Hospital	11.598067, 78.599939	30 km/h	Medium
54	hospital	Sri Dhanvantari Children Hospital	11.5991194, 78.5999856	30 km/h	Medium
55	hospital	Abhi Eye Hospital	11.5980207, 78.6003698	30 km/h	Medium
56	hospital	Government Hospital	11.597079, 78.600619	30 km/h	Medium
57	clinic	Dr. Ramdoss Clinic	11.595518, 78.600865	30 km/h	Medium
58	hospital	Arul Gandhi Physiotherapy Hospital	11.5979315, 78.6003262	30 km/h	Medium
59	hospital	St. Joseph Hospital	11.5990918, 78.6003644	30 km/h	Medium
60	hospital	Government Hospital Attur	11.59709, 78.601343	30 km/h	Medium
61	clinic	G.V. Homeo Clinic	11.596099, 78.600999	30 km/h	Medium
62	hospital	Lakshitha Hospital	11.5952715, 78.6094785	30 km/h	Medium
64	clinic	Sugam Clinic	11.5832481, 78.7496438	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
65	hospital	Selvam Hospital	11.585978, 78.748761	30 km/h	Medium
66	hospital	Prabushankar Hospital	11.584239, 78.7490323	30 km/h	Medium
67	clinic	Sri Ragavendhra Siddha Clinic	11.5610046, 78.7877509	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
2	school	அரசு ஆண்கள் மேல்நிலைப் பள்ளி	11.3850439, 77.8948279	30 km/h	Medium
3	school	அரசு பெண்கள் மேல்நிலைப் பள்ளி	11.3844247, 77.8949053	30 km/h	Medium
4	marketplace	திருச்செங்கோடு தினசரி காய்கறி சந்தை	11.3833608, 77.8970145	30 km/h	Medium
6	marketplace	Farmer Market	11.4146849, 78.0805463	30 km/h	Medium
7	school	Government Higher Secondary School	11.4150045, 78.0838172	30 km/h	Medium
8	school	Government school	11.4248027, 78.1323902	30 km/h	Medium
9	college	Paavai Arts And Science College For Women	11.4262443, 78.1546987	30 km/h	Medium
10	school	SRV EXCEL Matriculation Higher Secondary School	11.4299679, 78.152616	30 km/h	Medium
11	college	Thiruvalluvar Govt arts college	11.4449352, 78.1595562	30 km/h	Medium
12	school	Venkateswara School	11.4468258, 78.1595761	30 km/h	Medium
13	school	Venkateswara Middle school	11.4472063, 78.1596191	30 km/h	Medium
25	school	Govt. Hr. Sec. School	11.4585324, 78.1933666	30 km/h	Medium
30	school	Rasi Matric HR Sec School	11.5760027, 78.5062808	30 km/h	Medium
32	school	Government Boys Higher Secondary School	11.599149, 78.5888931	30 km/h	Medium
33	school	Government Boys Higher Secondary School	11.598743, 78.5885472	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
63	college	Maruthi Polytechnic College	11.5856852, 78.7201072	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Roundabout
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.38395, 77.89480



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44019, 77.87547



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.39685, 77.88861



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.38376, 77.89914



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.38186, 77.90258



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.37828, 77.90171



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.36754, 77.93919



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.41361, 78.08073



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.41453, 78.08062



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.42956, 78.11590



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.42450, 78.15278



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.42619, 78.15552



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44538, 78.15836



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.45569, 78.17379




Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45592, 78.18065



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46004, 78.18427



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.46019, 78.18533



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45914, 78.18551



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44934, 78.22284



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44781, 78.22338



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.44754, 78.22474



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.45372, 78.23624



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.49655, 78.32351



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.49794, 78.32388



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.50769, 78.33290



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.50882, 78.33991



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.51233, 78.34440



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.51831, 78.34789



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.56726, 78.37837



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.56948, 78.39897



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.57484, 78.49425



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.57097, 78.49953



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.57844, 78.51285



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.58683, 78.54570



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59208, 78.55711



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.59744, 78.57347



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59582, 78.57444



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.59533, 78.57596



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.59860, 78.57703



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.60134, 78.58276



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.59937, 78.59648



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59852, 78.59670



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59384, 78.60581



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59382, 78.61017



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.59503, 78.61074



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.58562, 78.74218



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.58529, 78.74248



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.58552, 78.74964



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.57887, 78.74919



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.57435, 78.77084



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.57305, 78.77238



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.57250, 78.77230



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.57071, 78.77487



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.57003, 78.77454



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.56787, 78.77784



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.56644, 78.77807



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.56573, 78.77908



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.56521, 78.77919



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.56285, 78.77815



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.56101, 78.77967



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.56078, 78.78385



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.56129, 78.78407



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.56064, 78.78890



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.55975, 78.78939

