



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal TO SRI ARTHANAREESHWARA FUELS

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations

The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 76.24 km
Estimated Duration: 2.1 hours
Adjusted Duration (Heavy Vehicle): 2.6 hours
Start: (11.4381, 77.8734)
End: (11.947679, 77.835265)



Welcome to the Journey Risk Management Study

1. Overview of the Route Map

The route from CVQF+23W, Sangagiri, to WRWP+X3P, Eriyur-Mecheri Rd, covers approximately 76.24 kilometers and primarily traverses through state highways and rural roads. The journey includes a mix of urban, semi-urban, and rural landscapes, which can affect traffic flow and road quality.

2. Typical Weather Conditions and Potential Weather-Related Hazards

Tamil Nadu experiences a tropical climate with monsoon seasons. During monsoon months (June to September and November to December), heavy rains can lead to waterlogging and poor visibility. The region can also experience high temperatures during summer, affecting road conditions and potentially causing tire blowouts.

3. Analysis of Traffic Patterns

Traffic tends to peak during morning (8:00 AM - 10:00 AM) and evening (5:00 PM - 7:00 PM) hours, especially when passing through towns. Roads near Sangagiri and larger intersections along the route might experience congestion. It's advisable to plan travel outside these peak times to avoid delays.

4. Assessment of Road Quality and Infrastructure

The road quality varies, with some highways well-maintained while rural areas may have potholes and narrower lanes. Be cautious of unmarked speed bumps and occasional construction zones. The infrastructure generally supports truck travel, but care should be taken in less developed areas.

5. Suggestions for Alternative Routes for Emergencies

In emergencies, consider using major roads such as NH44 and NH79 leading towards Erode or Salem as detours. These offer better infrastructure and more services, although they may add distance to the journey.

6. Summary of Local Regulations Affecting Hazardous Material Transport

Transporting hazardous material is subject to strict regulations in Tamil Nadu, including licensing, marked vehicles, and following prescribed routes. It's essential to comply with local transport departments and obtain necessary permits.

7. Overview of Historical Incidents Involving Heavy Vehicles or Hazardous Materials

There are no major historical incidents reported specifically between these two localities. However, Tamil Nadu does record incidents involving heavy vehicles, often due to driver fatigue, poor road conditions, or mechanical failure.

8. Environmental Considerations and Sensitive Areas

The route passes through agricultural zones and near water bodies, which are sensitive to spills. Take precautions to prevent contamination, especially in monsoon seasons when runoff can quickly spread hazardous materials.

9. Analysis of Communication Coverage

Most areas along the route have good cellular coverage. However, there might be intermittent dead zones in more rural stretches. Ensure that communication devices are functional, and inform someone of your expected arrival time.

10. Estimated Emergency Response Times for Different Route Segments

Emergency response times can vary significantly. In urban areas like Sangagiri, response times may be under 30 minutes. In rural areas, this can extend to an hour or more, depending on accessibility and road conditions.

12. Overall Summary of Risk Assessment

The route presents standard risks associated with rural and semi-urban trucking in India: varying road conditions, peak traffic, and weather-related challenges. Upon compliance with local regulations and awareness of conditions, the journey is manageable, but caution during monsoon seasons and peak traffic times is emphasized. Always have contingency plans for emergencies and be aware of environmental sensitivities along the way.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Roundabout	High	11.58300, 77.85813	15 KM/Hr
1	Roundabout	High	11.60348, 77.83967	15 KM/Hr
2	Turn	High	11.43968, 77.87345	15 KM/Hr
3	Turn	High	11.44029, 77.87544	15 KM/Hr
4	Turn	High	11.44900, 77.87406	15 KM/Hr
5	Turn	High	11.45028, 77.87202	15 KM/Hr
6	Turn	Medium	11.45309, 77.87325	30 KM/Hr
7	Turn	Medium	11.46400, 77.87323	30 KM/Hr
8	Turn	Medium	11.46765, 77.87037	30 KM/Hr
9	Turn	High	11.47403, 77.86841	15 KM/Hr
10	Turn	Medium	11.47468, 77.86913	30 KM/Hr
11	Turn	Medium	11.47934, 77.87008	30 KM/Hr
12	Turn	Medium	11.48045, 77.87147	30 KM/Hr
13	Turn	High	11.48277, 77.87250	15 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
14	Turn	Medium	11.49496, 77.86660	30 KM/Hr
15	Turn	Medium	11.49835, 77.86590	30 KM/Hr
16	Turn	Medium	11.50914, 77.86023	30 KM/Hr
17	Turn	Medium	11.52571, 77.85522	30 KM/Hr
18	Turn	Medium	11.52772, 77.85585	30 KM/Hr
19	Turn	Medium	11.54729, 77.85264	30 KM/Hr
20	Turn	Medium	11.55650, 77.85798	30 KM/Hr
21	Turn	Medium	11.56401, 77.85969	30 KM/Hr
22	Turn	High	11.57893, 77.85430	15 KM/Hr
23	Turn	Medium	11.58000, 77.85722	30 KM/Hr
24	Turn	Medium	11.58700, 77.85827	30 KM/Hr
25	Turn	Medium	11.60960, 77.84159	30 KM/Hr
26	Turn	Medium	11.62066, 77.84105	30 KM/Hr
27	Turn	Medium	11.64055, 77.84600	30 KM/Hr
28	Turn	Medium	11.64173, 77.84878	30 KM/Hr
29	Turn	Medium	11.64600, 77.85144	30 KM/Hr
30	Turn	Medium	11.65465, 77.85322	30 KM/Hr
31	Turn	Medium	11.66451, 77.85595	30 KM/Hr
32	Turn	Medium	11.67289, 77.86017	30 KM/Hr
33	Turn	High	11.68488, 77.86889	15 KM/Hr
34	Turn	Medium	11.68458, 77.87219	30 KM/Hr
35	Turn	High	11.68486, 77.87288	15 KM/Hr
36	Blind Spot	Blind Spot	11.69469, 77.87589	10 KM/Hr
37	Turn	Medium	11.69544, 77.87480	30 KM/Hr
38	Turn	High	11.69551, 77.87442	15 KM/Hr
39	Turn	Medium	11.75989, 77.89002	30 KM/Hr
40	Turn	Medium	11.76018, 77.89078	30 KM/Hr
41	Turn	High	11.75964, 77.89200	15 KM/Hr
42	Turn	High	11.83269, 77.94377	15 KM/Hr
43	Turn	Medium	11.84525, 77.92965	30 KM/Hr
44	Turn	Medium	11.85646, 77.92369	30 KM/Hr
45	Turn	Medium	11.88081, 77.92996	30 KM/Hr
46	Turn	Medium	11.88136, 77.93109	30 KM/Hr
47	Turn	Medium	11.88527, 77.93258	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
48	Turn	Medium	11.88920, 77.93256	30 KM/Hr
49	Turn	Medium	11.88971, 77.93313	30 KM/Hr
50	Turn	High	11.89111, 77.93371	15 KM/Hr
51	Turn	Medium	11.89632, 77.93178	30 KM/Hr
52	Turn	Medium	11.89805, 77.93079	30 KM/Hr
53	Turn	High	11.89875, 77.93076	15 KM/Hr
54	Turn	Medium	11.89993, 77.93235	30 KM/Hr
55	Turn	Medium	11.90059, 77.93250	30 KM/Hr
56	Turn	Medium	11.90479, 77.92922	30 KM/Hr
57	Turn	Medium	11.90518, 77.92695	30 KM/Hr
58	Turn	High	11.90568, 77.92652	15 KM/Hr
59	Turn	Medium	11.91171, 77.92323	30 KM/Hr
60	Turn	Medium	11.91260, 77.92302	30 KM/Hr
61	Turn	High	11.91349, 77.92329	15 KM/Hr
62	Turn	High	11.91428, 77.92278	15 KM/Hr
63	Turn	High	11.91450, 77.92303	15 KM/Hr
64	Turn	Medium	11.91704, 77.92269	30 KM/Hr
65	Turn	High	11.91993, 77.92263	15 KM/Hr
66	Turn	High	11.92101, 77.91980	15 KM/Hr
67	Turn	High	11.92068, 77.91915	15 KM/Hr
68	Turn	High	11.92090, 77.91876	15 KM/Hr
69	Turn	Medium	11.92200, 77.91872	30 KM/Hr
70	Turn	High	11.92265, 77.91818	15 KM/Hr
71	Turn	High	11.92737, 77.91839	15 KM/Hr
72	Turn	Medium	11.92887, 77.91368	30 KM/Hr
73	Turn	Medium	11.92854, 77.91183	30 KM/Hr
74	Turn	High	11.92626, 77.90946	15 KM/Hr
75	Turn	High	11.92544, 77.90492	15 KM/Hr
76	Turn	High	11.92899, 77.89999	15 KM/Hr
77	Turn	High	11.92840, 77.89932	15 KM/Hr
78	Turn	Medium	11.92988, 77.89685	30 KM/Hr
79	Turn	Medium	11.92983, 77.89650	30 KM/Hr
80	Turn	High	11.92884, 77.89526	15 KM/Hr
81	Turn	High	11.92941, 77.89373	15 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
82	Turn	High	11.92887, 77.89323	15 KM/Hr
83	Turn	Medium	11.92903, 77.88962	30 KM/Hr
84	Turn	Medium	11.92970, 77.88254	30 KM/Hr
85	Turn	High	11.93036, 77.88063	15 KM/Hr
86	Turn	Medium	11.92935, 77.87772	30 KM/Hr
87	Turn	High	11.92988, 77.87643	15 KM/Hr
88	Turn	High	11.92719, 77.87525	15 KM/Hr
89	Turn	High	11.92968, 77.87087	15 KM/Hr
90	Turn	High	11.92899, 77.87024	15 KM/Hr
91	Turn	Medium	11.92935, 77.86924	30 KM/Hr
92	Turn	Medium	11.92901, 77.86835	30 KM/Hr
93	Turn	Medium	11.93007, 77.86476	30 KM/Hr
94	Turn	Medium	11.92976, 77.86400	30 KM/Hr
95	Turn	Medium	11.93044, 77.85750	30 KM/Hr
96	Turn	Medium	11.93198, 77.85546	30 KM/Hr
97	Turn	High	11.93296, 77.85234	15 KM/Hr
98	Turn	Medium	11.93822, 77.85142	30 KM/Hr
99	Turn	Medium	11.94047, 77.84895	30 KM/Hr
100	Turn	High	11.94106, 77.84859	15 KM/Hr
101	Turn	High	11.94349, 77.84962	15 KM/Hr
102	Turn	High	11.94394, 77.84836	15 KM/Hr
103	Turn	High	11.94513, 77.84793	15 KM/Hr
104	Turn	Medium	11.94530, 77.84724	30 KM/Hr
105	Turn	Medium	11.94331, 77.84133	30 KM/Hr
106	Turn	Medium	11.94506, 77.83813	30 KM/Hr
107	Turn	Medium	11.94614, 77.83750	30 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
0	hospital	Thilagam Hospital	11.4753573, 77.8685829	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
1	clinic	Meyyazhagan Clinic	11.4752254, 77.8685671	30 km/h	Medium
2	hospital	Dr. Jaganathan Hospital	11.4752717, 77.8709312	30 km/h	Medium
3	hospital	Kathir Eye Hospital	11.4740976, 77.8681591	30 km/h	Medium
4	police	Police Quarters	11.4741243, 77.8673495	30 km/h	Medium
7	hospital	Sankari Hospital	11.4777496, 77.873892	30 km/h	Medium
8	hospital	Parusuraman Hospital	11.697164, 77.877792	30 km/h	Medium
9	hospital	JP Nature Cure Hospital Siddha and Naturopathy	11.7002949, 77.8770897	30 km/h	Medium
10	hospital	SSS Hospital	11.7501471, 77.8832809	30 km/h	Medium
11	clinic	DSR Clinic	11.7603176, 77.8908853	30 km/h	Medium
12	hospital	Srilakshmi Hospital	11.7601, 77.892272	30 km/h	Medium
13	hospital	Government Hospital	11.758158, 77.894528	30 km/h	Medium
15	hospital	Vasu Speciality Hospital	11.8331097, 77.943169	30 km/h	Medium
16	hospital	Rajamanickam Hospital	11.8332408, 77.9431081	30 km/h	Medium
17	hospital	Child Hospital	11.833001, 77.943415	30 km/h	Medium
18	hospital	Naveen Nursing Home	11.8335355, 77.9437441	30 km/h	Medium
19	clinic	Sri Krishna Clinic	11.835443, 77.9450587	30 km/h	Medium
20	hospital	Sri Sakthi Hospital	11.835714, 77.9451014	30 km/h	Medium
21	hospital	Rishan Hospital	11.879358, 77.9286133	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
5	school	Goverment Boys Higher Secondary School	11.477659, 77.8659632	30 km/h	Medium
6	marketplace	Sunday Market	11.4796502, 77.8708458	30 km/h	Medium
14	college	Kavery Educational Institutions	11.8255319, 77.9342256	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Roundabout
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.58300, 77.85813



Risk Type: Roundabout
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.60348, 77.83967



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44029, 77.87544



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44900, 77.87406



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45028, 77.87202



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.45309, 77.87325



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46400, 77.87323



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46765, 77.87037



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.47403, 77.86841



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.47468, 77.86913



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.47934, 77.87008



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.48045, 77.87147



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.48277, 77.87250



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.49496, 77.86660



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.49835, 77.86590



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.50914, 77.86023



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.52571, 77.85522



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.52772, 77.85585



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.54729, 77.85264



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.55650, 77.85798



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.56401, 77.85969



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.57893, 77.85430



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.58000, 77.85722



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.58700, 77.85827



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.60960, 77.84159



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.62066, 77.84105



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64055, 77.84600



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64173, 77.84878



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64600, 77.85144



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.65465, 77.85322



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.66451, 77.85595



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.67289, 77.86017



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.68488, 77.86889



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.68458, 77.87219



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.68486, 77.87288



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.69469, 77.87589



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.69544, 77.87480



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.69551, 77.87442



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.75989, 77.89002



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.76018, 77.89078



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.75964, 77.89200



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.83269, 77.94377



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.84525, 77.92965



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.85646, 77.92369



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88081, 77.92996



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88136, 77.93109



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88527, 77.93258



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88920, 77.93256



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88971, 77.93313



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.89111, 77.93371



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.89632, 77.93178



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89805, 77.93079



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.89875, 77.93076



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89993, 77.93235



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90059, 77.93250



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90479, 77.92922



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90518, 77.92695



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.90568, 77.92652



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91171, 77.92323



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91260, 77.92302



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.91349, 77.92329



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.91428, 77.92278



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.91450, 77.92303



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91704, 77.92269



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.91993, 77.92263



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92101, 77.91980



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92068, 77.91915



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92090, 77.91876



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92200, 77.91872



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92265, 77.91818



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92737, 77.91839



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92887, 77.91368



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92854, 77.91183



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92626, 77.90946



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92544, 77.90492



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92899, 77.89999



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92840, 77.89932



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92988, 77.89685



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92983, 77.89650



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92884, 77.89526



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92941, 77.89373



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92887, 77.89323



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92903, 77.88962



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92970, 77.88254



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.93036, 77.88063



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92935, 77.87772



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92988, 77.87643



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92719, 77.87525



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92968, 77.87087



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92899, 77.87024



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92935, 77.86924



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92901, 77.86835



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93007, 77.86476



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92976, 77.86400



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93044, 77.85750



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93198, 77.85546



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.93296, 77.85234



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93822, 77.85142



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94047, 77.84895



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.94106, 77.84859



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.94349, 77.84962



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.94394, 77.84836



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.94513, 77.84793



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.94530, 77.84724



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.94331, 77.84133



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.94506, 77.83813



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.94614, 77.83750

